

BASIC AUTOMATED BIRTH YEARBOOK



N.C. DOCUMENTS
CLEARINGHOUSE

NOV 13 1998

N.C. STATE LIBRARY
RALEIGH

NORTH CAROLINA RESIDENTS '89

J2
401:B61
1989
C.2



Digitized by the Internet Archive
in 2016

<https://archive.org/details/basicautomatedbi1989nort>

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as *The Baby Book*, contains computerized tables showing statewide counts and percentages for 1989 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Kevin Brock Bowden, born March 14, 1990, as photographed by Jim Page.

Brock's father is Kevin Bowden, Environmental Specialist with the Water Quality Section, in the Division of Environmental Management.

North Carolina Residents
1989

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF STATISTICS AND INFORMATION SERVICES
POST OFFICE BOX 27687
RALEIGH, NORTH CAROLINA 27611-7687

September, 1990

STATE OF NORTH CAROLINA

James G. Martin, Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES

William W. Cobey, Jr., Secretary

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS

1989

DEFINITIONS

A *'live birth'* is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A *'not married'* mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Other terminations' include previous fetal deaths and spontaneous and induced abortions. A fetal death is death prior to complete expulsion or extraction from its mother of the product of conception. A *'previous fetal death'* is delivery of a fetal death prior to the present delivery.

A *'previous live born now dead'* is a live born child who died prior to the present delivery.

'Birth order' is the sum of all previous deliveries (live births and fetal deaths) plus the present delivery.

'Birth weight' is expressed in grams. A premature birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed at time of the birth.

The *'Apgar score'* is a system for rating the physical condition of newborns. Scores range 0-10 and are a summation of scores 0-2 assigned to each of 5 items: heart rate, respiratory effect, muscle tone, reflex irritability and color. Apgar scores of 0-2 represent severe asphyxia; 3-6, mild to moderate asphyxia; 7-10, rare need for resuscitation. Scores at 5 minutes, as tabulated here, are reportedly more highly associated with mortality and neurologic defects than are scores at 1 minute.

For State tables only, a *'congenital malformation'* is one of two possible malformations reported by the certifier. It is the first-mentioned condition except where the two conditions *'link'* as per ICD linkage rules. In such cases, one or the other condition is *'preferred'* or the two combined are represented by a third code.

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

CROSS TABULATION OF				BIRTH WEIGHT IN GRAMS	
CONTROLLING FOR..		AGE OF MOTHER	AGE/WT	BY WT	
MS	RACE	MARITAL STATUS		VALUE..	LEGITIMATE
				VALUE..	WHITE
					PAGE 2 OF 3

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WERE 2500 GMS OR LESS WERE TO WOMEN AGE 20.

COUNT		WT		ROW	
ROW PCT		12500 GMS OVER		TOTAL	
COL PCT	1 OR LESS	2500 GMS	2		
AGE					
20	I	I	I	I	I
	20	I	355	I	2505
		I	14.2	I	9.5
21	I	I	I	I	I
	21	I	275	I	2130
		I	12.9	I	8.1
22	I	I	I	I	I
	22	I	209	I	1824
		I	11.5	I	6.9
23	I	I	I	I	I
	23	I	175	I	1595
		I	11.0	I	6.1
24	I	I	I	I	I
	24	I	177	I	1367
		I	12.9	I	5.2
25	I	I	I	I	I
	25	I	503	I	4493
		I	11.2	I	17.1
30	I	I	I	I	I
	30	I	216	I	1894
		I	11.4	I	7.2
35	I	I	I	I	I
	35	I	97	I	782
		I	12.4	I	3.0
40	I	I	I	I	I
	40	I	35	I	234
		I	15.0	I	0.9
COLUMN		3425	22925	26350	
TOTAL		13.0	87.0	100.0	

(CONTINUED)

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE

1. AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE. (AGE/BTH ORDR/MS/RACE)	1
2. AGE OF MOTHER BY BIRTH ORDER BY RACE. (AGE/BTH ORDR/RACE)	11
3. AGE OF MOTHER BY BIRTH WEIGHT BY RACE (AGE/BTH WT/RACE)	19
4. EDUCATION OF MOTHER BY BIRTH ORDER BY RACE (ED/BTH ORDR/RACE)	27
5. MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE (MPCB/ED/RACE)	30
6. MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE. (MPCB/AGE/RACE)	36
7. MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE (MPCB/MS/RACE)	48
8. MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE (MPCB/BTH ORDR/RACE)	54
9. MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE (MPCB/BTH WT/RACE)	60
10. NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE (PRENTL VSTS/ED/RACE)	66
11. NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE (PRENTL VSTS/AGE/RACE)	72
12. NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE (PRENTL VSTS/MS/RACE)	84
13. NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE (PRENTL VSTS/BTH ORDR/RACE)	90
14. NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE (PRENTL VSTS/BTH WT/RACE)	96
15. MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE (MPCB/PRENTL VSTS/RACE)	102

16.	PREVIOUS LIVE BORN NOW DEAD BY RACE :	114
	(PREV LB NOW DEAD/RACE)	
17.	OTHER TERMINATIONS BY RACE	115
	(OTHER TERMS/RACE)	
18.	APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE	117
	(APGAR5/AGE/RACE)	
19.	APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE	129
	(APGAR5/EDUC/RACE)	
20.	CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE	135
	(MAL/AGE/RACE) *** IN STATE BABYBOOK ONLY ***	
21.	CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE	141
	(MAL/EDUC/RACE) *** IN STATE BABYBOOK ONLY ***	

TABLE 1

CROSS TABULATION OF									
AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER	
CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...	
STATUS		STATUS		STATUS		STATUS		STATUS	
RACE		RACE		RACE		RACE		RACE	
MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER	
VALUE..		VALUE..		VALUE..		VALUE..		VALUE..	
MARRIED		MARRIED		MARRIED		MARRIED		MARRIED	
WHITE		WHITE		WHITE		WHITE		WHITE	
PAGE 1 OF 2		PAGE 1 OF 2		PAGE 1 OF 2		PAGE 1 OF 2		PAGE 1 OF 2	
13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21
COLUMN	21771	20529	10501	4367	1613	601	241	92	91
TOTAL	36.3	34.3	17.5	7.3	2.7	1.0	.4	.2	.2

TABLE 1

AGE OF MOTHER
CONTROLLING FOR...
STATUS MARITAL STATUS OF MOTHER
RACE

CROSS TABULATION OF BIRTH ORDER

BY BO

VALUE.. 1 MARRIED
VALUE.. 1 WHITE

PAGE 2 OF 2

AGE	COUNT	ROW PCT	COL PCT	11ST	1I	2I	3I	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL	
	22	I	I	1452	I	1148	I	492	I	157	I	41	I	7	I	3307
		I	I	43.9	I	34.7	I	14.9	I	4.7	I	1.2	I	.2	I	5.5
		I	I	6.7	I	5.6	I	4.7	I	3.6	I	2.5	I	1.2	I	7.7
	23	I	I	1415	I	1259	I	566	I	182	I	38	I	2	I	3486
		I	I	40.6	I	36.1	I	16.2	I	5.2	I	1.1	I	.1	I	5.8
		I	I	6.5	I	6.1	I	5.4	I	4.2	I	2.4	I	2.2	I	2.2
	24	I	I	1550	I	1344	I	611	I	200	I	66	I	3	I	3804
		I	I	40.7	I	35.3	I	16.1	I	5.3	I	1.7	I	.1	I	6.4
		I	I	7.1	I	6.5	I	5.8	I	4.6	I	4.1	I	2.2	I	3.3
	25	I	I	7269	I	7352	I	3590	I	1381	I	496	I	20	I	20393
		I	I	35.6	I	36.1	I	17.6	I	6.8	I	2.4	I	.1	I	34.0
		I	I	33.4	I	35.8	I	34.2	I	31.6	I	30.8	I	27.2	I	26.4
	26	I	I	2991	I	4617	I	3063	I	1444	I	565	I	26	I	13037
		I	I	22.9	I	35.4	I	23.5	I	11.1	I	4.3	I	.2	I	21.8
		I	I	13.7	I	22.5	I	29.2	I	33.1	I	35.0	I	35.9	I	16.5
	27	I	I	692	I	1245	I	986	I	614	I	273	I	25	I	4057
		I	I	17.1	I	30.7	I	24.3	I	15.1	I	6.7	I	.6	I	6.8
		I	I	3.2	I	6.1	I	9.4	I	14.1	I	16.9	I	27.8	I	7.7
	28	I	I	40	I	117	I	137	I	71	I	54	I	14	I	487
		I	I	8.2	I	24.0	I	28.1	I	14.6	I	11.1	I	2.9	I	.8
		I	I	.2	I	.6	I	1.3	I	1.6	I	3.3	I	15.6	I	1
	29	I	I		I	1	I	2	I	5	I	2	I	1	I	11
		I	I		I	9.1	I	18.2	I	45.5	I	18.2	I	1	I	.0
		I	I		I	.0	I	.0	I	.1	I	.1	I	1	I	1
	30	I	I	149	I	149	I	97	I	36	I	20	I	1	I	482
		I	I	30.9	I	30.9	I	20.1	I	7.5	I	4.1	I	.2	I	.8
		I	I	.7	I	.7	I	.9	I	.8	I	1.2	I	1.1	I	26.4
	COLUMN TOTAL	21771	20529	10501	4367	1613	601	241	92	90	91	59896	100.0			
		36.3	34.3	17.5	7.3	2.7	1.0	.4	.2	.2	.2	.2	.2	.2	.2	.2

TABLE 1

AGE OF MOTHER
CONTROLLING FOR...
MARITAL STATUS OF MOTHER
AGE/BTH ORDR/MS/RACE

CROSS TABULATION OF BIRTH ORDER													
BY BO													
VALUE.. 2 NOT MARRIED													
VALUE.. 1 WHITE													
AGE	BO	11	21	31	41	51	61	71	81	91	101	ROW TOTAL	
13	13	7	1	1	1	1	1	1	1	1	1	7	
		100.0	1	1	1	1	1	1	1	1	1	.1	
		.2	1	1	1	1	1	1	1	1	1		
14	14	56	1	1	1	1	1	1	1	1	2	59	
		94.9	1.7	1	1	1	1	1	1	1	3.4	.7	
		1.2	.0	1	1	1	1	1	1	1	10.5		
15	15	182	8	1	1	1	1	1	1	1	1	191	
		95.3	4.2	1	1	1	1	1	1	1	1	2.2	
		4.0	.4	1	1	1	1	1	1	1	1		
16	16	438	34	5	1	1	1	1	1	1	1	478	
		91.6	7.1	1.0	.2	1	1	1	1	1	1	5.6	
		9.6	1.7	.5	.2	1	1	1	1	1	1		
17	17	706	118	14	1	2	1	1	1	1	1	841	
		83.9	14.0	1.7	.1	.2	1	1	1	1	1	9.8	
		15.4	5.8	1.4	.2	.9	1	1	1	1	1		
18	18	765	195	32	8	1	1	1	1	1	1	1001	
		76.4	19.5	3.2	.8	.1	1	1	1	1	1	11.7	
		16.7	9.6	3.1	1.7	.4	1	1	1	1	1		
19	19	631	254	69	15	2	2	2	1	1	3	978	
		64.5	26.0	7.1	1.5	.2	.2	.2	1	1	.3	11.4	
		13.8	12.5	6.7	3.1	.9	1.9	3.8	1	1	15.8		
20	20	475	234	90	19	2	2	1	1	1	1	824	
		57.6	28.4	10.9	2.3	.2	.2	.1	1	1	.1	9.6	
		10.4	11.5	8.8	3.9	.9	1.9	1.9	1	1	5.3		
21	21	308	201	84	26	10	3	1	1	1	1	635	
		48.5	31.7	13.2	4.1	1.6	.5	.2	.2	1	.2	7.4	
		6.7	9.9	8.2	5.4	4.5	2.9	1.9	5.9	1	5.3		
COLUMN TOTAL		4583	2029	1028	484	223	103	53	17	17	19	8556	
(CONTINUED)		53.6	23.7	12.0	5.7	2.6	1.2	.6	.2	.2	.2	100.0	

TABLE 1

AGE OF MOTHER
CONTROLLING FOR...
STATUS
RACE

CROSS TABULATION OF BIRTH ORDER

MARITAL STATUS OF MOTHER

VALUE...
VALUE...

2 NOT
1 WHITE

PAGE 2 OF 2

AGE	COUNT ROW PCT COL PCT	BO										9TH AND OVER	NOT STATED	ROW TOTAL
		11	21	31	41	51	61	71	81	91	101			
22	203	I 170	I 96	I 33	I 13	I 6	I 3	I 1	I 1	I 1	I 1	I 1	I 1	525
	38.7	I 32.4	I 18.3	I 6.3	I 2.5	I 1.1	I .6	I .2	I .2	I .1	I .1	I .1	I .1	6.1
	4.4	I 8.4	I 9.3	I 6.8	I 5.8	I 5.8	I 5.7	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9
23	147	I 128	I 76	I 40	I 10	I 3	I 2	I 1	I 1	I 1	I 1	I 1	I 1	407
	36.1	I 31.4	I 18.7	I 9.8	I 2.5	I .7	I .5	I .2	I .2	I .1	I .1	I .1	I .1	4.8
	3.2	I 6.3	I 7.4	I 8.3	I 4.5	I 2.9	I 3.8	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9	I 5.9
24	130	I 118	I 73	I 37	I 23	I 6	I 4	I 1	I 1	I 1	I 1	I 1	I 1	392
	33.2	I 30.1	I 18.6	I 9.4	I 5.9	I 1.5	I 1.0	I .3	I .3	I .3	I .3	I .3	I .3	4.6
	2.8	I 5.8	I 7.1	I 7.6	I 10.3	I 5.8	I 7.5	I 5.3	I 5.3	I 5.3	I 5.3	I 5.3	I 5.3	I 5.3
25	331	I 378	I 325	I 159	I 86	I 32	I 20	I 5	I 5	I 4	I 4	I 4	I 4	1344
	24.6	I 28.1	I 24.2	I 11.8	I 6.4	I 2.4	I 1.5	I .4	I .4	I .3	I .3	I .3	I .3	15.7
	7.2	I 18.6	I 31.6	I 32.9	I 38.6	I 31.1	I 37.7	I 29.4	I 29.4	I 23.5	I 21.1	I 21.1	I 21.1	I 21.1
26	130	I 127	I 119	I 88	I 48	I 32	I 11	I 3	I 3	I 7	I 2	I 2	I 2	567
	22.9	I 22.4	I 21.0	I 15.5	I 8.5	I 5.6	I 1.9	I .5	I .5	I 1.2	I .4	I .4	I .4	6.6
	2.8	I 6.3	I 11.6	I 18.2	I 21.5	I 31.1	I 20.8	I 17.6	I 17.6	I 41.2	I 10.5	I 10.5	I 10.5	I 10.5
27	33	I 33	I 30	I 44	I 18	I 10	I 7	I 6	I 6	I 6	I 1	I 1	I 1	188
	17.6	I 17.6	I 16.0	I 23.4	I 9.6	I 5.3	I 3.7	I 3.2	I 3.2	I 3.2	I .5	I .5	I .5	2.2
	.7	I 1.6	I 2.9	I 9.1	I 8.1	I 9.7	I 13.2	I 35.3	I 35.3	I 35.3	I 5.3	I 5.3	I 5.3	I 5.3
28	5	I 10	I 3	I 8	I 6	I 4	I 2	I 1	I 1	I 1	I 1	I 1	I 1	38
	13.2	I 26.3	I 7.9	I 21.1	I 15.8	I 10.5	I 5.3	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8	4.4
	.1	I .5	I .3	I 1.7	I 2.7	I 3.9	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8	I 3.8
29	1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	2
	1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	.0
	1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1	I 1
30	36	I 20	I 11	I 4	I 1	I 3	I 1	I 1	I 1	I 1	I 4	I 4	I 4	79
	45.6	I 25.3	I 13.9	I 5.1	I 1.3	I 3.8	I 1	I 1	I 1	I 1	I 5.1	I 5.1	I 5.1	.9
	.8	I 1.0	I 1.1	I .8	I .4	I 2.9	I 1	I 1	I 1	I 1	I 21.1	I 21.1	I 21.1	I 21.1
COLUMN TOTAL		4583	1028	484	223	103	53	17	17	17	19	19	19	8556
TOTAL		53.6	23.7	5.7	2.6	1.2	.6	.2	.2	.2	.2	.2	.2	100.0

TABLE 1

----- C R O S S T A B U L A T I O N O F -----
 AGE AGE OF MOTHER BY BO BIRTH ORDER
 CONTROLLING FOR...
 STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED
 RACE RACE VALUE.. 1 WHITE
 ----- PAGE 1 OF 1

AGE	COUNT I	BO	1ST	2ND	5TH	ROW TOTAL
	ROW PCT					
	COL PCT					
	1	1	1	1	1	1
21	I	I	I	I	I	1
	I	I	I	I	I	33.3
	I	I	I	I	I	
	I	I	I	I	I	
23	I	I	I	I	I	1
	I	I	I	I	I	33.3
	I	I	I	I	I	
	I	I	I	I	I	
25	I	I	I	I	I	1
	I	I	I	I	I	33.3
	I	I	I	I	I	
	I	I	I	I	I	
COLUMN	1	1	1	1	1	3
TOTAL	33.3	33.3	33.3	33.3	33.3	100.0

TABLE 1

CROSS TABULATION OF BIRTH ORDER									
AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER		AGE OF MOTHER	
CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...		CONTROLLING FOR...	
STATUS		STATUS		STATUS		STATUS		STATUS	
RACE		RACE		RACE		RACE		RACE	
MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER		MARITAL STATUS OF MOTHER	
VALUE..		VALUE..		VALUE..		VALUE..		VALUE..	
1		1		1		1		1	
2		2		2		2		2	
NONWHITE		NONWHITE		NONWHITE		NONWHITE		NONWHITE	
14	1	1	1	1	1	1	1	1	1
15	6	1	2	1	1	1	1	1	1
16	18	1	10	1	1	1	1	1	1
17	45	1	36	1	1	1	1	1	1
18	115	1	73	1	33	1	5	1	1
19	183	1	154	1	62	1	21	1	1
20	256	1	196	1	110	1	45	1	1
21	306	1	381	1	208	1	78	1	1
22	233	1	337	1	187	1	77	1	1
23	262	1	379	1	210	1	87	1	1
24	73	1	79	1	59	1	44	1	1
25	3181	1	4283	1	3189	1	1731	1	1
26	229	1	308	1	230	1	125	1	1
27	424	1	361	1	244	1	166	1	1
28	624	1	451	1	311	1	115	1	1
29	774	1	561	1	411	1	115	1	1
30	889	1	641	1	511	1	115	1	1
31	13893	1	1000	1	13893	1	1000	1	1

CROSS TABULATION OF ---
BY BO BIRTH ORDER

[illegible]

TABLE 1

AGE OF MOTHER
CONTROLLING FOR...
STATUS
RACE

MARITAL STATUS OF MOTHER

CROSS TABULATION OF BIRTH ORDER

BY BO

VALUE.. 2 NOT
VALUE.. 2 NONWHITE

PAGE 1 OF 3

AGE	11	21	31	41	51	61	71	81	91	101	ROW TOTAL
12	14	1	1	1	1	1	1	1	1	1	14
13	100.0	1	1	1	1	1	1	1	1	1	.1
14	.2	1	1	1	1	1	1	1	1	1	1
15	70	1	1	1	1	1	1	1	1	1	70
16	100.0	1	1	1	1	1	1	1	1	1	.4
17	.9	1	1	1	1	1	1	1	1	1	1
18	248	22	2	1	1	1	1	1	1	1	272
19	91.2	8.1	.7	1	1	1	1	1	1	1	1.4
20	3.1	.4	.1	1	1	1	1	1	1	1	1
21	487	69	1	1	1	1	1	1	1	1	557
22	87.4	12.4	.2	1	1	1	1	1	1	1	2.8
23	6.2	1.3	.0	1	1	1	1	1	1	1	1
24	814	183	25	3	1	1	1	1	1	1	1028
25	79.2	17.8	2.4	.3	1	1	1	1	1	1	5.2
26	10.3	3.4	.8	.2	1	1	1	1	1	1	1
27	1023	359	71	11	2	1	1	1	1	1	1467
28	69.7	24.5	4.8	.7	.1	1	1	1	1	1	7.4
29	12.9	6.6	2.2	.7	.3	1	1	1	1	1	1
30	1145	548	191	35	8	1	1	1	1	1	1929
31	59.4	28.4	9.9	1.8	.4	1	1	1	1	1	9.8
32	14.5	10.1	5.8	2.1	1.0	1	1	1	1	1	1
33	1069	632	257	75	25	4	1	1	1	1	2064
34	51.8	30.6	12.5	3.6	1.2	.2	1	1	1	1	10.5
35	13.5	11.6	7.8	4.5	3.2	1.2	1	1	1	1	1
36	745	614	333	124	34	14	1	1	1	1	1866
37	39.9	32.9	17.8	6.6	1.8	.8	1	1	1	1	9.5
38	9.4	11.3	10.1	7.4	4.3	4.2	1	1	1	1	1
COLUMN TOTAL	7904	5443	3297	1681	793	336	133	67	56	33	19743
	40.0	27.6	16.7	8.5	4.0	1.7	.7	.3	.3	.2	100.0

CROSS TABULATION OF ---
BY BIRTH ORDER

CONTROLLING FOR...		STATUS		MARITAL STATUS OF MOTHER		VALUE...		2		NOT		MARRIED		2		NONWHITE		9TH AND		NOT		STATED		ROW	
RACE						VALUE...																			
						5TH		6TH		7TH		8TH		9TH		OVER		9TH AND		NOT		STATED		TOTAL	
						4TH		3RD		2ND		1ST													
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															
						31		21		11															

TABLE 1

[illegible]

TABLE 2

AGE OF MOTHER OF BIRTH ORDER
CONTROLLING FOR...
RACES
VALUE = TOTAL
PAGE 1 OF 3

COUNT I		AGE											ROW TOTAL
ROW PCT	COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED		
COL PCT	I	I	1I	2I	3I	4I	5I	6I	7I	8I	9I	10I	
12	I 14 I 100.0 I .0	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 14 I .0 I .0	
13	I 79 I 100.0 I .2	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 79 I .1 I .1	
14	I 316 I 91.9 I .8	I 24 I 7.0 I .1	I 2 I .6 I .0	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 344 I .3 I 1.2	
15	I 767 I 89.2 I 2.0	I 91 I 10.6 I .3	I 2 I .2 I .0	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 860 I .8 I .8	
16	I 1538 I 83.1 I 4.1	I 269 I 14.5 I .8	I 35 I 1.9 I .2	I 4 I .2 I .0	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 1850 I 1.8 I 1.8	
17	I 2372 I 74.7 I 6.3	I 674 I 21.2 I 2.1	I 105 I 3.3 I .6	I 15 I .5 I .2	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 3175 I 3.1 I 1.2	
18	I 3024 I 65.6 I 8.1	I 1172 I 25.4 I 3.6	I 335 I 7.3 I 1.9	I 61 I 1.3 I .7	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 4609 I 4.5 I 1.8	
19	I 3242 I 56.4 I 8.7	I 1745 I 30.4 I 5.4	I 555 I 9.7 I 3.1	I 152 I 2.6 I 1.8	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 5745 I 5.6 I 3.0	
20	I 2984 I 48.6 I 8.0	I 1967 I 32.0 I 6.1	I 827 I 13.5 I 4.6	I 276 I 4.5 I 3.3	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I I I I I I	I 6142 I 6.0 I 3.6	
COLUMN (CONTINUED) TOTAL	37440 36.7	32285 31.6	18015 17.6	8263 8.1	3403 3.3	1397 1.4	593 .6	273 .3	253 .2	169 .2	102091 100.0		

TABLE 2

AGE OF MOTHER
CONTROLLING FOR...
RACES

CROSS TABULATION OF BIRTH ORDER

BY BO

VALUE = TOTAL

PAGE 2 OF 3

AGE	COUNT ROW PCT COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		11	21	31	41	51	61	71	81	91	101	
21	2452	I 2092	I 950	I 367	I 115	I 21	I 13	I 5	I 1	I 8	I 6023	
	I 40.7	I 34.7	I 15.8	I 6.1	I 1.9	I .3	I .2	I .1	I .1	I .1	I 5.9	
	I 6.5	I 6.5	I 5.3	I 4.4	I 3.4	I 1.5	I 2.2	I 1.8	I 1	I 4.7	I 1	
22	2280	I 2150	I 1091	I 434	I 136	I 38	I 16	I 3	I 2	I 9	I 6159	
	I 37.0	I 34.9	I 17.7	I 7.0	I 2.2	I .6	I .3	I .0	I .0	I .1	I 6.0	
	I 6.1	I 6.7	I 6.1	I 5.3	I 4.0	I 2.7	I 2.7	I 1.1	I .8	I 5.3	I 1	
23	2081	I 2053	I 1161	I 482	I 166	I 53	I 15	I 5	I 1	I 7	I 6028	
	I 34.5	I 34.1	I 19.3	I 8.0	I 2.8	I .9	I .2	I .1	I .1	I .1	I 5.9	
	I 5.6	I 6.4	I 6.4	I 5.8	I 4.9	I 3.8	I 2.5	I 1.8	I 2.0	I 4.1	I 1	
24	2189	I 2087	I 1161	I 500	I 190	I 68	I 27	I 9	I 3	I 9	I 6243	
	I 35.1	I 33.4	I 18.6	I 8.0	I 3.0	I 1.1	I .4	I .1	I .0	I .1	I 6.1	
	I 5.8	I 6.5	I 6.4	I 6.1	I 5.6	I 4.9	I 4.6	I 3.3	I 1.2	I 5.3	I 1	
25	9240	I 10124	I 5896	I 2688	I 1135	I 448	I 161	I 83	I 55	I 40	I 29870	
	I 30.9	I 33.9	I 19.7	I 9.0	I 3.8	I 1.5	I .5	I .3	I .2	I .1	I 29.3	
	I 24.7	I 31.4	I 32.7	I 32.5	I 33.4	I 32.1	I 27.2	I 30.4	I 21.7	I 23.7	I 1	
26	3710	I 5866	I 4240	I 2169	I 996	I 433	I 194	I 93	I 73	I 29	I 17803	
	I 20.8	I 32.9	I 23.8	I 12.2	I 5.6	I 2.4	I 1.1	I .5	I .4	I .2	I 17.4	
	I 9.9	I 18.2	I 23.5	I 26.2	I 29.3	I 31.0	I 32.7	I 34.1	I 28.9	I 17.2	I 1	
27	867	I 1580	I 1340	I 937	I 431	I 247	I 124	I 58	I 77	I 12	I 5673	
	I 15.3	I 27.9	I 23.6	I 16.5	I 7.6	I 4.4	I 2.2	I 1.0	I 1.4	I .2	I 5.6	
	I 2.3	I 4.9	I 7.4	I 11.3	I 12.7	I 17.7	I 20.9	I 21.2	I 30.4	I 7.1	I 1	
28	59	I 169	I 179	I 115	I 91	I 48	I 32	I 15	I 33	I 1	I 742	
	I 8.0	I 22.8	I 24.1	I 15.5	I 12.3	I 6.5	I 4.3	I 2.0	I 4.4	I .1	I .7	
	I .2	I .5	I 1.0	I 1.4	I 2.7	I 3.4	I 5.4	I 5.5	I 13.0	I .6	I 1	
29	I	I 2	I 2	I 7	I 4	I	I 2	I 1	I 4	I 1	I 21	
	I	I 9.5	I 9.5	I 33.3	I 19.0	I	I 9.5	I 1	I 19.0	I 1	I .0	
	I	I .0	I .0	I .1	I .1	I	I .3	I 1	I 1.6	I 1	I 1	
COLUMN TOTAL	37440	32285	18015	8263	3403	1397	593	273	253	169	102091	
	36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	100.0	

TABLE 2

AGE OF MOTHER OF BIRTH ORDER
CONTROLLING FOR...
RACES
VALUE = TOTAL
PAGE 3 OF 3

COUNT		80										TOTAL											
ROW	PCT	11ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW	TOTAL										
COL	PCT	I	I	I	I	I	I	I	I	I	I												
AGE		30	I	226	I	220	I	134	I	56	I	29	I	10	I	2	I	1	I	33	I	711	
NOT		I	31.8	I	30.9	I	18.8	I	7.9	I	4.1	I	1.4	I	1.4	I	.3	I	.1	I	4.6	I	.7
		I	.6	I	.7	I	.7	I	.7	I	.9	I	.7	I	.7	I	.3	I	.4	I	19.5	I	
		COLUMN	37440	32285	18015	8263	3403	1397	593	273	253	169	102091										
		TOTAL	36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	100.0										

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

AGE OF MOTHER
CONTROLLING FOR...
RACE

CROSS TABULATION OF
BY BO BIRTH ORDER

VALUE.. 1 WHITE

PAGE 1 OF 2

AGE	COUNT ROW PCT COL PCT	BO										9TH AND OVER	NOT STATED	ROW TOTAL
		11	21	31	41	51	61	71	81	91	101			
13	I 9	I	I	I	I	I	I	I	I	I	I	I	I	9
	I 100.0	I	I	I	I	I	I	I	I	I	I	I	I	.0
	I .0	I	I	I	I	I	I	I	I	I	I	I	I	I
14	I 67	I 2	I	I	I	I	I	I	I	I	I	I	2	71
	I 94.4	I 2.8	I	I	I	I	I	I	I	I	I	I	2.8	.1
	I .3	I .0	I	I	I	I	I	I	I	I	I	I	1.8	I
15	I 274	I 20	I 1	I	I	I	I	I	I	I	I	I	I	295
	I 92.9	I 6.8	I .3	I	I	I	I	I	I	I	I	I	I	.4
	I 1.0	I .1	I .0	I	I	I	I	I	I	I	I	I	I	I
16	I 706	I 76	I 9	I 1	I	I	I	I	I	I	I	I	I	793
	I 89.0	I 9.6	I 1.1	I .1	I	I	I	I	I	I	I	I	I	1.2
	I 2.7	I .3	I .1	I .0	I	I	I	I	I	I	I	I	I	I
17	I 1304	I 279	I 32	I 4	I 3	I 2	I	I	I	I	I	I	I	1625
	I 80.2	I 17.2	I 2.0	I .2	I .2	I .1	I	I	I	I	I	I	I	2.4
	I 4.9	I 1.2	I .3	I .1	I .2	I .3	I	I	I	I	I	I	I	I
18	I 1764	I 551	I 111	I 21	I 5	I	I	I	I	I	I	I	I	2453
	I 71.9	I 22.5	I 4.5	I .9	I .2	I	I	I	I	I	I	I	I	3.6
	I 6.7	I 2.4	I 1.0	I .4	I .3	I	I	I	I	I	I	I	I	I
19	I 1990	I 959	I 236	I 56	I 7	I 2	I	I 3	I	I	I	I	I	3257
	I 61.1	I 29.4	I 7.2	I 1.7	I .2	I .1	I	I .1	I	I	I	I	I	4.8
	I 7.6	I 4.3	I 2.0	I 1.2	I .4	I .3	I 1.0	I .9	I	I	I	I	I	I
20	I 1983	I 1157	I 384	I 107	I 10	I 5	I 2	I	I	I	I	I	I	3652
	I 54.3	I 31.7	I 10.5	I 2.9	I .3	I .1	I .1	I .0	I	I	I	I	I	5.3
	I 7.5	I 5.1	I 3.3	I 2.2	I .5	I .7	I .7	I .9	I	I	I	I	I	I
21	I 1684	I 1299	I 479	I 158	I 49	I 8	I 5	I	I	I	I	I	I	3692
	I 45.6	I 35.2	I 13.0	I 4.3	I 1.3	I .2	I .1	I .1	I	I	I	I	I	5.4
	I 6.4	I 5.8	I 4.2	I 3.3	I 2.7	I 1.1	I 1.7	I 3.7	I	I	I	I	I	I
COLUMN	26355	22559	11529	4851	1837	704	294	109	107	110				68455
TOTAL	38.5	33.0	16.8	7.1	2.7	1.0	.4	.2	.2	.2				100.0

(CONTINUED)

TABLE 2

AGE OF MOTHER
CONTROLLING FOR...
RACE

CROSS TABULATION OF BIRTH ORDER

BY BO

VALUE... 1 WHITE

PAGE 2 OF 2

AGE	COUNT ROW PCT COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I	
22	I 1655	I 1318	I 588	I 190	I 54	I 13	I 6	I 1	I 1	I 1	I 7	3832
	I 43.2	I 34.4	I 15.3	I 5.0	I 1.4	I .3	I .2	I .0	I .0	I .1	I .2	5.6
	I 6.3	I 5.8	I 5.1	I 3.9	I 2.9	I 1.8	I 2.0	I .9	I .9	I .1	I 6.4	I
23	I 1563	I 1387	I 642	I 222	I 48	I 18	I 9	I 1	I 1	I 2	I 2	3894
	I 40.1	I 35.6	I 16.5	I 5.7	I 1.2	I .5	I .2	I .0	I .0	I .1	I .1	5.7
	I 5.9	I 6.1	I 5.6	I 4.6	I 2.6	I 2.6	I 3.1	I .9	I .9	I 1.9	I 1.8	I
24	I 1680	I 1462	I 684	I 237	I 89	I 26	I 11	I 1	I 1	I 2	I 4	4196
	I 40.0	I 34.8	I 16.3	I 5.6	I 2.1	I .6	I .3	I .0	I .0	I .0	I .1	6.1
	I 6.4	I 6.5	I 5.9	I 4.9	I 4.8	I 3.7	I 3.7	I .9	I .9	I 1.9	I 3.6	I
25	I 7600	I 7730	I 3915	I 1540	I 583	I 210	I 78	I 30	I 30	I 24	I 28	21738
25 - 29	I 35.0	I 35.6	I 18.0	I 7.1	I 2.7	I 1.0	I .4	I .1	I .1	I .1	I .1	31.8
	I 28.8	I 34.3	I 34.0	I 31.7	I 31.7	I 29.8	I 26.5	I 27.5	I 27.5	I 22.4	I 25.5	I
26	I 3121	I 4744	I 3182	I 1532	I 613	I 227	I 99	I 36	I 36	I 33	I 17	13604
30 - 34	I 22.9	I 34.9	I 23.4	I 11.3	I 4.5	I 1.7	I .7	I .3	I .3	I .2	I .1	19.9
	I 11.8	I 21.0	I 27.6	I 31.6	I 33.4	I 32.2	I 33.7	I 33.0	I 33.0	I 30.8	I 15.5	I
27	I 725	I 1278	I 1016	I 658	I 291	I 149	I 62	I 27	I 27	I 31	I 8	4245
35 - 39	I 17.1	I 30.1	I 23.9	I 15.5	I 6.9	I 3.5	I 1.5	I .6	I .6	I .7	I .2	6.2
	I 2.8	I 5.7	I 8.8	I 13.6	I 15.8	I 21.2	I 21.1	I 24.8	I 24.8	I 29.0	I 7.3	I
28	I 45	I 127	I 140	I 79	I 60	I 36	I 17	I 7	I 7	I 14	I 1	525
40 - 44	I 8.6	I 24.2	I 26.7	I 15.0	I 11.4	I 6.9	I 3.2	I 1.3	I 1.3	I 2.7	I 1	.8
	I .2	I .6	I 1.2	I 1.6	I 3.3	I 5.1	I 5.8	I 6.4	I 6.4	I 13.1	I 1	I
29	I 1	I 1	I 2	I 6	I 3	I 1	I 1	I 1	I 1	I 1	I 1	13
45 AND OVER	I 7.7	I 7.7	I 15.4	I 46.2	I 23.1	I 1	I 7.7	I 1	I 1	I 1	I 1	.0
	I .0	I .0	I .0	I .1	I .2	I .2	I .3	I .3	I .3	I .3	I .3	I
30	I 185	I 169	I 108	I 40	I 21	I 8	I 1	I 1	I 1	I 1	I 28	561
NOT STATED	I 33.0	I 30.1	I 19.3	I 7.1	I 3.7	I 1.4	I .2	I .2	I .2	I .2	I 5.0	.8
	I .7	I .7	I .9	I .8	I 1.1	I 1.1	I .3	I .3	I .3	I .9	I 25.5	I
COLUMN TOTAL	26355	22559	11529	4851	1837	704	294	109	107	110	.2	68455
	38.5	33.0	16.8	7.1	2.7	1.0	.4	.2	.2	.2	.2	100.0

TABLE 2

AGE OF MOTHER
CONTROLLING FOR...
RACE

CROSS TABULATION OF BIRTH ORDER

BY 80

VALUE.. 2 NONWHITE

PAGE 1 OF 3

AGE	11	21	31	41	51	61	71	81	91	101	ROW TOTAL
12	14	1	1	1	1	1	1	1	1	1	14
13	100.0	1	1	1	1	1	1	1	1	1	.0
14	.1	1	1	1	1	1	1	1	1	1	1
15	70	1	1	1	1	1	1	1	1	1	70
16	100.0	1	1	1	1	1	1	1	1	1	.2
17	.6	1	1	1	1	1	1	1	1	1	1
18	249	22	2	1	1	1	1	1	1	1	273
19	91.2	8.1	.7	1	1	1	1	1	1	1	.8
20	2.2	.2	.0	1	1	1	1	1	1	1	1
21	493	71	1	1	1	1	1	1	1	1	565
22	87.3	12.6	.2	1	1	1	1	1	1	1	1.7
23	4.4	.7	.0	1	1	1	1	1	1	1	1
24	832	193	26	3	1	1	1	1	1	1	1057
25	78.7	18.3	2.5	.3	1	1	1	1	1	1	3.1
26	7.5	2.0	.4	.1	1	1	1	1	1	1	1
27	1068	395	73	11	2	1	1	1	1	1	1550
28	68.9	25.5	4.7	.7	.1	1	1	1	1	1	4.6
29	9.6	4.1	1.1	.3	.1	1	1	1	1	1	1
30	1260	621	224	40	9	1	1	1	1	1	2156
31	58.4	28.8	10.4	1.9	.4	1	1	1	1	1	6.4
32	11.4	6.4	3.5	1.2	.6	1	1	1	1	1	1
33	1252	786	319	96	29	4	1	1	1	1	2488
34	50.3	31.6	12.8	3.9	1.2	.2	1	1	1	1	7.4
35	11.3	8.1	4.9	2.8	1.9	.6	1	1	1	1	1
36	1001	810	443	169	44	18	2	1	1	1	2490
37	40.2	32.5	17.6	6.8	1.8	.7	.1	1	1	1	7.4
38	9.0	8.3	6.8	5.0	2.8	2.6	.7	1	1	1	1
COLUMN TOTAL	11085	9726	6486	3412	1566	693	299	164	146	59	33636
	33.0	28.9	19.3	10.1	4.7	2.1	.9	.5	.4	.2	100.0

(CONTINUED)

CROSS TABULATION OF ---
BY BO BIRTH ORDER

[illegible]

TABLE 2

AGE OF MOTHER
CONTROLLING FOR...
RACE

CROSS TABULATION OF BIRTH ORDER

BY BO

VALUE.. 2 NONWHITE

PAGE 3 OF 3

AGE	COUNT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
NOT	30	41	51	26	16	8	2	1	1	1	5	150
	STATED	27.3	34.0	17.3	10.7	5.3	1.3	.7	.7	.7	3.3	.4
		.4	.5	.4	.5	.5	.3	.3	.3	.3	8.5	1
		11085	9726	6486	3412	1566	693	299	164	146	59	33636
	TOTAL	33.0	28.9	19.3	10.1	4.7	2.1	.9	.5	.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

AGE OF MOTHER
CONTROLLING FOR...
AGE OF MOTHER
BY WT
CROSS TABULATION OF
BIRTH WEIGHT IN GRAMS
TOTAL
VALUE =

PAGE 1 OF 3

COUNT		WT														ROW TOTAL				
ROW COL	PCT PCT	UNDER 500 GMS	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS NOT STATED	81	71	61	51	41		31	21	11	01
12	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
14	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
16	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
18	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
20	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
22	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
24	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
26	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
28	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
30	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
32	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
34	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
36	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
38	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
40	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
42	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
44	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
46	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
48	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
50	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
52	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
54	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
56	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
58	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
60	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
62	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
64	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
66	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
68	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
70	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
72	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
74	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
76	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
78	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
80	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
82	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
84	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
86	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
88	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
90	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
92	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
94	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
96	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
98	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
100	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
102	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
104	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
106	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
108	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
110	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
112	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
114	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
116	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
118	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
120	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
122	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
124	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
126	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
128	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
130	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
132	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
134	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
136	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
138	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
140	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
142	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
144	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
146	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
148	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
150	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
152	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
154	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
156	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
158	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
160	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
162	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
164	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
166	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
168	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
170	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
172	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
174	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
176	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
178	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
180	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
182	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
184	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
186	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
188	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
190	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
192	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
194	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
196	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
198	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
200	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
202	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
204	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
206	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
208	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
210	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
212	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
214	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
216	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
218	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
220	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
222	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
224	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
226	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
228	I	I	I	I	I	I	I	I	I											

(CONTINUED)

TABLE 3

AGE OF MOTHER		CROSS TABULATION OF BIRTH WEIGHT IN GRAMS												TOTAL		PAGE 2 OF 3	
CONTROLLING FOR...		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL													
AGE		BY WT		TOTAL										</			

TABLE 3

AGE OF MOTHER
CONTROLLING FOR...
RACES

CROSS TABULATION OF
BY WT BIRTH WEIGHT IN GRAMS

VALUE = TOTAL

PAGE 3 OF 3

AGE	COUNT	WT	CROSS TABULATION OF											ROW TOTAL
			WEIGHT											
			500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS AND OVER	STATED	NOT STATED		
NOT	30	I	3	7	13	20	34	106	243	178	74	33	711	
	STATED	I	.4	1.0	1.8	2.8	4.8	14.9	34.2	25.0	10.4	4.6	.7	
	I	1.4	1.1	1.5	1.2	.7	.6	.7	.6	.7	.7	34.0	I	
TOTAL	COLUMN		214	628	868	1613	4955	17096	37122	28958	10540	97	102091	
	TOTAL		.2	.6	.9	1.6	4.9	16.7	36.4	28.4	10.3	.1	100.0	

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

AGE OF MOTHER
CONTROLLING FOR..

AGE OF MOTHER
BY WT

CROSS TABULATION OF
BIRTH WEIGHT IN GRAMS

VALUE.. 1 WHITE

PAGE 1 OF 2

AGE	COUNT	WT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS NOT STATED	ROW TOTAL
AGE	COL PCT	ROW PCT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS NOT STATED	ROW TOTAL
13	13	13	1	1	1	1	1	1	1	1	9
			1	1	1	1	1	1	1	1	9
			1	1	1	1	1	1	1	1	9
			1	1	1	1	1	1	1	1	9
14	14	14	1	1	1	1	1	1	1	1	71
			1	1	1	1	1	1	1	1	71
			1	1	1	1	1	1	1	1	71
			1	1	1	1	1	1	1	1	71
15	15	15	1	1	1	1	1	1	1	1	295
			1	1	1	1	1	1	1	1	295
			1	1	1	1	1	1	1	1	295
			1	1	1	1	1	1	1	1	295
16	16	16	1	1	1	1	1	1	1	1	793
			1	1	1	1	1	1	1	1	793
			1	1	1	1	1	1	1	1	793
			1	1	1	1	1	1	1	1	793
17	17	17	1	1	1	1	1	1	1	1	1625
			1	1	1	1	1	1	1	1	1625
			1	1	1	1	1	1	1	1	1625
			1	1	1	1	1	1	1	1	1625
18	18	18	1	1	1	1	1	1	1	1	2453
			1	1	1	1	1	1	1	1	2453
			1	1	1	1	1	1	1	1	2453
			1	1	1	1	1	1	1	1	2453
19	19	19	1	1	1	1	1	1	1	1	3257
			1	1	1	1	1	1	1	1	3257
			1	1	1	1	1	1	1	1	3257
			1	1	1	1	1	1	1	1	3257
20	20	20	1	1	1	1	1	1	1	1	3652
			1	1	1	1	1	1	1	1	3652
			1	1	1	1	1	1	1	1	3652
			1	1	1	1	1	1	1	1	3652
21	21	21	1	1	1	1	1	1	1	1	3692
			1	1	1	1	1	1	1	1	3692
			1	1	1	1	1	1	1	1	3692
			1	1	1	1	1	1	1	1	3692
COLUMN TOTAL	78	78	269	398	810	2535	9515	24210	21869	8704	68455
			.1	.4	1.2	3.7	13.9	35.4	31.9	12.7	100.0

(CONTINUED)

PAGE 2 OF 2

CROSS TABULATION OF BIRTH WEIGHT IN GRAMS												PAGE 2 OF 2	
AGE OF MOTHER CONTROLLING FOR..		VALUE.. 1 WHITE											
COUNT		WT											
ROW	PCT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS	NOT STATED	ROW TOTAL		
COL	PCT	500 GMS	1000 GMS	1500 GMS	2000 GMS	2500 GMS	3000 GMS	3500 GMS	4000 GMS	NOT STATED	ROW TOTAL		
22	I	7	12	22	42	150	564	1343	1241	449	3832		
	I	.2	.3	.6	1.1	3.9	14.7	35.0	32.4	11.7	5.6		
	I	9.0	4.5	5.5	5.2	5.9	5.9	5.5	5.7	5.2	3.0		
23	I	3	15	22	42	148	544	1409	1253	457	3894		
	I	.1	.4	.6	1.1	3.8	14.0	36.2	32.2	11.7	5.7		
	I	3.8	5.6	5.5	5.2	5.8	5.7	5.8	5.7	5.3	1.5		
24	I	12	11	28	48	145	592	1513	1346	499	4196		
	I	.3	.3	.7	1.1	3.5	14.1	36.1	32.1	11.9	6.1		
	I	15.4	4.1	7.0	5.9	5.7	6.2	6.2	6.2	5.7	3.0		
25	I	17	75	118	212	725	2870	7613	7182	2919	21738		
	I	.1	.3	.5	1.0	3.3	13.2	35.0	33.0	13.4	31.8		
	I	21.8	27.9	29.6	26.2	28.6	30.2	31.4	32.8	33.5	10.4		
26	I	15	48	75	145	485	1662	4610	4536	2016	13604		
	I	.1	.4	.6	1.1	3.6	12.2	33.9	33.3	14.8	19.9		
	I	19.2	17.8	18.8	17.9	19.1	17.5	19.0	20.7	23.2	17.9		
27	I	3	18	25	48	147	500	1450	1404	645	4245		
	I	.1	.4	.6	1.1	3.5	11.8	34.2	33.1	15.2	6.2		
	I	3.8	6.7	6.3	5.9	5.8	5.3	6.0	6.4	7.4	7.5		
28	I	3	1	1	6	22	71	170	169	83	525		
	I	.6	.2	.2	1.1	4.2	13.5	32.4	32.2	15.8	.8		
	I	1.1	.3	.3	.7	.9	.7	.7	.8	1.0	.1		
29	I	1	1	1	1	1	2	5	1	3	13		
	I	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1		
	I	1.3	1.1	1.8	1.6	.9	.8	.8	.7	.7	4.0		
30	I	1	3	7	13	23	76	196	151	64	561		
	I	.2	.5	1.2	2.3	4.1	13.5	34.9	26.9	11.4	.8		
	I	1.3	1.1	1.8	1.6	.9	.8	.8	.7	.7	4.0		
COLUMN TOTAL		78	269	398	810	2535	9515	24210	21869	8704	68455		
		.1	.4	.6	1.2	3.7	13.9	35.4	31.9	12.7	100.0		

TABLE 3

AGE OF MOTHER
CONTROLLING FOR..

AGE OF MOTHER
BY WT

CROSS TABULATION OF
BIRTH WEIGHT IN GRAMS

VALUE.. 2 NONWHITE

PAGE 1 OF 3

AGE	COUNT	WT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS NOT STATED	ROW TOTAL
12	12	I	I	I	I	I	I	I	I	I	14
		I	I	I	I	I	I	I	I	I	.0
		I	I	I	I	I	I	I	I	I	
13	13	I	3	2	1	6	19	29	9	1	70
		I	4.3	2.9	1.4	8.6	27.1	41.4	12.9	1.4	.2
		I	.8	.4	.1	.2	.3	.2	.1	.1	
14	14	I	2	6	7	19	77	111	39	7	273
		I	.7	1.8	2.6	7.0	28.2	40.7	14.3	2.6	.8
		I	1.5	1.4	.9	.8	1.0	.9	.6	.4	
15	15	I	3	9	10	44	152	221	93	19	565
		I	.5	1.6	1.8	7.8	26.9	39.1	16.5	3.4	1.7
		I	2.2	2.5	2.1	1.7	2.0	1.7	1.3	1.0	
16	16	I	9	11	20	114	259	397	179	36	1057
		I	.9	1.0	1.9	10.8	24.5	37.6	16.9	3.4	3.1
		I	6.6	3.1	4.3	4.7	3.4	3.1	2.5	2.0	
17	17	I	7	13	20	117	412	616	272	50	1550
		I	.5	.8	1.3	7.5	26.6	39.7	17.5	3.2	4.6
		I	5.1	3.6	4.3	4.8	5.4	4.8	3.8	2.7	
18	18	I	6	25	34	158	555	842	414	75	2156
		I	.3	1.2	1.6	7.3	25.7	39.1	19.2	3.5	6.4
		I	4.4	7.0	7.2	6.5	7.3	6.5	5.8	4.1	
19	19	I	6	18	38	183	592	1010	487	90	2488
		I	.2	.7	1.5	7.4	23.8	40.6	19.6	3.6	7.4
		I	4.4	5.0	8.1	7.6	7.8	7.8	6.9	4.9	
20	20	I	10	24	35	196	575	999	493	104	2490
		I	.4	1.0	1.4	7.9	23.1	40.1	19.8	4.2	7.4
		I	7.4	6.7	7.4	8.1	7.6	7.7	7.0	5.7	
COLUMN TOTAL	136	359	470	803	2420	7581	12912	7089	1836	30	33636
	.4	1.1	1.4	2.4	7.2	22.5	38.4	21.1	5.5	.1	100.0

(CONTINUED)

PAGE 25

CROSS TABULATION OF BIRTH WEIGHT IN GRAMS													PAGE 2 OF 3	
AGE OF MOTHER		BY WT												
CONTROLLING FOR..		VALUE.. 2 NONWHITE												
AGE		WT												
ROW	PCT UNDER	500 GMS	1000 GMS	1500 GMS	2000 GMS	2500 GMS	3000 GMS	3500 GMS	4000 GMS	NOT	ROW			
COL	PCT	1	2	3	4	5	6	7	8	9	TOTAL			
21	11	20	25	44	154	558	918	491	107	3	2331			
	5	9	1.1	1.9	6.6	23.9	39.4	21.1	4.6	1	6.9			
	8.1	5.6	5.3	5.5	6.4	7.4	7.1	6.9	5.8	10.0				
22	12	23	38	47	141	529	927	493	116	1	2327			
	5	1.0	1.6	2.0	6.1	22.7	39.8	21.2	5.0	0	6.9			
	8.8	6.4	8.1	5.9	5.8	7.0	7.2	7.0	6.3	3.3				
23	10	18	32	58	137	489	823	435	132	1	2134			
	5	8	1.5	2.7	6.4	22.9	38.6	20.4	6.2	1	6.3			
	7.4	5.0	6.8	7.2	5.7	6.5	6.4	6.1	7.2	1				
24	4	12	19	37	143	462	800	438	131	1	2047			
	2	6	9	1.8	7.0	22.6	39.1	21.4	6.4	0	6.1			
	2.9	3.3	4.0	4.6	5.9	6.1	6.2	6.2	7.1	3.3				
25	27	91	102	188	581	1661	3087	1867	519	9	8132			
	3	1.1	1.3	2.3	7.1	20.4	38.0	23.0	6.4	1	24.2			
	19.9	25.3	21.7	23.4	24.0	21.9	23.9	26.3	28.3	30.0				
26	14	56	61	116	302	896	1492	950	311	1	4199			
	3	1.3	1.5	2.8	7.2	21.3	35.5	22.6	7.4	0	12.5			
	10.3	15.6	13.0	14.4	12.5	11.8	11.6	13.4	16.9	3.3				
27	13	24	19	47	96	266	507	346	108	2	1428			
	9	1.7	1.3	3.3	6.7	18.6	35.5	24.2	7.6	1	4.2			
	9.6	6.7	4.0	5.9	4.0	3.5	3.9	4.9	5.9	6.7				
28	3	3	3	4	18	40	80	50	19	1	217			
	1	1.4	1.4	1.8	8.3	18.4	36.9	23.0	8.8	1	6.6			
	1	8	6	5	7	5	6	7	1.0	1				
29	1	1	1	1	1	3	2	2	1	1	8			
	1	1	1	1	1	37.5	25.0	25.0	12.5	1	0			
	1	1	1	1	1	0	0	0	1	1				
COLUMN TOTAL	136	359	470	803	2420	7581	12912	7089	1836	30	33636			
(CONTINUED)	4	1.1	1.4	2.4	7.2	22.5	38.4	21.1	5.5	1	100.0			

TABLE 3

AGE OF MOTHER OF BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. 2 NONWHITE
VALUE.. 2 NONWHITE
PAGE 3 OF 3

COUNT		CROSS TABULATION OF												ROW	
WT		BY WT												TOTAL	
AGE		BIRTH WEIGHT IN GRAMS												TOTAL	
NOT		VALUE.. 2 NONWHITE												TOTAL	
STATE		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	
TOTAL		2 NONWHITE												TOTAL	

TABLE 4

EDUC EDUCATION OF MOTHER OF BIRTH ORDER
CONTROLLING FOR... BY BO TOTAL
RACES VALUE =

PAGE 1 OF 1

		BO										ROW TOTAL	
COUNT	I	11	21	31	41	51	61	71	81	91	101		
ROW PCT	COL PCT	11	21	31	41	51	61	71	81	91	101		
EDUC	NONE OR ELEM.	1	1436	I 796	I 518	I 317	I 138	I 75	I 39	I 30	I 33	I 4	3386
		I 42.4	I 23.5	I 15.3	I 9.4	I 4.1	I 2.2	I 1.2	I .9	I 1.0	I .1	3.3	
		I 3.8	I 2.5	I 2.9	I 3.8	I 4.1	I 5.4	I 6.6	I 11.0	I 13.0	I 2.4	I	
		2	7598	I 5483	I 3439	I 1810	I 891	I 402	I 185	I 90	I 87	I 33	20018
H.S. 1-3 YEARS	I 38.0	I 27.4	I 17.2	I 9.0	I 4.5	I 2.0	I .9	I .4	I .4	I .2	I 19.6		
	I 20.3	I 17.0	I 19.1	I 21.9	I 26.2	I 28.8	I 31.2	I 33.0	I 34.4	I 19.5	I		
	3	14906	I 13742	I 7707	I 3484	I 1394	I 571	I 220	I 94	I 82	I 65	42265	
	I 35.3	I 32.5	I 18.2	I 8.2	I 3.3	I 1.4	I .5	I .2	I .2	I .2	I 41.4		
H.S. 4 YEARS	I 39.8	I 42.6	I 42.8	I 42.2	I 41.0	I 40.9	I 37.1	I 34.4	I 32.4	I 38.5	I		
	4	7001	I 6441	I 3447	I 1495	I 583	I 203	I 93	I 44	I 37	I 32	19376	
	I 36.1	I 33.2	I 17.8	I 7.7	I 3.0	I 1.0	I .5	I .2	I .2	I .2	I 19.0		
	I 18.7	I 20.0	I 19.1	I 18.1	I 17.1	I 14.5	I 15.7	I 16.1	I 14.6	I 18.9	I		
COL. 1-3 YEARS	5	6458	I 5795	I 2890	I 1145	I 389	I 143	I 56	I 15	I 14	I 20	16925	
	I 38.2	I 34.2	I 17.1	I 6.8	I 2.3	I .8	I .3	I .1	I .1	I .1	I 16.6		
	I 17.2	I 17.9	I 16.0	I 13.9	I 11.4	I 10.2	I 9.4	I 5.5	I 5.5	I 11.8	I		
	6	41	I 28	I 14	I 12	I 8	I 3	I 1	I 1	I 15	I 121		
NOT STATED	I 33.9	I 23.1	I 11.6	I 9.9	I 6.6	I 2.5	I 1	I 1	I 1	I 12.4	I .1		
	I .1	I .1	I .1	I .1	I .2	I .2	I .2	I 1	I 1	I 8.9	I		
	COLUMN TOTAL	37440	32285	18015	8263	3403	1397	593	273	253	169	102091	
	36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	.2	100.0	

NUMBER OF MISSING OBSERVATIONS = 0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSS TABULATION OF BIRTH ORDER																							
EDUCATION OF MOTHER BY BO																							
CONTROLLING FOR.. RACE																							
VALUE.. 1 WHITE																							
PAGE 1 OF 1																							
BO																							
COUNT																							
ROW PCT 11ST 2ND 3RD 4TH 5TH 6TH 7TH 8TH 9TH AND NOT ROW																							
COL PCT I 1I 2I 3I 4I 5I 6I 7I 8I 9I 10I TOTAL																							
EDUC																							
1	I	810	I	584	I	383	I	217	I	95	I	45	I	20	I	15	I	18	I	3	I	2190	
		I	37.0	I	26.7	I	17.5	I	9.9	I	4.3	I	2.1	I	.9	I	.7	I	.8	I	.1	I	3.2
		I	3.1	I	2.6	I	3.3	I	4.5	I	5.2	I	6.4	I	6.8	I	13.8	I	16.8	I	2.7	I	
2	I	4411	I	3370	I	1978	I	904	I	369	I	160	I	72	I	26	I	28	I	21	I	11339	
		I	38.9	I	29.7	I	17.4	I	8.0	I	3.3	I	1.4	I	.6	I	.2	I	.2	I	.2	I	16.6
		I	16.7	I	14.9	I	17.2	I	18.6	I	20.1	I	22.7	I	24.5	I	23.9	I	26.2	I	19.1	I	
3	I	10229	I	8951	I	4400	I	1808	I	692	I	254	I	107	I	33	I	31	I	36	I	26541	
		I	38.5	I	33.7	I	16.6	I	6.8	I	2.6	I	1.0	I	.4	I	.1	I	.1	I	.1	I	38.8
		I	38.8	I	39.7	I	38.2	I	37.3	I	37.7	I	36.1	I	36.4	I	30.3	I	29.0	I	32.7	I	
4	I	5325	I	4679	I	2345	I	974	I	374	I	130	I	49	I	25	I	19	I	21	I	13941	
		I	38.2	I	33.6	I	16.8	I	7.0	I	2.7	I	.9	I	.4	I	.2	I	.1	I	.2	I	20.4
		I	20.2	I	20.7	I	20.3	I	20.1	I	20.4	I	18.5	I	16.7	I	22.9	I	17.8	I	19.1	I	
5	I	5562	I	4960	I	2416	I	943	I	305	I	114	I	46	I	10	I	11	I	16	I	14383	
		I	38.7	I	34.5	I	16.8	I	6.6	I	2.1	I	.8	I	.3	I	.1	I	.1	I	.1	I	21.0
		I	21.1	I	22.0	I	21.0	I	19.4	I	16.6	I	16.2	I	15.6	I	9.2	I	10.3	I	14.5	I	
6	I	18	I	15	I	7	I	5	I	2	I	1	I	1	I	1	I	1	I	13	I	61	
		I	29.5	I	24.6	I	11.5	I	8.2	I	3.3	I	1.6	I	1	I	1	I	21.3	I	.1	I	
		I	.1	I	.1	I	.1	I	.1	I	.1	I	.1	I	1	I	1	I	11.8	I	1	I	
NOT STATED		26355		22559		11529		4851		1837		704		294		109		107		110		68455	
TOTAL		38.5		33.0		16.8		7.1		2.7		1.0		.4		.2		.2		.2		100.0	

TABLE 4

----- EDUCATION OF MOTHER -----
EDUC CONTROLLING FOR.. BY BO BIRTH ORDER
RACE VALUE.. 2 NONWHITE
----- PAGE 1 OF 1 -----

EDUC	COUNT ROW PCT COL PCT	CROSS TABULATION OF BIRTH ORDER										9TH AND OVER	NOT STATED	ROW TOTAL
		1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	8I	9I			
NONE OR ELEM.	1	626 I 52.3 I 5.6	212 I 17.7 I 2.2	135 I 11.3 I 2.1	100 I 8.4 I 2.9	43 I 3.6 I 2.7	30 I 2.5 I 4.3	19 I 1.6 I 6.4	15 I 1.3 I 9.1	15 I 1.3 I 9.1	15 I 1.3 I 9.1	15 I 1.3 I 9.1	15 I 1.3 I 9.1	1196 I 3.6
H.S. 1-3 YEARS	2	3187 I 36.7 I 28.8	2113 I 24.3 I 21.7	1461 I 16.8 I 22.5	906 I 10.4 I 26.6	522 I 6.0 I 33.3	242 I 2.8 I 34.9	113 I 1.3 I 37.8	64 I .7 I 39.0	64 I .7 I 39.0	59 I .7 I 40.4	59 I .7 I 40.4	12 I .1 I 20.3	8679 I 25.8
H.S. 4 YEARS	3	4677 I 29.7 I 42.2	4791 I 30.5 I 49.3	3307 I 21.0 I 51.0	1676 I 10.7 I 49.1	702 I 4.5 I 44.8	317 I 2.0 I 45.7	113 I .7 I 37.8	61 I .4 I 37.2	61 I .4 I 37.2	51 I .3 I 34.9	51 I .3 I 34.9	29 I .2 I 49.2	15724 I 46.7
COL. 1-3 YEARS	4	1676 I 30.8 I 15.1	1762 I 32.4 I 18.1	1102 I 20.3 I 17.0	521 I 9.6 I 15.3	209 I 3.8 I 13.3	73 I 1.3 I 10.5	44 I .8 I 14.7	19 I .3 I 11.6	19 I .3 I 11.6	18 I .3 I 12.3	18 I .3 I 12.3	11 I .2 I 18.6	5435 I 16.2
COL. 4+ YEARS	5	896 I 35.2 I 8.1	835 I 32.8 I 8.6	474 I 18.6 I 7.3	202 I 7.9 I 5.9	84 I 3.3 I 5.4	29 I 1.1 I 4.2	10 I .4 I 3.3	5 I .2 I 3.0	5 I .2 I 3.0	3 I .1 I 2.1	3 I .1 I 2.1	4 I .2 I 6.8	2542 I 7.6
NOT STATED	6	23 I 38.3 I .2	13 I 21.7 I .1	7 I 11.7 I .1	7 I 11.7 I .2	6 I 10.0 I .4	2 I 3.3 I .3	2 I 3.3 I .3	1 I 3.3 I .3	1 I 3.3 I .3	1 I 3.3 I .3	1 I 3.3 I .3	2 I 3.3 I 3.4	60 I .2
COLUMN TOTAL		11085 33.0	9726 28.9	6486 19.3	3412 10.1	1566 4.7	693 2.1	299 .9	164 .5	164 .5	146 .4	59 .2	59 .2	33636 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

----- MONTH PRENATAL CARE BEGAN ----- C R O S S T A B U L A T I O N ----- E D U C A T I O N ----- OF -----
MPCB ----- CONTROLLING FOR... ----- BY ----- EDUC ----- EDUCATION OF MOTHER -----
RACES ----- VALUE = ----- TOTAL -----
----- PAGE 1 OF 2 -----

MPCB	COUNT	EDUC	ROW PCT INONE OR COL PCT IELEM.	H.S. 1-3			H.S. 4			COL. 1-3			COL. 4+			NOT STATED	ROW TOTAL
				YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
NONE	0	I	126	I	791	I	729	I	143	I	78	I	29	I	15	I	1833
	I	I	6.9	I	43.2	I	39.8	I	7.8	I	1.6	I	1.6	I	.8	I	1.8
	I	I	3.7	I	4.0	I	1.7	I	.7	I	.2	I	.2	I	12.4	I	
FIRST MONTH	1	I	263	I	1724	I	6198	I	3902	I	4611	I	14	I	14	I	16712
	I	I	1.6	I	10.3	I	37.1	I	23.3	I	27.6	I	.1	I	.1	I	16.4
	I	I	7.8	I	8.6	I	14.7	I	20.1	I	27.2	I	11.6	I		I	
SECOND MONTH	2	I	774	I	5186	I	16416	I	9063	I	9077	I	22	I	22	I	40538
	I	I	1.9	I	12.8	I	40.5	I	22.4	I	22.4	I	.1	I	.1	I	39.7
	I	I	22.9	I	25.9	I	38.8	I	46.8	I	53.6	I	18.2	I		I	
THIRD MONTH	3	I	718	I	4330	I	8888	I	3569	I	2308	I	19	I	19	I	19832
	I	I	3.6	I	21.8	I	44.8	I	18.0	I	11.6	I	.1	I	.1	I	19.4
	I	I	21.2	I	21.6	I	21.0	I	18.4	I	13.6	I	15.7	I		I	
FOURTH MONTH	4	I	513	I	2840	I	4169	I	1256	I	512	I	12	I	12	I	9302
	I	I	5.5	I	30.5	I	44.8	I	13.5	I	5.5	I	.1	I	.1	I	9.1
	I	I	15.2	I	14.2	I	9.9	I	6.5	I	3.0	I	9.9	I		I	
FIFTH MONTH	5	I	342	I	2062	I	2537	I	632	I	187	I	9	I	9	I	5769
	I	I	5.9	I	35.7	I	44.0	I	11.0	I	3.2	I	.2	I	.2	I	5.7
	I	I	10.1	I	10.3	I	6.0	I	3.3	I	1.1	I	7.4	I		I	
SIXTH MONTH	6	I	285	I	1436	I	1592	I	401	I	102	I	5	I	5	I	3821
	I	I	7.5	I	37.6	I	41.7	I	10.5	I	2.7	I	.1	I	.1	I	3.7
	I	I	8.4	I	7.2	I	3.8	I	2.1	I	.6	I	4.1	I		I	
SEVENTH MONTH	7	I	186	I	939	I	967	I	209	I	45	I	3	I	3	I	2349
	I	I	7.9	I	40.0	I	41.2	I	8.9	I	1.9	I	.1	I	.1	I	2.3
	I	I	5.5	I	4.7	I	2.3	I	1.1	I	.3	I	2.5	I		I	
EIGHTH MONTH	8	I	116	I	477	I	505	I	106	I	22	I	3	I	3	I	1229
	I	I	9.4	I	38.8	I	41.1	I	8.6	I	1.8	I	.2	I	.2	I	1.2
	I	I	3.4	I	2.4	I	1.2	I	.5	I	.1	I	2.5	I		I	
COLUMN			3386		20018		42265		19376		16925		121		102091		
(CONTINUED) TOTAL			3.3		19.6		41.4		19.0		16.6		.1		100.0		

TABLE 5

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACES VALUE = TOTAL
----- PAGE 2 OF 2

MPCB	COUNT ROW PCT COL PCT	EDUC INE OR IELEM.	H.S. 1-3			H.S. 4			COL. 1-3			COL. 4+			NOT STATED	ROW TOTAL
			11	21	31	41	51	61	11	21	31	41	51	61		
NINTH MONTH	9	I	34	I	145	I	141	I	50	I	11	I	1	I	382	
		I	8.9	I	38.0	I	36.9	I	13.1	I	2.9	I	.3	I	.4	
		I	1.0	I	.7	I	.3	I	.3	I	.1	I	.8	I		
NOT STATED	10	I	29	I	88	I	123	I	45	I	21	I	18	I	324	
		I	9.0	I	27.2	I	38.0	I	13.9	I	6.5	I	5.6	I	.3	
		I	.9	I	.4	I	.3	I	.2	I	.1	I	14.9	I		
COLUMN			3386	20018	42265	19376	16925	121	102091							
TOTAL			3.3	19.6	41.4	19.0	16.6	.1	100.0							

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

----- MONTH PRENATAL CARE BEGAN ----- C R O S S T A B U L A T I O N O F -----
MPCB BY EDUCATION OF MOTHER
CONTROLLING FOR... RACE VALUE... 1 WHITE

EDUC												
COUNT		I										
ROW	PCT	INONE	OR	H.S. 1-3		H.S. 4		COL. 1-3		COL. 4+		NOT
COL	PCT	IELEM.		YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	STATED	TOTAL
		I	1I	2I	3I	4I	5I	6I				
MPCB												
NONE	0	I 71	I 273	I 216	I 46	I 15	I 4	I 625				
	I 11.4	I 43.7	I 34.6	I 7.4	I 2.4	I .6	I .9					
	I 3.2	I 2.4	I .8	I .3	I .1	I 6.6	I					
FIRST MONTH	1	I 157	I 1085	I 4419	I 3114	I 4061	I 9	I 12845				
	I 1.2	I 8.4	I 34.4	I 24.2	I 31.6	I .1	I 18.8					
	I 7.2	I 9.6	I 16.6	I 22.3	I 28.2	I 14.8	I					
SECOND MONTH	2	I 571	I 3486	I 11999	I 7117	I 7869	I 13	I 31055				
	I 1.8	I 11.2	I 38.6	I 22.9	I 25.3	I .0	I 45.4					
	I 26.1	I 30.7	I 45.2	I 51.1	I 54.7	I 21.3	I					
THIRD MONTH	3	I 486	I 2650	I 5483	I 2409	I 1849	I 10	I 12887				
	I 3.8	I 20.6	I 42.5	I 18.7	I 14.3	I .1	I 18.8					
	I 22.2	I 23.4	I 20.7	I 17.3	I 12.9	I 16.4	I					
FOURTH MONTH	4	I 326	I 1520	I 2082	I 619	I 356	I 4	I 4907				
	I 6.6	I 31.0	I 42.4	I 12.6	I 7.3	I .1	I 7.2					
	I 14.9	I 13.4	I 7.8	I 4.4	I 2.5	I 6.6	I					
FIFTH MONTH	5	I 197	I 958	I 1066	I 280	I 118	I 1	I 2620				
	I 7.5	I 36.6	I 40.7	I 10.7	I 4.5	I .0	I 3.8					
	I 9.0	I 8.4	I 4.0	I 2.0	I .8	I 1.6	I					
SIXTH MONTH	6	I 165	I 660	I 618	I 158	I 53	I 2	I 1656				
	I 10.0	I 39.9	I 37.3	I 9.5	I 3.2	I .1	I 2.4					
	I 7.5	I 5.8	I 2.3	I 1.1	I .4	I 3.3	I					
SEVENTH MONTH	7	I 115	I 389	I 368	I 98	I 30	I 2	I 1002				
	I 11.5	I 38.8	I 36.7	I 9.8	I 3.0	I .2	I 1.5					
	I 5.3	I 3.4	I 1.4	I .7	I .2	I 3.3	I					
EIGHTH MONTH	8	I 64	I 212	I 179	I 52	I 12	I 2	I 521				
	I 12.3	I 40.7	I 34.4	I 10.0	I 2.3	I .4	I .8					
	I 2.9	I 1.9	I .7	I .4	I .1	I 3.3	I					
COLUMN		2190	11339	26541	13941	14383	61	68455				
TOTAL		3.2	16.6	38.8	20.4	21.0	.1	100.0				

(CONTINUED)

TABLE 5

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE
----- PAGE 2 OF 2 -----

MPCB	COUNT ROW PCT COL PCT	I NONE OR IELEM.	H.S. 1-3 YEARS			H.S. 4 YEARS			COL. 1-3 YEARS			COL. 4+ YEARS			NOT STATED	ROW TOTAL
			11	21	31	41	51	61	11	21	31	41	51	61		
NINTH MONTH	9	I	22	I	59	I	51	I	21	I	4	I	157			
		I	14.0	I	37.6	I	32.5	I	13.4	I	2.5	I	.2			
		I	1.0	I	.5	I	.2	I	.2	I	.0	I	.1			
NOT	10	I	16	I	47	I	60	I	27	I	16	I	14			
		I	8.9	I	26.1	I	33.3	I	15.0	I	8.9	I	7.8			
		I	.7	I	.4	I	.2	I	.2	I	.1	I	23.0			
COLUMN TOTAL			2190	11339	26541	13941	14383	61	68455							
			3.2	16.6	38.8	20.4	21.0	.1	100.0							

TABLE 5

----- MONTH PRENATAL CARE BEGAN ----- C R O S S T A B U L A T I O N ----- O F -----
MPCB MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
----- PAGE 1 OF 2 -----

EDUC																	
COUNT		NONE OR		H.S. 1-3 YEARS			H.S. 4 YEARS			COL. 1-3 YEARS			COL. 4+ YEARS		NOT STATED		ROW TOTAL
ROW PCT	INONE OR	INONE OR	INONE OR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
COL PCT	IELEM.	IELEM.	IELEM.	11	21	31	41	51	61	11	21	31	41	51	61		
MPCB																	
NONE	0	I 55	I 518	I 513	I 97	I 14	I 11									1208	
	I 4.6	I 42.9	I 42.5	I 8.0	I 1.2	I .9										3.6	
	I 4.6	I 6.0	I 3.3	I 1.8	I .6	I 18.3											
FIRST MONTH	1	I 106	I 639	I 1779	I 788	I 550	I 5									3867	
	I 2.7	I 16.5	I 46.0	I 20.4	I 14.2	I .1										11.5	
	I 8.9	I 7.4	I 11.3	I 14.5	I 21.6	I 8.3											
SECOND MONTH	2	I 203	I 1700	I 4417	I 1946	I 1208	I 9									9483	
	I 2.1	I 17.9	I 46.6	I 20.5	I 12.7	I .1										28.2	
	I 17.0	I 19.6	I 28.1	I 35.8	I 47.5	I 15.0											
THIRD MONTH	3	I 232	I 1680	I 3405	I 1160	I 459	I 9									6945	
	I 3.3	I 24.2	I 49.0	I 16.7	I 6.6	I .1										20.6	
	I 19.4	I 19.4	I 21.7	I 21.3	I 18.1	I 15.0											
FOURTH MONTH	4	I 187	I 1320	I 2087	I 637	I 156	I 8									4395	
	I 4.3	I 30.0	I 47.5	I 14.5	I 3.5	I .2										13.1	
	I 15.6	I 15.2	I 13.3	I 11.7	I 6.1	I 13.3											
FIFTH MONTH	5	I 145	I 1104	I 1471	I 352	I 69	I 8									3149	
	I 4.6	I 35.1	I 46.7	I 11.2	I 2.2	I .3										9.4	
	I 12.1	I 12.7	I 9.4	I 6.5	I 2.7	I 13.3											
SIXTH MONTH	6	I 120	I 776	I 974	I 243	I 49	I 3									2165	
	I 5.5	I 35.8	I 45.0	I 11.2	I 2.3	I .1										6.4	
	I 10.0	I 8.9	I 6.2	I 4.5	I 1.9	I 5.0											
SEVENTH MONTH	7	I 71	I 550	I 599	I 111	I 15	I 1									1347	
	I 5.3	I 40.8	I 44.5	I 8.2	I 1.1	I .1										4.0	
	I 5.9	I 6.3	I 3.8	I 2.0	I .6	I 1.7											
EIGHTH MONTH	8	I 52	I 265	I 326	I 54	I 10	I 1									708	
	I 7.3	I 37.4	I 46.0	I 7.6	I 1.4	I .1										2.1	
	I 4.3	I 3.1	I 2.1	I 1.0	I .4	I 1.7											
COLUMN TOTAL		1196	8679	15724	5435	2542	60									33636	
(CONTINUED)		3.6	25.8	46.7	16.2	7.6	.2									100.0	

TABLE 5

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN EDUCATION OF MOTHER
CONTROLLING FOR.. BY EDUC
RACE VALUE.. 2 NONWHITE
----- PAGE 2 OF 2

EDUC														
COUNT		I		H.S. 1-3		H.S. 4		COL. 1-3		COL. 4+		NOT		ROW TOTAL
ROW	PCT	INONE	OR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	STATED		
COL	PCT	IELEM.	IELEM.	1I	2I	3I	4I	5I	6I					
MPCB														
NINTH MONTH	9	I	12	I	86	I	90	I	29	I	7	I	1	I
		I	5.3	I	38.2	I	40.0	I	12.9	I	3.1	I	.4	I
		I	1.0	I	1.0	I	.6	I	.5	I	.3	I	1.7	I
NOT	10	I	13	I	41	I	63	I	18	I	5	I	4	I
		I	9.0	I	28.5	I	43.8	I	12.5	I	3.5	I	2.8	I
		I	1.1	I	.5	I	.4	I	.3	I	.2	I	6.7	I
COLUMN			1196		8679		15724		5435		2542		60	33636
TOTAL			3.6		25.8		46.7		16.2		7.6		.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSS TABULATION OF												PAGE 1 OF 4	
MPCB		MONTH PRENATAL CARE BEGAN										TOTAL	
CONTROLLING FOR..		BY AGE										TOTAL	
RACES		VALUE =										TOTAL	
COUNT		AGE										TOTAL	
ROW PCT	COL PCT	12I	13I	14I	15I	16I	17I	18I	19I	20I	21I	ROW TOTAL	
MPCB													
0	NONE	2	6	19	49	80	115	148	169	156	153	1833	
		.1	.3	1.0	2.7	4.4	6.3	8.1	9.2	8.5	8.3	1.8	
		14.3	7.6	5.5	5.7	4.3	3.6	3.2	2.9	2.5	2.5	1	
FIRST MONTH													
1		1	1	17	46	113	213	334	544	646	718	16712	
		.1	.0	.1	.3	.7	1.3	2.0	3.3	3.9	4.3	16.4	
		1	1.3	4.9	5.3	6.1	6.7	7.2	9.5	10.5	11.9	1	
SECOND MONTH													
2		1	13	45	140	362	682	1086	1588	1821	2026	40538	
		.1	.0	.1	.3	.9	1.7	2.7	3.9	4.5	5.0	39.7	
		1	16.5	13.1	16.3	19.6	21.5	23.6	27.6	29.6	33.6	1	
THIRD MONTH													
3		2	13	64	167	402	727	997	1275	1387	1283	19832	
		.0	.1	.3	.8	2.0	3.7	5.0	6.4	7.0	6.5	19.4	
		14.3	16.5	18.6	19.4	21.7	22.9	21.6	22.2	22.6	21.3	1	
FOURTH MONTH													
4		4	12	55	140	330	484	754	805	791	711	9302	
		.0	.1	.6	1.5	3.5	5.2	8.1	8.7	8.5	7.6	9.1	
		28.6	15.2	16.0	16.3	17.8	15.2	16.4	14.0	12.9	11.8	1	
FIFTH MONTH													
5		1	8	49	147	227	391	541	566	532	476	5769	
		.0	.1	.8	2.5	3.9	6.8	9.4	9.8	9.2	8.3	5.7	
		7.1	10.1	14.2	17.1	12.3	12.3	11.7	9.9	8.7	7.9	1	
SIXTH MONTH													
6		3	12	41	77	161	282	371	371	399	304	3821	
		.1	.3	1.1	2.0	4.2	7.4	9.7	9.7	10.4	8.0	3.7	
		21.4	15.2	11.9	9.0	8.7	8.9	8.0	6.5	6.5	5.0	1	
SEVENTH MONTH													
7		1	9	29	57	96	162	228	244	235	189	2349	
		.0	.4	1.2	2.4	4.1	6.9	9.7	10.4	10.0	8.0	2.3	
		7.1	11.4	8.4	6.6	5.2	5.1	4.9	4.2	3.8	3.1	1	
EIGHTH MONTH													
8		1	3	13	23	55	86	101	125	117	104	1229	
		.1	.2	1.1	1.9	4.5	7.0	8.2	10.2	9.5	8.5	1.2	
		7.1	3.8	3.8	2.7	3.0	2.7	2.2	2.2	1.9	1.7	1	
(CONTINUED) TOTAL													
14		79	344	860	1850	3175	4609	5745	6142	6023	5.9	102091	
.0		.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	100.0		

CROSS TABULATION OF AGE OF MOTHER BY AGE

		AGE																TOTAL
COUNT	ROW PCT	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL										
COL PCT		25I	26I	27I	28I	29I	30I											
MPCB	I	22I	23I	24I	25I	26I	27I	28I	29I	30I								
0	I	142	I 124	I 103	I 335	I 155	I 45	I 22	I 10	I 1833								
NONE	I	7.7	I 6.8	I 5.6	I 18.3	I 8.5	I 2.5	I 1.2	I .5	I 1.8								
	I	2.3	I 2.1	I 1.6	I 1.1	I .9	I .8	I 3.0	I 1.4	I								
1	I	843	I 905	I 1016	I 5872	I 3886	I 1274	I 125	I 2	I 16712								
FIRST MONTH	I	5.0	I 5.4	I 6.1	I 35.1	I 23.3	I 7.6	I .7	I .0	I 16.4								
	I	13.7	I 15.0	I 16.3	I 19.7	I 21.8	I 22.5	I 16.8	I 9.5	I 22.1								
2	I	2179	I 2308	I 2547	I 13740	I 8700	I 2693	I 322	I 8	I 40538								
SECOND MONTH	I	5.4	I 5.7	I 6.3	I 33.9	I 21.5	I 6.6	I .8	I .0	I 39.7								
	I	35.4	I 38.3	I 40.8	I 46.0	I 48.9	I 47.5	I 43.4	I 38.1	I								
3	I	1307	I 1233	I 1285	I 5454	I 2990	I 948	I 147	I 6	I 19832								
THIRD MONTH	I	6.6	I 6.2	I 6.5	I 27.5	I 15.1	I 4.8	I .7	I .0	I 19.4								
	I	21.2	I 20.5	I 20.6	I 18.3	I 16.8	I 16.7	I 19.8	I 28.6	I								
4	I	682	I 615	I 547	I 1950	I 970	I 345	I 54	I 1	I 9302								
FOURTH MONTH	I	7.3	I 6.6	I 5.9	I 21.0	I 10.4	I 3.7	I .6	I .0	I 9.1								
	I	11.1	I 10.2	I 8.8	I 6.5	I 5.4	I 6.1	I 7.3	I 4.8	I 7.3								
5	I	420	I 327	I 303	I 1084	I 474	I 167	I 29	I 2	I 5769								
FIFTH MONTH	I	7.3	I 5.7	I 5.3	I 18.8	I 8.2	I 2.9	I .5	I .0	I 5.7								
	I	6.8	I 5.4	I 4.9	I 3.6	I 2.7	I 2.9	I 3.9	I 9.5	I 3.5								
6	I	277	I 235	I 214	I 688	I 272	I 77	I 19	I 2	I 3821								
SIXTH MONTH	I	7.2	I 6.2	I 5.6	I 18.0	I 7.1	I 2.0	I .5	I .1	I 3.7								
	I	4.5	I 3.9	I 3.4	I 2.3	I 1.5	I 1.4	I 2.6	I 9.5	I 2.3								
7	I	189	I 151	I 114	I 387	I 172	I 57	I 13	I 1	I 2349								
SEVENTH MONTH	I	8.0	I 6.4	I 4.9	I 16.5	I 7.3	I 2.4	I .6	I 1	I 2.3								
	I	3.1	I 2.5	I 1.8	I 1.3	I 1.0	I 1.0	I 1.8	I 1	I 2.3								
8	I	70	I 86	I 74	I 218	I 107	I 37	I 6	I 1	I 1229								
EIGHTH MONTH	I	5.7	I 7.0	I 6.0	I 17.7	I 5.7	I 3.0	I .5	I 1	I 1.2								
	I	1.1	I 1.4	I 1.2	I .7	I .6	I .7	I .8	I 1	I .4								
COLUMN TOTAL	6159	6028	6243	29870	17803	5673	742	21	711	102091								
(CONTINUED)	6.0	5.9	6.1	29.3	17.4	5.6	.7	.0	.7	100.0								

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR..
RACES

CROSS TABULATION OF
BY AGE AGE OF MOTHER

VALUE = TOTAL

PAGE 3 OF 4

		AGE											ROW TOTAL
COUNT	I	12I	13I	14I	15I	16I	17I	18I	19I	20I	21I		
ROW PCT	I												
COL PCT	I												
MPCB													
9	I	I	I	8	I	16	I	31	I	33	I	35	
	I	I	I	2.1	I	4.2	I	8.1	I	8.6	I	9.2	
	I	I	I	2.3	I	.9	I	.6	I	.5	I	.6	
NINTH MONTH													
	I	I	I	4	I	8	I	13	I	25	I	24	
	I	I	I	1.2	I	2.5	I	4.0	I	7.7	I	7.4	
	I	I	I	1.2	I	.4	I	.4	I	.4	I	.4	
NOT													
10	I	I	2	I	6	I	18	I	24	I	25	I	
	I	I	.6	I	1.9	I	5.6	I	7.4	I	7.7	I	
	I	I	2.5	I	.7	I	.4	I	.4	I	.4	I	
STATED													
	I	I	79	344	860	1850	3175	4609	5745	6142	6023	102091	
COLUMN	14	79	344	860	1850	3175	4609	5745	6142	6023	5.9	100.0	
(CONTINUED)													
TOTAL	.0	.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	100.0		

TABLE 6

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR... RACES VALUE = TOTAL
----- PAGE 4 OF 4

		AGE												ROW TOTAL	
		25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER												NOT STATED	
COUNT	ROW PCT	22I	23I	24I	25I	26I	27I	28I	29I	30I					
COL PCT															
MPCB															
NINTH MONTH	9	25	24	26	70	34	12	4	1	2			382		
	6.5	6.3	6.3	6.8	18.3	8.9	3.1	1.0	1	.5			.4		
	.4	.4	.4	.4	.2	.2	.2	.5	1	.3					
NOT	10	25	20	14	72	43	18	1	1	7			324		
	7.7	6.2	4.3	4.3	22.2	13.3	5.6	1	1	2.2			.3		
	.4	.3	.2	.2	.2	.2	.3	.1	1	1.0					
COLUMN TOTAL		6159	6028	6243	29870	17803	5673	742	21	711			102091		
		6.0	5.9	6.1	29.3	17.4	5.6	.7	.0	.7			100.0		

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSS TABULATION OF												PAGE 1 OF 4					
MPCB MONTH PRENATAL CARE BEGAN		BY AGE															
CONTROLLING FOR..		VALUE.. 1 WHITE															
RACE																	
		AGE															
		COUNT I															
		ROW PCT I															
		COL PCT I															
		131	141	151	161	171	181	191	201	211	221	ROW TOTAL					
MPCB																	
NONE	0	I	3	I	15	I	41	I	59	I	67	I	35	I	625		
		I	.5	I	2.4	I	6.6	I	7.7	I	9.4	I	9.0	I	.9		
	I	I	4.2	I	5.1	I	2.5	I	2.0	I	1.8	I	1.5	I	.9		
FIRST MONTH	1	I	3	I	17	I	128	I	341	I	417	I	485	I	12845		
		I	.0	I	.1	I	1.0	I	1.5	I	2.7	I	3.2	I	4.5	I	18.8
	I	I	4.2	I	5.8	I	7.9	I	7.8	I	10.5	I	11.4	I	13.1	I	15.2
SECOND MONTH	2	I	3	I	62	I	409	I	670	I	1075	I	1254	I	1427	I	31055
		I	.0	I	.2	I	1.3	I	2.2	I	3.5	I	4.0	I	4.6	I	45.4
	I	I	33.3	I	21.0	I	25.2	I	27.3	I	33.0	I	34.3	I	38.7	I	40.8
THIRD MONTH	3	I	2	I	75	I	398	I	577	I	774	I	876	I	806	I	12887
		I	.0	I	.6	I	3.1	I	4.5	I	6.0	I	6.8	I	6.3	I	18.8
	I	I	22.2	I	25.4	I	24.5	I	23.5	I	23.8	I	24.0	I	21.6	I	21.6
FOURTH MONTH	4	I	1	I	46	I	235	I	401	I	419	I	441	I	400	I	4907
		I	.0	I	.9	I	4.8	I	8.2	I	8.5	I	9.0	I	8.2	I	7.2
	I	I	11.1	I	15.6	I	14.5	I	16.3	I	12.9	I	12.1	I	10.3	I	9.1
FIFTH MONTH	5	I	7	I	39	I	175	I	254	I	262	I	242	I	222	I	2620
		I	.3	I	1.5	I	6.7	I	9.7	I	10.0	I	9.2	I	8.5	I	3.8
	I	I	9.9	I	13.2	I	10.8	I	10.4	I	8.0	I	6.6	I	6.0	I	5.4
SIXTH MONTH	6	I	2	I	22	I	126	I	170	I	156	I	178	I	129	I	1656
		I	.1	I	1.3	I	7.6	I	10.3	I	9.4	I	10.7	I	7.8	I	2.4
	I	I	22.2	I	7.5	I	7.8	I	6.9	I	4.8	I	4.9	I	3.5	I	3.4
SEVENTH MONTH	7	I	9	I	11	I	60	I	89	I	88	I	99	I	93	I	1002
		I	.9	I	1.1	I	6.0	I	8.9	I	8.8	I	9.9	I	9.3	I	1.5
	I	I	12.7	I	3.7	I	3.7	I	3.6	I	2.7	I	2.7	I	2.5	I	2.4
EIGHTH MONTH	8	I	1	I	5	I	37	I	33	I	54	I	57	I	43	I	521
		I	.2	I	1.0	I	7.1	I	6.3	I	10.4	I	10.9	I	8.3	I	.8
	I	I	11.1	I	1.7	I	2.3	I	1.3	I	1.7	I	1.6	I	1.2	I	.8
COLUMN TOTAL		9	71	295	793	1625	2453	3257	3652	3692	3832	68455					
(CONTINUED)		.0	.1	.4	1.2	2.4	3.6	4.8	5.3	5.4	5.6	100.0					

TABLE 6

CROSS TABULATION OF AGE OF MOTHER										PAGE 2 OF 4	
MPCB MONTH PRENATAL CARE BEGAN		BY AGE		1 WHITE		NOT STATED		ROW TOTAL			
CONTROLLING FOR..		VALUE..		1 WHITE							
RACE											
COUNT		AGE									
ROW PCT	COL PCT	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	301	ROW TOTAL		
0	1	231	241	251	261	271	281	291	301		
MPCB											
NONE	0	44	33	109	58	16	8	1	5		
	1	7.0	5.3	17.4	9.3	2.6	1.3	1	.8		
	1	1.1	.8	.5	.4	.4	1.5	1	.9		
FIRST MONTH											
1	1	644	763	4678	3242	1071	96	2	134		
	1	5.0	5.9	36.4	25.2	8.3	.7	.0	1.0		
	1	16.5	18.2	21.5	23.8	25.2	18.3	15.4	23.9		
SECOND MONTH											
2	1	1704	1918	10973	7155	2170	257	5	235		
	1	5.5	6.2	35.3	23.0	7.0	.8	.0	.8		
	1	43.8	45.7	50.5	52.6	51.1	49.0	38.5	41.9		
THIRD MONTH											
3	1	803	844	3740	2103	647	100	2	105		
	1	6.2	6.5	29.0	16.3	5.0	.8	.0	.8		
	1	20.6	20.1	17.2	15.5	15.2	19.0	15.4	18.7		
FOURTH MONTH											
4	1	330	290	1090	512	168	30	1	34		
	1	6.7	5.9	22.2	10.4	3.4	.6	.0	.7		
	1	8.5	6.9	5.0	3.8	4.0	5.7	7.7	6.1		
FIFTH MONTH											
5	1	152	145	510	223	70	14	1	16		
	1	5.8	5.5	19.5	8.5	2.7	.5	.0	.6		
	1	3.9	3.5	2.3	1.6	1.6	2.7	7.7	2.9		
SIXTH MONTH											
6	1	91	102	286	129	39	13	2	11		
	1	5.5	6.2	17.3	7.8	2.4	.8	.1	.7		
	1	2.3	2.4	1.3	.9	.9	2.5	15.4	2.0		
SEVENTH MONTH											
7	1	68	49	175	87	34	6	1	12		
	1	6.8	4.9	17.5	8.7	3.4	.6	1	1.2		
	1	1.7	1.2	.8	.6	.8	1.1	1	2.1		
EIGHTH MONTH											
8	1	38	35	104	47	12	1	1	3		
	1	7.3	6.7	20.0	9.0	2.3	.2	1	.6		
	1	1.0	.8	.5	.3	.3	.2	1	.5		
COLUMN TOTAL											
3894	5.7	4196	6.1	21738	13604	4245	525	13	561		
(CONTINUED) TOTAL											

TABLE 6

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR... VALUE.. 1 WHITE
RACE
----- PAGE 4 OF 4

		AGE											ROW TOTAL
		25 -	29	30 -	34	35 -	39	40 -	44	45 AND OVER	291	301	
MPCB	COUNT I	231	241	251	261	271	281	291	301	311	321	331	ROW TOTAL
	ROW PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	COL PCT I	
NINTH MONTH	9	10	12	31	20	6	1	1	1	1	1	1	157
		6.4	7.6	19.7	12.7	3.8	1	1	1	1	1	1	.2
		.3	.3	.1	.1	.1	.1	.1	.1	.1	.1	.1	
NOT	10	10	5	42	28	12	1	1	1	1	1	1	180
		5.6	2.8	23.3	15.6	6.7	1	1	1	1	1	1	.3
		.3	.1	.2	.2	.3	.1	.1	.1	.1	.1	.1	
COLUMN TOTAL		3894	4196	21738	13604	4245	525	13	561	68455			
		5.7	6.1	31.8	19.9	6.2	.8	.0	.8	100.0			

TABLE 6

----- MONTH PRENATAL CARE BEGAN -----
CONTROLLING FOR.. BY AGE OF MOTHER
RACE VALUE.. 2 NONWHITE
----- PAGE 1 OF 4 -----

COUNT		AGE												ROW
ROW	PCT	12I	13I	14I	15I	16I	17I	18I	19I	20I	21I	TOTAL		
COL	PCT	I	I	I	I	I	I	I	I	I	I	I		
MPCB														
NONE	0	I 2	I 6	I 16	I 34	I 52	I 74	I 100	I 110	I 89	I 97	I 1208		
	I .2	I .5	I 1.3	I 2.8	I 4.3	I 6.1	I 8.3	I 9.1	I 9.1	I 7.4	I 8.0	I 3.6		
	I 14.3	I 8.6	I 5.9	I 5.9	I 6.0	I 4.9	I 4.8	I 4.6	I 4.4	I 3.6	I 4.2	I		
FIRST MONTH	1	I 1	I 1	I 14	I 29	I 62	I 85	I 142	I 203	I 229	I 233	I 3867		
	I .0	I .0	I .4	I .7	I 1.6	I 2.2	I 2.2	I 3.7	I 5.2	I 5.9	I 6.0	I 11.5		
	I 1.4	I 1.4	I 5.1	I 5.1	I 5.9	I 5.9	I 5.5	I 6.6	I 8.2	I 9.2	I 10.0	I		
SECOND MONTH	2	I 1	I 10	I 38	I 78	I 195	I 273	I 416	I 513	I 567	I 599	I 9483		
	I .1	I .1	I .4	I .8	I 2.1	I 2.9	I 2.9	I 4.4	I 5.4	I 6.0	I 6.3	I 28.2		
	I 14.3	I 13.9	I 13.9	I 13.8	I 18.4	I 17.6	I 17.6	I 19.3	I 20.6	I 22.8	I 25.7	I		
THIRD MONTH	3	I 2	I 11	I 48	I 92	I 209	I 329	I 420	I 501	I 511	I 477	I 6945		
	I .0	I .2	I .7	I 1.3	I 3.0	I 4.7	I 4.7	I 6.0	I 7.2	I 7.4	I 6.9	I 20.6		
	I 14.3	I 15.7	I 17.6	I 16.3	I 19.8	I 21.2	I 21.2	I 19.5	I 20.1	I 20.5	I 20.5	I		
FOURTH MONTH	4	I 4	I 11	I 42	I 94	I 182	I 249	I 353	I 386	I 350	I 311	I 4395		
	I .1	I .3	I 1.0	I 2.1	I 4.1	I 5.7	I 5.7	I 8.0	I 8.8	I 8.0	I 7.1	I 13.1		
	I 28.6	I 15.7	I 15.4	I 16.6	I 17.2	I 16.1	I 16.1	I 16.4	I 15.5	I 14.1	I 13.3	I		
FIFTH MONTH	5	I 1	I 8	I 42	I 108	I 146	I 216	I 287	I 304	I 290	I 254	I 3149		
	I .0	I .3	I 1.3	I 3.4	I 4.6	I 6.9	I 6.9	I 9.1	I 9.7	I 9.2	I 8.1	I 9.4		
	I 7.1	I 11.4	I 15.4	I 19.1	I 13.8	I 13.8	I 13.9	I 13.3	I 12.2	I 11.6	I 10.9	I		
SIXTH MONTH	6	I 3	I 10	I 34	I 55	I 97	I 156	I 201	I 215	I 221	I 175	I 2165		
	I .1	I .5	I 1.6	I 2.5	I 4.5	I 7.2	I 7.2	I 9.3	I 9.9	I 10.2	I 8.1	I 6.4		
	I 21.4	I 14.3	I 12.5	I 9.7	I 9.2	I 9.2	I 10.1	I 9.3	I 8.6	I 8.9	I 7.5	I		
SEVENTH MONTH	7	I 1	I 9	I 20	I 46	I 66	I 102	I 139	I 156	I 136	I 96	I 1347		
	I .1	I .7	I 1.5	I 3.4	I 4.9	I 7.6	I 7.6	I 10.3	I 11.6	I 10.1	I 7.1	I 4.0		
	I 7.1	I 12.9	I 7.3	I 8.1	I 6.2	I 6.2	I 6.6	I 6.4	I 6.3	I 5.5	I 4.1	I		
EIGHTH MONTH	8	I 1	I 2	I 11	I 18	I 35	I 49	I 68	I 71	I 60	I 61	I 708		
	I .1	I .3	I 1.6	I 2.5	I 4.9	I 6.9	I 6.9	I 9.6	I 10.0	I 8.5	I 8.6	I 2.1		
	I 7.1	I 2.9	I 4.0	I 3.2	I 3.3	I 3.3	I 3.2	I 3.2	I 2.9	I 2.4	I 2.6	I		
COLUMN		14	70	273	565	1057	1550	2156	2488	2490	2331	33636		
TOTAL		.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9	100.0		
(CONTINUED)														

TABLE 6

CROSS TABULATION OF AGE OF MOTHER
BY AGE
VALUE.. 2 NONWHITE
PAGE 2 OF 4

		AGE												NOT		ROW TOTAL	
		COUNT I												STATED			
		ROW PCT I												30I			
		COL PCT I												29I			

TABLE 6

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN AGE OF MOTHER
CONTROLLING FOR.. BY AGE
RACE VALUE.. 2 NONWHITE

		AGE										ROW TOTAL
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I	
MPCB	COUNT	I	I	I	I	I	I	I	I	I	I	
	ROW PCT	I	I	I	I	I	I	I	I	I	I	
	COL PCT	I	I	I	I	I	I	I	I	I	I	
NINTH MONTH	9	I	I	I	I	I	I	I	I	I	I	225
		I	I	I	I	I	I	I	I	I	I	
		I	I	I	I	I	I	I	I	I	I	.7
NOT	10	I	I	I	I	I	I	I	I	I	I	144
		I	I	I	I	I	I	I	I	I	I	
		I	I	I	I	I	I	I	I	I	I	.4
COLUMN		14	70	273	565	1057	1550	2156	2488	2490	2331	33636
(CONTINUED) TOTAL		.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9	100.0

TABLE 6

CROSS TABULATION OF AGE OF MOTHER															PAGE 4 OF 4			
MPCB MONTH PRENATAL CARE BEGAN CONTROLLING FOR.. RACE		VALUE.. 2 NONWHITE																
		AGE																
		25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER													NOT STATED		ROW TOTAL	
		22I 23I 24I 25I 26I 27I 28I 29I 30I																
COUNT	AGE																	
ROW PCT																		
COL PCT																		
MPCB																		
9	NINTH MONTH	17 I	14 I	14 I	39 I	14 I	6 I	4 I	1 I	1 I	225							
		7.6 I	6.2 I	6.2 I	17.3 I	6.2 I	2.7 I	1.8 I	1 I	.4 I	.7							
		.7 I	.7 I	.7 I	.5 I	.3 I	.4 I	1.8 I	1 I	.7 I								
NOT																		
10	STATED	12 I	10 I	9 I	30 I	15 I	6 I	1 I	1 I	2 I	144							
		8.3 I	6.9 I	6.3 I	20.8 I	10.4 I	4.2 I	.7 I	1 I	1.4 I	.4							
		.5 I	.5 I	.4 I	.4 I	.4 I	.4 I	.5 I	1 I	1.3 I								
COLUMN TOTAL		2327	2134	2047	8132	4199	1428	217	8	150	33636							
TOTAL		6.9	6.3	6.1	24.2	12.5	4.2	.6	.0	.4	100.0							

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

MPCB MONTH PRENATAL CARE BEGAN C R O S S T A B U L A T I O N O F
CONTROLLING FOR... BY STATUS MARITAL STATUS OF MOTHER
RACES

VALUE = TOTAL

PAGE 1 OF 2

		STATUS				ROW TOTAL
		COUNT I	IMARRIED I	NOT MARRIED I	NOT STATED I	
ROW COL	PCB PCT	1	2	3	4	
MPCB						
NONE						
	0	I 538	I 1295	I	I	1833
		I 29.4	I 70.6	I	I	1.8
		I .7	I 4.6	I	I	
FIRST MONTH						
	1	I 14434	I 2278	I	I	16712
		I 86.4	I 13.6	I	I	16.4
		I 19.6	I 8.0	I	I	
SECOND MONTH						
	2	I 33920	I 6618	I	I	40538
		I 83.7	I 16.3	I	I	39.7
		I 46.0	I 23.4	I	I	
THIRD MONTH						
	3	I 13898	I 5933	I	I	19832
		I 70.1	I 29.9	I .0	I	19.4
		I 18.8	I 21.0	I 33.3	I	
FOURTH MONTH						
	4	I 5112	I 4189	I	I	9302
		I 55.0	I 45.0	I .0	I	9.1
		I 6.9	I 14.8	I 33.3	I	
FIFTH MONTH						
	5	I 2585	I 3184	I	I	5769
		I 44.8	I 55.2	I	I	5.7
		I 3.5	I 11.3	I	I	
SIXTH MONTH						
	6	I 1557	I 2264	I	I	3821
		I 40.7	I 59.3	I	I	3.7
		I 2.1	I 8.0	I	I	
SEVENTH MONTH						
	7	I 938	I 1411	I	I	2349
		I 39.9	I 60.1	I	I	2.3
		I 1.3	I 5.0	I	I	
EIGHTH MONTH						
	8	I 467	I 762	I	I	1229
		I 38.0	I 62.0	I	I	1.2
		I .6	I 2.7	I	I	
COLUMN		73789	28299	3	102091	
(CONTINUED) TOTAL		72.3	27.7	.0	100.0	

TABLE 7

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN MARITAL STATUS OF MOTHER
CONTROLLING FOR...
RACES
----- VALUE = ----- TOTAL -----
----- PAGE 2 OF 2 -----

		STATUS				ROW TOTAL
		COUNT I	IMARRIED I	NOT MARRIED I	NOT STATED I	
		ROW PCT COL PCT	11	21	31	
MPCB						
NINTH MONTH		9	164	218	1	382
			42.9	57.1		.4
			.2	.8		
NOT		10	176	147	1	324
			54.3	45.4	.3	.3
			.2	.5	33.3	
COLUMN		73789	28299	3	102091	
TOTAL		72.3	27.7	.0	100.0	

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. VALUE.. 1 WHITE
RACE ----- PAGE 1 OF 2

		STATUS				ROW TOTAL
COUNT	I	IMARRIED	NOT MARRIED	NOT STATED	3I	
ROW COL	PCT	I	1I	2I	3I	
MPCB						
0	I	308	I	317	I	625
NONE	I	49.3	I	50.7	I	.9
	I	.5	I	3.7	I	
	I		I		I	
FIRST MONTH						
1	I	12168	I	677	I	12845
FIRST MONTH	I	94.7	I	5.3	I	18.8
	I	20.3	I	7.9	I	
	I		I		I	
SECOND MONTH						
2	I	26778	I	2277	I	31055
SECOND MONTH	I	92.7	I	7.3	I	45.4
	I	48.0	I	26.6	I	
	I		I		I	
THIRD MONTH						
3	I	11001	I	1885	I	12887
THIRD MONTH	I	85.4	I	14.6	I	18.8
	I	18.4	I	22.0	I	33.3
	I		I		I	
FOURTH MONTH						
4	I	3681	I	1225	I	4907
FOURTH MONTH	I	75.0	I	25.0	I	7.2
	I	6.1	I	14.3	I	33.3
	I		I		I	
FIFTH MONTH						
5	I	1782	I	838	I	2620
FIFTH MONTH	I	68.0	I	32.0	I	3.8
	I	3.0	I	9.8	I	
	I		I		I	
SIXTH MONTH						
6	I	1035	I	621	I	1656
SIXTH MONTH	I	62.5	I	37.5	I	2.4
	I	1.7	I	7.3	I	
	I		I		I	
SEVENTH MONTH						
7	I	618	I	384	I	1002
SEVENTH MONTH	I	61.7	I	38.3	I	1.5
	I	1.0	I	4.5	I	
	I		I		I	
EIGHTH MONTH						
8	I	302	I	219	I	521
EIGHTH MONTH	I	58.0	I	42.0	I	.8
	I	.5	I	2.6	I	
	I		I		I	
(CONTINUED) TOTAL						
COLUMN	59896	8556	3	68455		
TOTAL	87.5	12.5	.0	100.0		

TABLE 7

MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR...
RACE

C R O S S T A B U L A T I O N
BY STATUS MARITAL STATUS OF MOTHER

VALUE.. 1 WHITE

		STATUS				ROW TOTAL
		COUNT ROW PCT COL PCT	I MARRIED	NOT MARRIED	NOT STATED	
			11	21	31	
MPCB						
NINTH MONTH		9	98	59	1	157
			62.4	37.6		.2
			.2	.7		
NOT		10	125	54	1	180
			69.4	30.0	.6	.3
			.2	.6	33.3	
COLUMN		59896	8556	3	68455	
TOTAL		87.5	12.5	.0	100.0	

TABLE 7

CROSS TABULATION OF MARITAL STATUS OF MOTHER
BY STATUS VALUE.. 2 NONWHITE
MPCB MONTH PRENATAL CARE BEGAN CONTROLLING FOR..
RACE

COUNT ROW PCT COL PCT	STATUS		ROW TOTAL
	IMARRIED	NOT MARRIED	
	1	2	
MPCB			
NONE	0	1	1208
	I 230	I 978	I 1208
	I 19.0	I 81.0	I 3.6
	I 1.7	I 5.0	I
FIRST MONTH	1	1	3867
	I 2266	I 1601	I 3867
	I 58.6	I 41.4	I 11.5
	I 16.3	I 8.1	I
SECOND MONTH	2	1	9483
	I 5142	I 4341	I 9483
	I 54.2	I 45.8	I 28.2
	I 37.0	I 22.0	I
THIRD MONTH	3	1	6945
	I 2897	I 4048	I 6945
	I 41.7	I 58.3	I 20.6
	I 20.9	I 20.5	I
FOURTH MONTH	4	1	4395
	I 1431	I 2964	I 4395
	I 32.6	I 67.4	I 13.1
	I 10.3	I 15.0	I
FIFTH MONTH	5	1	3149
	I 803	I 2346	I 3149
	I 25.5	I 74.5	I 9.4
	I 5.8	I 11.9	I
SIXTH MONTH	6	1	2165
	I 522	I 1643	I 2165
	I 24.1	I 75.9	I 6.4
	I 3.8	I 8.3	I
SEVENTH MONTH	7	1	1347
	I 320	I 1027	I 1347
	I 23.8	I 76.2	I 4.0
	I 2.3	I 5.2	I
EIGHTH MONTH	8	1	708
	I 165	I 543	I 708
	I 23.3	I 76.7	I 2.1
	I 1.2	I 2.8	I
COLUMN	13893	19743	33636
TOTAL	41.3	58.7	100.0

(CONTINUED)

TABLE 7

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR... RACE VALUE.. 2 NONWHITE
----- PAGE 2 OF 2

MPCB	STATUS			ROW TOTAL
	COUNT	IMARRIED	NOT MARRIED	
	ROW PCT	COL PCT	COL PCT	
NINTH MONTH	9	66	159	225
	I	29.3	I 70.7	I .7
	I	.5	I .8	I
NOT	10	51	93	144
	I	35.4	I 64.6	I .4
	I	.4	I .5	I
+-----+-----+-----+				
COLUMN		13893	19743	33636
TOTAL		41.3	58.7	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

----- MONTH PRENATAL CARE BEGAN -----
MPCB MONTH PRENATAL CARE BEGAN OF BIRTH ORDER
CONTROLLING FOR... BY BO
RACES VALUE = TOTAL
----- PAGE 1 OF 2

COUNT		CROSS TABULATION OF										ROW	
BO		BIRTH ORDER										TOTAL	
ROW	COL	1I	2I	3I	4I	5I	6I	7I	8I	9I	10I		
MPCB													
NONE	0	444	502	359	254	127	80	25	15	21	6	1833	
	I	24.2	I 27.4	I 19.6	I 13.9	I 6.9	I 4.4	I 1.4	I .8	I 1.1	I .3	I 1.8	
	I	1.2	I 1.6	I 2.0	I 3.1	I 3.7	I 5.7	I 4.2	I 5.5	I 8.3	I 3.6	I	
FIRST MONTH	1	6219	5586	2841	1248	483	170	69	38	35	23	16712	
	I	37.2	I 33.4	I 17.0	I 7.5	I 2.9	I 1.0	I .4	I .2	I .2	I .1	I 16.4	
	I	16.6	I 17.3	I 15.8	I 15.1	I 14.2	I 12.2	I 11.6	I 13.9	I 13.8	I 13.6	I	
SECOND MONTH	2	15339	13464	7004	2891	1070	425	165	73	53	54	40538	
	I	37.8	I 33.2	I 17.3	I 7.1	I 2.6	I 1.0	I .4	I .2	I .1	I .1	I 39.7	
	I	41.0	I 41.7	I 38.9	I 35.0	I 31.4	I 30.4	I 27.8	I 26.7	I 20.9	I 32.0	I	
THIRD MONTH	3	7367	6169	3490	1626	688	254	123	48	37	30	19832	
	I	37.1	I 31.1	I 17.6	I 8.2	I 3.5	I 1.3	I .6	I .2	I .2	I .2	I 19.4	
	I	19.7	I 19.1	I 19.4	I 19.7	I 20.2	I 18.2	I 20.7	I 17.6	I 14.6	I 17.8	I	
FOURTH MONTH	4	3344	2708	1727	824	387	159	73	36	29	15	9302	
	I	35.9	I 29.1	I 18.6	I 8.9	I 4.2	I 1.7	I .8	I .4	I .3	I .2	I 9.1	
	I	8.9	I 8.4	I 9.6	I 10.0	I 11.4	I 11.4	I 12.3	I 13.2	I 11.5	I 8.9	I	
FIFTH MONTH	5	2048	1615	1068	543	257	130	54	18	25	11	5769	
	I	35.5	I 28.0	I 18.5	I 9.4	I 4.5	I 2.3	I .9	I .3	I .4	I .2	I 5.7	
	I	5.5	I 5.0	I 5.9	I 6.6	I 7.6	I 9.3	I 9.1	I 6.6	I 9.9	I 6.5	I	
SIXTH MONTH	6	1342	1076	685	394	171	76	35	18	19	5	3821	
	I	35.1	I 28.2	I 17.9	I 10.3	I 4.5	I 2.0	I .9	I .5	I .5	I .1	I 3.7	
	I	3.6	I 3.3	I 3.8	I 4.8	I 5.0	I 5.4	I 5.9	I 6.6	I 7.5	I 3.0	I	
SEVENTH MONTH	7	751	657	461	254	115	51	26	12	17	5	2349	
	I	32.0	I 28.0	I 19.6	I 10.8	I 4.9	I 2.2	I 1.1	I .5	I .7	I .2	I 2.3	
	I	2.0	I 2.0	I 2.6	I 3.1	I 3.4	I 3.7	I 4.4	I 4.4	I 6.7	I 3.0	I	
EIGHTH MONTH	8	370	321	246	155	71	31	8	12	12	3	1229	
	I	30.1	I 26.1	I 20.0	I 12.6	I 5.8	I 2.5	I .7	I 1.0	I 1.0	I .2	I 1.2	
	I	1.0	I 1.0	I 1.4	I 1.9	I 2.1	I 2.2	I 1.3	I 4.4	I 4.7	I 1.8	I	
COLUMN		37440	32285	18015	8263	3403	1397	593	273	253	169	102091	
(CONTINUED) TOTAL		36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	100.0	

TABLE 8

----- MONTH PRENATAL CARE BEGAN ----- C R O S S T A B U L A T I O N O F -----
MPCB CONTROLLING FOR... BY BO BIRTH ORDER
RACES VALUE = TOTAL
----- PAGE 2 OF 2 -----

		BO										ROW	
		11	21	31	41	51	61	71	81	91	101	TOTAL	
COUNT													
ROW	COL	11	21	31	41	51	61	71	81	91	101		
NINTH MONTH	9	111	103	76	44	22	12	8	2	4	1	382	
	I	29.1	27.0	19.9	11.5	5.8	3.1	2.1	.5	1.0	1	.4	
	I	.3	.3	.4	.5	.6	.9	1.3	.7	1.6	1		
NOT	10	105	84	58	30	12	9	7	1	1	1	324	
	I	32.4	25.9	17.9	9.3	3.7	2.8	2.2	.3	.3	5.2	.3	
	I	.3	.3	.3	.4	.4	.6	1.2	.4	.4	10.1	1	
COLUMN		3740	32285	18015	8263	3403	1397	593	273	253	169	102091	
TOTAL		36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	100.0	

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY 80 BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE
----- PAGE 1 OF 2 -----

COUNT I		BO										ROW TOTAL
ROW PCT	11ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED		
COL PCT	I	1I	2I	3I	4I	5I	6I	7I	8I	9I		
MPCB												
NONE	0	I 192	I 186	I 110	I 72	I 28	I 16	I 8	I 2	I 8	I 3	
	I	30.7	I 29.8	I 17.6	I 11.5	I 4.5	I 2.6	I 1.3	I .3	I 1.3	I .5	
	I	.7	I .8	I 1.0	I 1.5	I 1.5	I 2.3	I 2.7	I 1.8	I 7.5	I 2.7	
FIRST MONTH	1	I 4954	I 4433	I 2080	I 877	I 303	I 103	I 44	I 19	I 16	I 16	
	I	38.6	I 34.5	I 16.2	I 6.8	I 2.4	I .8	I .3	I .1	I .1	I .1	
	I	18.8	I 19.7	I 18.0	I 18.1	I 16.5	I 14.6	I 15.0	I 17.4	I 15.0	I 14.5	
SECOND MONTH	2	I 12104	I 10541	I 5191	I 2021	I 711	I 282	I 99	I 37	I 31	I 38	
	I	39.0	I 33.9	I 16.7	I 6.5	I 2.3	I .9	I .3	I .1	I .1	I .1	
	I	45.9	I 46.7	I 45.0	I 41.7	I 38.7	I 40.1	I 33.7	I 33.9	I 29.0	I 34.5	
THIRD MONTH	3	I 4964	I 4156	I 2165	I 962	I 396	I 132	I 58	I 18	I 18	I 18	
	I	38.5	I 32.2	I 16.8	I 7.5	I 3.1	I 1.0	I .5	I .1	I .1	I .1	
	I	18.8	I 18.4	I 18.8	I 19.8	I 21.6	I 18.8	I 19.7	I 16.5	I 16.8	I 16.4	
FOURTH MONTH	4	I 1864	I 1494	I 873	I 374	I 170	I 66	I 33	I 13	I 9	I 11	
	I	38.0	I 30.4	I 17.8	I 7.6	I 3.5	I 1.3	I .7	I .3	I .2	I .2	
	I	7.1	I 6.6	I 7.6	I 7.7	I 9.3	I 9.4	I 11.2	I 11.9	I 8.4	I 10.0	
FIFTH MONTH	5	I 1005	I 759	I 490	I 200	I 97	I 36	I 20	I 6	I 2	I 5	
	I	38.4	I 29.0	I 18.7	I 7.6	I 3.7	I 1.4	I .8	I .2	I .1	I .2	
	I	3.8	I 3.4	I 4.3	I 4.1	I 5.3	I 5.1	I 6.8	I 5.5	I 1.9	I 4.5	
SIXTH MONTH	6	I 642	I 483	I 253	I 164	I 62	I 31	I 10	I 4	I 5	I 2	
	I	38.8	I 29.2	I 15.3	I 9.9	I 3.7	I 1.9	I .6	I .2	I .3	I .1	
	I	2.4	I 2.1	I 2.2	I 3.4	I 3.4	I 4.4	I 3.4	I 3.7	I 4.7	I 1.8	
SEVENTH MONTH	7	I 342	I 280	I 203	I 93	I 34	I 22	I 11	I 4	I 10	I 3	
	I	34.1	I 27.9	I 20.3	I 9.3	I 3.4	I 2.2	I 1.1	I .4	I 1.0	I .3	
	I	1.3	I 1.2	I 1.8	I 1.9	I 1.9	I 3.1	I 3.7	I 3.7	I 9.3	I 2.7	
EIGHTH MONTH	8	I 177	I 135	I 106	I 56	I 25	I 7	I 4	I 5	I 5	I 1	
	I	34.0	I 25.9	I 20.3	I 10.7	I 4.8	I 1.3	I .8	I 1.0	I 1.0	I .2	
	I	.7	I .6	I .9	I 1.2	I 1.4	I 1.0	I 1.4	I 4.6	I 4.7	I .9	
COLUMN	26355	22559	11529	4851	1837	704	294	109	107	110	68455	
TOTAL	38.5	33.0	16.8	7.1	2.7	1.0	.4	.2	.2	.2	100.0	

TABLE 8

----- C R O S S T A B U L A T I O N O F B I R T H O R D E R -----
MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR.. RACE VALUE.. 1 WHITE PAGE 2 OF 2

COUNT I		BY BO										ROW TOTAL	
ROW PCT 1ST COL PCT I		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I	NOT STATED	
MPCB													
NINTH MONTH		9	49	40	30	7	4	4	1	1	2	1	157
		I	31.2	25.5	19.1	4.5	2.5	2.5	1	.6	1.3	1	.2
		I	.2	.2	.3	.4	.6	1.4	.9	1.9	1	1	
NOT		10	62	52	28	4	5	3	1	1	1	13	180
		I	34.4	28.9	15.6	2.2	2.8	1.7	1	.6	1	7.2	.3
		I	.2	.2	.2	.2	.7	1.0	1	.9	1	11.8	1
COLUMN TOTAL		26355	22559	11529	4851	1837	704	294	109	107	110	68455	
		38.5	33.0	16.8	7.1	2.7	1.0	.4	.2	.2	.2	100.0	

TABLE 8

CROSS TABULATION OF BIRTH ORDER
BY BO VALUE.. 2 NONWHITE
MPCB MONTH PRENATAL CARE BEGAN
CONTROLLING FOR..
RACE

MPCB	COUNT ROW PCT COL PCT	BO										9TH AND OVER	NOT STATED	ROW TOTAL
		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I			
NONE	0	I 252	I 316	I 249	I 182	I 99	I 64	I 17	I 13	I 13	I 3	I 1208		
	I 20.9	I 26.2	I 20.6	I 15.1	I 8.2	I 5.3	I 1.4	I 1.1	I 1.1	I 1.1	I .2	I 3.6		
	I 2.3	I 3.2	I 3.8	I 5.3	I 6.3	I 9.2	I 5.7	I 7.9	I 8.9	I 5.1	I 5.1			
FIRST MONTH	1	I 1265	I 1153	I 761	I 371	I 180	I 67	I 25	I 19	I 19	I 7	I 3867		
	I 32.7	I 29.8	I 19.7	I 9.6	I 4.7	I 1.7	I .6	I .5	I .5	I .5	I .2	I 11.5		
	I 11.4	I 11.9	I 11.7	I 10.9	I 11.5	I 9.7	I 8.4	I 11.6	I 13.0	I 11.9	I 11.9			
SECOND MONTH	2	I 3235	I 2923	I 1813	I 870	I 359	I 143	I 66	I 36	I 22	I 16	I 9483		
	I 34.1	I 30.8	I 19.1	I 9.2	I 3.8	I 1.5	I .7	I .4	I .4	I .2	I .2	I 28.2		
	I 29.2	I 30.1	I 28.0	I 25.5	I 22.9	I 20.6	I 22.1	I 22.0	I 15.1	I 15.1	I 27.1			
THIRD MONTH	3	I 2403	I 2013	I 1325	I 664	I 292	I 122	I 65	I 30	I 19	I 12	I 6945		
	I 34.6	I 29.0	I 19.1	I 9.6	I 4.2	I 1.8	I .9	I .9	I .4	I .3	I .2	I 20.6		
	I 21.7	I 20.7	I 20.4	I 19.5	I 18.6	I 17.6	I 21.7	I 18.3	I 14.0	I 13.7	I 20.3			
FOURTH MONTH	4	I 1480	I 1214	I 854	I 450	I 217	I 93	I 40	I 23	I 20	I 4	I 4395		
	I 33.7	I 27.6	I 19.4	I 10.2	I 4.9	I 2.1	I .9	I .9	I .5	I .5	I .1	I 13.1		
	I 13.4	I 12.5	I 13.2	I 13.2	I 13.9	I 13.4	I 13.4	I 13.4	I 14.0	I 13.7	I 6.8			
FIFTH MONTH	5	I 1043	I 856	I 578	I 343	I 160	I 94	I 34	I 12	I 23	I 6	I 3149		
	I 33.1	I 27.2	I 18.4	I 10.9	I 5.1	I 3.0	I 1.1	I .4	I .4	I .7	I .2	I 9.4		
	I 9.4	I 8.8	I 8.9	I 10.1	I 10.2	I 13.6	I 11.4	I 11.4	I 7.3	I 15.8	I 10.2			
SIXTH MONTH	6	I 700	I 593	I 432	I 230	I 109	I 45	I 25	I 14	I 14	I 3	I 2165		
	I 32.3	I 27.4	I 20.0	I 10.6	I 5.0	I 2.1	I 1.2	I .6	I .6	I .6	I .1	I 6.4		
	I 6.3	I 6.1	I 6.7	I 6.7	I 7.0	I 6.5	I 8.4	I 8.4	I 8.5	I 9.6	I 5.1			
SEVENTH MONTH	7	I 409	I 377	I 258	I 161	I 81	I 29	I 15	I 8	I 7	I 2	I 1347		
	I 30.4	I 28.0	I 19.2	I 12.0	I 6.0	I 2.2	I 1.1	I .6	I .5	I .5	I .1	I 4.0		
	I 3.7	I 3.9	I 4.0	I 4.7	I 5.2	I 4.2	I 5.0	I 4.9	I 4.9	I 4.8	I 3.4			
EIGHTH MONTH	8	I 193	I 186	I 140	I 99	I 46	I 24	I 4	I 7	I 7	I 2	I 708		
	I 27.3	I 26.3	I 19.8	I 14.0	I 6.5	I 3.4	I .6	I 1.0	I 1.0	I 1.0	I .3	I 2.1		
	I 1.7	I 1.9	I 2.2	I 2.9	I 2.9	I 3.5	I 1.3	I 4.3	I 4.3	I 4.8	I 3.4			
(CONTINUED)		11085	9726	6486	3412	1566	693	299	164	146	59	33636		
TOTAL		33.0	28.9	19.3	10.1	4.7	2.1	.9	.5	.4	.2	100.0		

TABLE 8

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
----- PAGE 2 OF 2 -----

COUNT		80										ROW TOTAL
ROW PCT	COL PCT	11ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	
MPCB		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I	
NINTH MONTH		9	62	63	24	15	8	4	1	2	1	225
	I	27.6	28.0	20.4	10.7	6.7	3.6	1.8	.4	.9	1	.7
	I	.6	.6	.7	.7	1.0	1.2	1.3	.6	1.4	1	
NOT		10	43	32	18	8	4	4	1	1	4	144
	I	29.9	22.2	20.8	12.5	5.6	2.8	2.8	.7	1	2.8	.4
	I	.4	.3	.5	.5	.5	.6	1.3	.6	1	6.8	1
TOTAL		11085	9726	6486	3412	1566	693	299	164	146	59	33636
	I	33.0	28.9	19.3	10.1	4.7	2.1	.9	.5	.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

[illegible]

OF - - - - -
BIRTH WEIGHT IN GRAMS

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CONTROLLING FOR..	MONTH	PRENATAL CARE	BEGAN	CROSS TABULATION	OF	BIRTH WEIGHT	IN GRAMS
RACE				BY WT			
				VALUE..	1	WHITE	

COUNT	I	WT																ROW TOTAL				
		500 TO 999 GMS		1000 TO 1499 GMS		1500 TO 1999 GMS		2000 TO 2499 GMS		2500 TO 2999 GMS		3000 TO 3499 GMS		3500 TO 3999 GMS		4000 GMS NOT STATED						
ROW	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	COL	PCT	
0	I	4	I	18	I	27	I	31	I	60	I	136	I	193	I	112	I	37	I	7	I	625
	I	.6	I	2.9	I	4.3	I	5.0	I	9.6	I	21.8	I	30.9	I	17.9	I	5.9	I	1.1	I	.9
	I	5.1	I	6.7	I	6.8	I	3.8	I	2.4	I	1.4	I	.8	I	.5	I	.4	I	10.4	I	
1	I	24	I	58	I	105	I	201	I	469	I	1689	I	4462	I	4108	I	1716	I	13	I	12845
	I	.2	I	.5	I	.8	I	1.6	I	3.7	I	13.1	I	34.7	I	32.0	I	13.4	I	.1	I	18.8
	I	30.8	I	21.6	I	26.4	I	24.8	I	18.5	I	17.8	I	18.4	I	18.8	I	19.7	I	19.4	I	
2	I	32	I	118	I	151	I	320	I	1060	I	3918	I	10859	I	10374	I	4199	I	24	I	31055
	I	.1	I	.4	I	.5	I	1.0	I	3.4	I	12.6	I	35.0	I	33.4	I	13.5	I	.1	I	45.4
	I	41.0	I	43.9	I	37.9	I	39.5	I	41.8	I	41.2	I	44.9	I	47.4	I	48.2	I	35.8	I	
3	I	13	I	36	I	55	I	114	I	454	I	1832	I	4629	I	4119	I	1628	I	7	I	12887
	I	.1	I	.3	I	.4	I	.9	I	3.5	I	14.2	I	35.9	I	32.0	I	12.6	I	.1	I	18.8
	I	16.7	I	13.4	I	13.8	I	14.1	I	17.9	I	19.3	I	19.1	I	18.8	I	18.7	I	10.4	I	
4	I	3	I	27	I	28	I	50	I	200	I	821	I	1770	I	1455	I	551	I	2	I	4907
	I	.1	I	.6	I	.6	I	1.0	I	4.1	I	16.7	I	36.1	I	29.7	I	11.2	I	.0	I	7.2
	I	3.8	I	10.0	I	7.0	I	6.2	I	7.9	I	8.6	I	7.3	I	6.7	I	6.3	I	3.0	I	
5	I	1	I	6	I	13	I	40	I	123	I	461	I	988	I	722	I	264	I	2	I	2620
	I	.0	I	.2	I	.5	I	1.5	I	4.7	I	17.6	I	37.7	I	27.6	I	10.1	I	.1	I	3.8
	I	1.3	I	2.2	I	3.3	I	4.9	I	4.9	I	4.8	I	4.1	I	3.3	I	3.0	I	3.0	I	
6	I	1	I	4	I	9	I	37	I	81	I	308	I	624	I	469	I	124	I	1	I	1656
	I	.1	I	.2	I	.5	I	2.2	I	4.9	I	18.6	I	37.7	I	28.3	I	7.5	I	1	I	2.4
	I	1.5	I	1.5	I	2.3	I	4.6	I	3.2	I	3.2	I	2.6	I	2.1	I	1.4	I	1	I	
7	I	1	I	3	I	3	I	8	I	45	I	194	I	359	I	279	I	113	I	1	I	1002
	I	.1	I	.3	I	.8	I	.8	I	4.5	I	19.4	I	35.8	I	27.8	I	11.3	I	.1	I	1.5
	I	1	I	.8	I	1.0	I	1.0	I	1.8	I	2.0	I	1.5	I	1.3	I	1.3	I	1.5	I	
8	I	1	I	1	I	2	I	4	I	22	I	105	I	201	I	147	I	39	I	1	I	521
	I	.2	I	.4	I	.4	I	.8	I	4.2	I	20.2	I	38.6	I	28.2	I	7.5	I	1	I	.8
	I	.4	I	.5	I	.5	I	.5	I	.9	I	1.1	I	.8	I	.7	I	.4	I	1	I	
COLUMN TOTAL		78		269		398		810		2535		9515		24210		21869		8704		67		68455
(CONTINUED)		.1		.4		.6		1.2		3.7		13.9		35.4		31.9		12.7		.1		100.0

TABLE 9

MPCB MONTH PRENATAL CARE BEGAN C R O S S T A B U L A T I O N O F B I R T H W E I G H T I N G R A M S
CONTROLLING FOR.. BY WT
RACE VALUE.. 1 WHITE

PAGE 2 OF 2

COUNT I		WT										ROW TOTAL
ROW	PCT UNDER	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS AND OVER	STATED		
COL	PCT I	500 GMS	1499 GMS	1999 GMS	2499 GMS	2999 GMS	3499 GMS	3999 GMS	4000 GMS	STATED		
MPCB	I	01	11	21	31	41	51	61	71	81	91	
		01	11	21	31	41	51	61	71	81	91	
NINTH MONTH	9	I	I	I	I	I	I	I	I	I	I	157
	I	I	I	I	I	I	I	I	I	I	I	.2
	I	I	I	I	I	I	I	I	I	I	I	
NOT	10	I	I	I	I	I	I	I	I	I	I	180
	I	I	I	I	I	I	I	I	I	I	I	.3
	I	I	I	I	I	I	I	I	I	I	I	
COLUMNS		78	269	398	810	2535	9515	24210	21869	8704	67	68455
TOTAL		.1	.4	.6	1.2	3.7	13.9	35.4	31.9	12.7	.1	100.0

TABLE 9

MPCB MONTH PRENATAL CARE BEGAN C R O S S T A B U L A T I O N O F B I R T H W E I G H T I N G R A M S
CONTROLLING FOR.. BY WT
RACE VALUE.. 2 NONWHITE

PAGE 1 OF 2

COUNT I		WT																ROW TOTAL		
ROW PCT UNDER		500 TO	1000 TO	1500 TO	2000 TO	2500 TO	3000 TO	3500 TO	4000 GMS	NOT										
COL PCT I 500 GMS		999 GMS	1499 GMS	1999 GMS	2499 GMS	2999 GMS	3499 GMS	3999 GMS	4000 GMS	AND OVER	STATED									
		01	11	21	31	41	51	61	71	81	91									
MPCB																				
NONE	0	I 26	I 54	I 80	I 91	I 175	I 279	I 340	I 126	I 31	I 6	I 1208								
	I 2.2	I 4.5	I 6.6	I 7.5	I 14.5	I 23.1	I 28.1	I 10.4	I 2.6	I 1.7	I .5	I 3.6								
	I 19.1	I 15.0	I 17.0	I 11.3	I 7.2	I 3.7	I 2.6	I 1.8	I 1.7	I 20.0	I									
FIRST MONTH	1	I 17	I 58	I 53	I 90	I 240	I 819	I 1448	I 914	I 225	I 3	I 3867								
	I .4	I 1.5	I 1.4	I 2.3	I 6.2	I 21.2	I 37.4	I 23.6	I 5.8	I .1	I 11.5									
	I 12.5	I 16.2	I 11.3	I 11.2	I 9.9	I 10.8	I 11.2	I 12.9	I 12.3	I 10.0	I									
SECOND MONTH	2	I 43	I 109	I 114	I 220	I 598	I 1966	I 3642	I 2161	I 624	I 6	I 9483								
	I .5	I 1.1	I 1.2	I 2.3	I 6.3	I 20.7	I 38.4	I 22.8	I 6.6	I .1	I 28.2									
	I 31.6	I 30.4	I 24.3	I 27.4	I 24.7	I 25.9	I 28.2	I 30.5	I 34.0	I 20.0	I									
THIRD MONTH	3	I 25	I 66	I 88	I 145	I 476	I 1647	I 2627	I 1498	I 367	I 6	I 6945								
	I .4	I 1.0	I 1.3	I 2.1	I 6.9	I 23.7	I 37.8	I 21.6	I 5.3	I .1	I 20.6									
	I 18.4	I 18.4	I 18.7	I 18.1	I 19.7	I 21.7	I 20.3	I 21.1	I 20.0	I 20.0	I									
FOURTH MONTH	4	I 11	I 35	I 54	I 98	I 308	I 1037	I 1727	I 883	I 237	I 5	I 4395								
	I .3	I .8	I 1.2	I 2.2	I 7.0	I 23.6	I 39.3	I 20.1	I 5.4	I .1	I 13.1									
	I 8.1	I 9.7	I 11.5	I 12.2	I 12.7	I 13.7	I 13.4	I 12.5	I 12.9	I 16.7	I									
FIFTH MONTH	5	I 9	I 21	I 31	I 82	I 274	I 775	I 1214	I 606	I 137	I 1	I 3149								
	I .3	I .7	I 1.0	I 2.6	I 8.7	I 24.6	I 38.6	I 19.2	I 4.4	I 1	I 9.4									
	I 6.6	I 5.8	I 6.6	I 10.2	I 11.3	I 10.2	I 9.4	I 8.5	I 7.5	I 1										
SIXTH MONTH	6	I 3	I 12	I 24	I 49	I 169	I 479	I 915	I 421	I 93	I 1	I 2165								
	I .1	I .6	I 1.1	I 2.3	I 7.8	I 22.1	I 42.3	I 19.4	I 4.3	I 1	I 6.4									
	I 2.2	I 3.3	I 5.1	I 6.1	I 7.0	I 6.3	I 7.1	I 5.9	I 5.1	I 1										
SEVENTH MONTH	7	I 1	I 1	I 20	I 16	I 105	I 329	I 555	I 254	I 68	I 1	I 1347								
	I 1	I 1	I 1.5	I 1.2	I 7.8	I 24.4	I 41.2	I 18.9	I 5.0	I 1	I 4.0									
	I 1	I 1	I 4.3	I 2.0	I 4.3	I 4.3	I 4.3	I 3.6	I 3.7	I 1										
EIGHTH MONTH	8	I 1	I 1	I 2	I 5	I 51	I 175	I 294	I 146	I 33	I 1	I 708								
	I 1	I .1	I .3	I .7	I 7.2	I 24.7	I 41.5	I 20.6	I 4.7	I .1	I 2.1									
	I 1	I .3	I .4	I .6	I 2.1	I 2.3	I 2.3	I 2.1	I 1.8	I 3.3	I 1									
COLUMN		136	359	470	803	2420	7581	12912	7089	1836	30	33636								
(CONTINUED) TOTAL		.4	1.1	1.4	2.4	7.2	22.5	38.4	21.1	5.5	.1	100.0								

TABLE 9

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. VALUE.. 2 NONWHITE

PAGE 2 OF 2

COUNT		WT										ROW TOTAL
I		500 GMS	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS	NOT STATED	
MPCB		01	11	21	31	41	51	61	71	81	91	
NINTH MONTH	9	1	1	1	3	10	49	99	52	11	1	225
	I	I	I	I	1.3	4.4	21.8	44.0	23.1	4.9	I	I
	I	I	I	I	.4	.4	.6	.8	.7	.6	I	.7
NOT	10	2	2	4	4	14	26	51	28	10	3	144
	I	1.4	1.4	2.8	2.8	9.7	18.1	35.4	19.4	6.9	I	I
	I	1.5	.6	.9	.5	.6	.3	.4	.4	.5	I	.4
COLUMN		136	359	470	803	2420	7581	12912	7089	1836	30	33636
TOTAL		.4	1.1	1.4	2.4	7.2	22.5	38.4	21.1	5.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..

RACES

CROSS TABULATION OF EDUCATION OF MOTHER

BY EDUC

VALUE =

TOTAL

PAGE 1 OF 2

PCVISIT	COUNT	I	EDUC										ROW TOTAL
			ROW PCT	INONE OR	H.S. 1-3	H.S. 4	COL. 1-3	COL. 4+	NOT	STATED	61		
NONE	0	I	11	21	31	41	51	61					1833
			126	791	729	143	29	15					
		I	6.9	43.2	39.8	7.8	1.6	.8					1.8
		I	3.7	4.0	1.7	.7	.2	12.4					
ONE	1	I	45	202	188	38	11	1					485
			9.3	41.6	38.8	7.8	2.3	.2					
		I	1.3	1.0	.4	.2	.1	.8					.5
TWO	2	I	65	333	318	58	16	3					793
			8.2	42.0	40.1	7.3	2.0	.4					
		I	1.9	1.7	.8	.3	.1	2.5					.8
THREE	3	I	96	411	417	85	22	1					1031
			9.3	39.9	40.4	8.2	2.1	.1					
		I	2.8	2.1	1.0	.4	.1						1.0
FOUR	4	I	103	579	585	163	39	8					1477
			7.0	39.2	39.6	11.0	2.6	.5					
		I	3.0	2.9	1.4	.8	.2	6.6					1.4
FIVE	5	I	148	721	839	208	76	3					1995
			7.4	36.1	42.1	10.4	3.8	.2					
		I	4.4	3.6	2.0	1.1	.4	2.5					2.0
SIX	6	I	163	937	1100	295	108	3					2606
			6.3	36.0	42.2	11.3	4.1	.1					
		I	4.8	4.7	2.6	1.5	.6	2.5					2.6
SEVEN	7	I	172	801	1148	316	174	3					2614
			6.6	30.6	43.9	12.1	6.7	.1					
		I	5.1	4.0	2.7	1.6	1.0	2.5					2.6
EIGHT	8	I	230	1198	1868	579	319	6					4200
			5.5	28.5	44.5	13.8	7.6	.1					
		I	6.8	6.0	4.4	3.0	1.9	5.0					4.1
(CONTINUED)			COLUMN TOTAL	3386	20018	42265	19376	16925	121	102091			
			3.3	19.6	41.4	19.0	16.6	.1	100.0				

TABLE 10

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACES

CROSS TABULATION OF EDUCATION OF MOTHER

VALUE = TOTAL

PAGE 2 OF 2

PCVISIT	COUNT ROW PCT COL PCT	I I	H.S. 1-3 YEARS	H.S. 4 YEARS	COL. 1-3 YEARS	COL. 4+ YEARS	NOT STATED	ROW TOTAL
			11	21	31	41	51	
NINE	9	I 183	I 1070	I 1757	I 633	I 392	I 3	I 4038
		I 4.5	I 26.5	I 43.5	I 15.7	I 9.7	I .1	I 40.0
		I 5.4	I 5.3	I 4.2	I 3.3	I 2.3	I 2.5	I
TEN	10	I 395	I 2261	I 4116	I 1586	I 1093	I 8	I 9459
		I 4.2	I 23.9	I 43.5	I 16.8	I 11.6	I .1	I 9.3
		I 11.7	I 11.3	I 9.7	I 8.2	I 6.5	I 6.6	I
ELEVEN	11	I 188	I 1159	I 2425	I 1021	I 788	I 7	I 5588
		I 3.4	I 20.7	I 43.4	I 18.3	I 14.1	I .1	I 5.5
		I 5.6	I 5.8	I 5.7	I 5.3	I 4.7	I 5.8	I
TWELVE	12	I 447	I 2967	I 7838	I 3958	I 3836	I 19	I 19065
		I 2.3	I 15.6	I 41.1	I 20.8	I 20.1	I .1	I 18.7
		I 13.2	I 14.8	I 18.5	I 20.4	I 22.7	I 15.7	I
THIRTEEN	13	I 187	I 1264	I 3518	I 1849	I 1660	I 3	I 8481
		I 2.2	I 14.9	I 41.5	I 21.8	I 19.6	I .0	I 8.3
		I 5.5	I 6.3	I 8.3	I 9.5	I 9.8	I 2.5	I
FOURTEEN	14	I 189	I 1369	I 3821	I 2050	I 1995	I 9	I 9433
		I 2.0	I 14.5	I 40.5	I 21.7	I 21.1	I .1	I 9.2
		I 5.6	I 6.8	I 9.0	I 10.6	I 11.8	I 7.4	I
FIFTEEN	15	I 318	I 1957	I 5819	I 3137	I 3182	I 9	I 14422
		I 2.2	I 13.6	I 40.3	I 21.8	I 22.1	I .1	I 14.1
		I 9.4	I 9.8	I 13.8	I 16.2	I 18.8	I 7.4	I
SIXTEEN OR MORE	16	I 312	I 1928	I 5653	I 3224	I 3158	I 3	I 14278
		I 2.2	I 13.5	I 39.6	I 22.6	I 22.1	I .0	I 14.0
		I 9.2	I 9.6	I 13.4	I 16.6	I 18.7	I 2.5	I
NOT STATED	17	I 19	I 70	I 126	I 33	I 27	I 18	I 293
		I 6.5	I 23.9	I 43.0	I 11.3	I 9.2	I 6.1	I .3
		I .6	I .3	I .3	I .2	I .2	I 14.9	I
COLUMN TOTAL		3386	20018	42265	19376	16925	121	102091
		3.3	19.6	41.4	19.0	16.6	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..

CROSS TABULATION OF EDUCATION OF MOTHER

BY EDUC VALUE.. 1 WHITE

PAGE 1 OF 2

COUNT I
EDUC

PCVISIT	ROW PCT INONE OR COL PCT IELEM.	11	21	31	41	51	61	ROW TOTAL
NONE	0	I 71 I 11.4 I 3.2	I 273 I 43.7 I 2.4	I 216 I 34.6 I .8	I 46 I 7.4 I .3	I 15 I 2.4 I .1	I 4 I .6 I 6.6	625 .9
ONE	1	I 24 I 16.4 I 1.1	I 66 I 45.2 I .6	I 40 I 27.4 I .2	I 12 I 8.2 I .1	I 4 I 2.7 I .0	I 1 I .2	146 .2
TWO	2	I 33 I 12.5 I 1.5	I 110 I 41.5 I 1.0	I 95 I 35.8 I .4	I 22 I 8.3 I .2	I 4 I 1.5 I .0	I 1 I .4 I 1.6	265 .4
THREE	3	I 55 I 15.4 I 2.5	I 148 I 41.3 I 1.3	I 117 I 32.7 I .4	I 30 I 8.4 I .2	I 8 I 2.2 I .1	I 1 I .8	358 .5
FOUR	4	I 65 I 12.6 I 3.0	I 194 I 37.6 I 1.7	I 175 I 33.9 I .7	I 64 I 12.4 I .5	I 14 I 2.7 I .1	I 4 I .8 I 6.6	516 .8
FIVE	5	I 78 I 10.0 I 3.6	I 302 I 38.6 I 2.7	I 266 I 34.0 I 1.0	I 87 I 11.1 I .6	I 47 I 6.0 I .3	I 2 I .3 I 3.3	782 1.1
SIX	6	I 100 I 9.1 I 4.6	I 390 I 35.4 I 3.4	I 413 I 37.5 I 1.6	I 133 I 12.1 I 1.0	I 64 I 5.8 I .4	I 1 I .1 I 1.6	1101 1.6
SEVEN	7	I 102 I 7.9 I 4.7	I 393 I 30.6 I 3.5	I 516 I 40.2 I 1.9	I 149 I 11.6 I 1.1	I 124 I 9.6 I .9	I 1 I .1 I 1.6	1285 1.9
EIGHT	8	I 150 I 6.7 I 6.8	I 598 I 26.8 I 5.3	I 936 I 41.9 I 3.5	I 299 I 13.4 I 2.1	I 247 I 11.1 I 1.7	I 2 I .1 I 3.3	2232 3.3
(CONTINUED)	COLUMN TOTAL	2190 3.2	11339 16.6	26541 38.8	13941 20.4	14383 21.0	61 .1	68455 100.0

PAGE 2 OF 2

CROSS TABULATION OF EDUCATION OF MOTHER																					
PCVISIT		NUMBER OF PRENATAL VISITS		H.S. 1-3		H.S. 4		COL. 1-3		COL. 4+		NOT		BY EDUC		STATE		EDUC		TOTAL	
COUNT		I		I		I		I		I		I		I		I		I		I	
ROW PCT		I		I		I		I		I		I		I		I		I		I	
COL PCT		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I		I		I		I		I	
I		I		I		I		I		I		I									

TABLE 10

PCVISIT	NUMBER OF PRENATAL VISITS	CROSS TABULATION	OF	EDUCATION OF MOTHER	
CONTROLLING FOR..		BY EDUC			
RACE		VALUE..	2	NONWHITE	
					PAGE 1 OF 2

[illegible]

TABLE 10

PAGE 2 OF 2

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE

VALUE... 2 NONWHITE

PCVISIT	COUNT ROW PCT COL PCT	EDUC INCOME OR IELEM.	H.S. 1-3 YEARS				H.S. 4 YEARS				COL. 1-3 YEARS				COL. 4+ YEARS				NOT STATED	ROW TOTAL
			11	21	31	41	51	61	71	81	91	101	111	121	131	141	151	161		
NINE	9	I	59	I	530	I	822	I	244	I	80	I	2	I	1737					
		I	3.4	I	30.5	I	47.3	I	14.0	I	4.6	I	.1	I	5.2					
		I	4.9	I	6.1	I	5.2	I	4.5	I	3.1	I	3.3	I						
TEN	10	I	152	I	980	I	1795	I	536	I	198	I	5	I	3686					
		I	4.1	I	26.6	I	48.7	I	15.1	I	5.4	I	.1	I	11.0					
		I	12.7	I	11.3	I	11.4	I	10.2	I	7.8	I	8.3	I						
ELEVEN	11	I	71	I	462	I	887	I	291	I	104	I	5	I	1820					
		I	3.9	I	25.4	I	48.7	I	16.0	I	5.7	I	.3	I	5.4					
		I	5.9	I	5.3	I	5.6	I	5.4	I	4.1	I	8.3	I						
TWELVE	12	I	138	I	1096	I	2439	I	959	I	501	I	9	I	5142					
		I	2.7	I	21.3	I	47.4	I	18.7	I	9.7	I	.2	I	15.3					
		I	11.5	I	12.6	I	15.5	I	17.6	I	19.7	I	15.0	I						
THIRTEEN	13	I	46	I	430	I	991	I	450	I	206	I		I	2123					
		I	2.2	I	20.3	I	46.7	I	21.2	I	9.7	I		I	6.3					
		I	3.8	I	5.0	I	6.3	I	8.3	I	8.1	I		I						
FOURTEEN	14	I	53	I	389	I	1043	I	443	I	268	I	3	I	2199					
		I	2.4	I	17.7	I	47.4	I	20.1	I	12.2	I	.1	I	6.5					
		I	4.4	I	4.5	I	6.6	I	8.2	I	10.5	I	5.0	I						
FIFTEEN	15	I	114	I	682	I	1776	I	720	I	465	I	2	I	3759					
		I	3.0	I	18.1	I	47.2	I	19.2	I	12.4	I	.1	I	11.2					
		I	9.5	I	7.9	I	11.3	I	13.2	I	18.3	I	3.3	I						
SIXTEEN OR MORE	16	I	86	I	577	I	1491	I	712	I	446	I	2	I	3314					
		I	2.6	I	17.4	I	45.0	I	21.5	I	13.5	I	.1	I	9.9					
		I	7.2	I	6.6	I	9.5	I	13.1	I	17.5	I	3.3	I						
NOT STATED	17	I	7	I	34	I	62	I	17	I	7	I	5	I	132					
		I	5.3	I	25.8	I	47.0	I	12.9	I	5.3	I	3.8	I	.4					
		I	.6	I	.4	I	.4	I	.3	I	.3	I	8.3	I						
COLUMN TOTAL			1196		8679		15724		5435		2542		60		33636					
			3.6		25.8		46.7		16.2		7.6		.2		100.0					

NUMBER OF MISSING OBSERVATIONS = 0

PAGE 1 OF 4

[illegible]

TABLE 11

CROSS TABULATION OF AGE OF MOTHER														PAGE 2 OF 4	
PCVISIT NUMBER OF PRENATAL VISITS CONTROLLING FOR... RACES															
VALUE =															
AGE															
COUNT I															
ROW PCT I															
COL PCT I															
PCVISIT															
NONE															
ONE															
TWO															
THREE															
FOUR															
FIVE															
SIX															
SEVEN															
EIGHT															
(CONTINUED)															
TOTAL															
TOTAL															

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACES

CROSS TABULATION OF AGE OF MOTHER
BY AGE

VALUE = TOTAL

PAGE 3 OF 4

		AGE											ROW TOTAL
PCVISIT	COUNT ROW PCT COL PCT	12I	13I	14I	15I	16I	17I	18I	19I	20I	21I		
NINE	9	1	4	23	62	123	203	248	294	287	288	4038	
		.0	.1	.6	1.5	3.0	5.0	6.1	7.3	7.1	7.1	4.0	
		7.1	5.1	6.7	7.2	6.6	6.4	5.4	5.1	4.7	4.8		
TEN	10	2	10	47	105	230	397	563	671	701	573	9459	
		.0	.1	.5	1.1	2.4	4.2	6.0	7.1	7.4	6.1	9.3	
		14.3	12.7	13.7	12.2	12.4	12.5	12.2	11.7	11.4	9.5		
ELEVEN	11	1	5	17	59	121	189	244	315	384	331	5588	
		.1	.1	.3	1.1	2.2	3.4	4.4	5.6	6.9	5.9	5.5	
		6.3	6.3	4.9	6.9	6.5	6.0	5.3	5.5	6.3	5.5		
TWELVE	12	1	8	43	109	247	466	683	907	966	1004	19065	
		.0	.2	.2	.6	1.3	2.4	3.6	4.8	5.1	5.3	18.7	
		10.1	12.5	13.5	12.7	13.4	14.7	14.8	15.8	15.7	16.7		
THIRTEEN	13	1	1	11	55	105	193	298	379	452	500	8481	
		.1	.1	.1	.6	1.2	2.3	3.5	4.5	5.3	5.9	8.3	
			3.2	4.7	6.4	5.7	6.1	6.5	6.6	7.4	8.3		
FOURTEEN	14	2	3	16	37	112	192	308	410	491	502	9433	
		.0	.0	.2	.4	1.2	2.0	3.3	4.3	5.2	5.3	9.2	
		14.3	3.8	4.7	4.3	6.1	6.0	6.7	7.1	8.0	8.3		
FIFTEEN	15	1	7	26	66	151	300	417	605	695	741	14422	
		.0	.0	.2	.5	1.0	2.1	2.9	4.2	4.8	5.1	14.1	
			8.9	7.6	7.7	8.2	9.4	9.0	10.5	11.3	12.3		
SIXTEEN OR MORE	16	1	5	16	54	139	237	411	654	654	763	14278	
		.0	.0	.1	.4	1.0	1.7	2.9	4.6	4.6	5.3	14.0	
			6.3	4.7	6.3	7.5	7.5	8.9	11.4	10.6	12.7		
NOT STATED	17	1	1	3	6	5	13	20	17	22	20	293	
		.1	.1	1.0	2.0	1.7	4.4	6.8	5.8	7.5	6.8	.3	
				.9	.7	.3	.4	.4	.3	.4	.3		
COLUMN TOTAL		14	79	344	860	1850	3175	4609	5745	6142	6023	102091	
		.0	.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	100.0	

CROSS TABULATION OF ---
BY AGE AGE OF MOTHER

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSS TABULATION OF													PAGE 1 OF 4	
PCVISIT NUMBER OF PRENATAL VISITS CONTROLLING FOR..			BY AGE			AGE OF MOTHER								
RACE			VALUE..			WHITE								

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS BY AGE OF MOTHER
CONTROLLING FOR...
RACE

		AGE											
PCVISIT	COUNT ROW PCT COL PCT	25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER										NOT STATED	ROW TOTAL
		231	241	251	261	271	281	291	301				
NONE	0	44	33	109	58	16	8	1	5	1	625		
	1	7.0	5.3	17.4	9.3	2.6	1.3	1	.8	1	.9		
	2	1.1	.8	.5	.4	.4	1.5	1	.9	1			
ONE	1	8	8	21	17	4	1	1	2	1	146		
	2	5.5	5.5	14.4	11.6	2.7	1	1	1.4	1	.2		
	3	.2	.2	.1	.1	.1	1	1	.4	1			
TWO	2	19	16	55	16	5	1	1	2	1	265		
	3	7.2	6.0	20.8	6.0	1.9	1	1	.8	1	.4		
	4	.5	.4	.3	.1	.1	1	1	.4	1			
THREE	3	28	15	65	29	11	3	1	4	1	358		
	4	7.8	4.2	18.2	8.1	3.1	.8	1	1.1	1	.5		
	5	.7	.4	.3	.2	.3	.6	1	.7	1			
FOUR	4	47	30	108	48	17	3	1	3	1	516		
	5	9.1	5.8	20.9	9.3	3.3	.6	1	.6	1	.8		
	6	1.2	.7	.5	.4	.4	.6	1	.5	1			
FIVE	5	54	48	153	94	28	5	1	2	1	782		
	6	6.9	6.1	19.6	12.0	3.6	.6	1	.3	1	1.1		
	7	1.4	1.1	.7	.7	.7	1.0	1	.4	1			
SIX	6	64	59	227	114	47	10	1	9	1	1101		
	7	5.8	5.4	20.6	10.4	4.3	.9	1	.8	1	1.6		
	8	1.6	1.4	1.0	.8	1.1	1.9	1	1.6	1			
SEVEN	7	78	74	290	183	37	5	1	17	1	1285		
	8	6.1	5.8	22.6	14.2	2.9	.4	1	1.3	1	1.9		
	9	2.0	1.8	1.3	1.3	.9	1.0	1	3.0	1			
EIGHT	8	143	145	581	293	91	10	1	32	1	2232		
	9	6.4	6.5	26.0	13.1	4.1	.4	1	1.4	1	3.3		
	10	3.7	3.5	2.7	2.2	2.1	1.9	1	5.7	1			
COLUMN TOTAL		3894	4196	21738	13604	4245	525	13	561		68455		
TOTAL		5.7	6.1	31.8	19.9	6.2	.8	.0	.8		100.0		

(CONTINUED)

(CONTINUED)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE

CROSS TABULATION OF AGE OF MOTHER
BY AGE

VALUE... 1 WHITE

PAGE 3 OF 4

		AGE											ROW TOTAL	
PCVISIT	COUNT ROW PCT COL PCT	131	141	151	161	171	181	191	201	211	221			
NINE	9	I	3	I	55	I	124	I	152	I	162	I	2301	
	I	I	.1	I	2.4	I	5.4	I	6.6	I	7.0	I	3.4	
	I	I	4.2	I	6.9	I	5.1	I	4.7	I	4.4	I		
TEN	10	I	9	I	93	I	306	I	367	I	329	I	5773	
	I	.0	I	.6	I	3.7	I	5.3	I	6.4	I	5.7	I	8.4
	I	11.1	I	11.2	I	13.0	I	12.5	I	11.3	I	10.9	I	
ELEVEN	11	I	5	I	60	I	135	I	184	I	244	I	3768	
	I	I	.1	I	1.6	I	3.6	I	4.9	I	6.5	I	5.5	
	I	I	7.0	I	7.6	I	5.5	I	5.6	I	6.7	I		
TWELVE	12	I	8	I	110	I	398	I	554	I	643	I	13923	
	I	.0	I	.3	I	1.9	I	2.9	I	4.0	I	4.8	I	20.3
	I	11.1	I	14.9	I	13.9	I	16.2	I	17.0	I	17.6	I	
THIRTEEN	13	I	1	I	54	I	189	I	256	I	305	I	6358	
	I	I	.0	I	.8	I	3.0	I	4.0	I	4.8	I	9.3	
	I	I	1.4	I	6.8	I	7.7	I	7.9	I	8.4	I		
FOURTEEN	14	I	5	I	70	I	216	I	287	I	342	I	7234	
	I	.0	I	.2	I	1.8	I	3.0	I	4.0	I	4.7	I	10.6
	I	11.1	I	6.1	I	8.8	I	8.8	I	8.8	I	9.4	I	
FIFTEEN	15	I	10	I	74	I	240	I	379	I	458	I	10663	
	I	I	.1	I	.7	I	2.3	I	3.6	I	4.3	I	15.6	
	I	I	14.1	I	9.3	I	10.1	I	11.6	I	12.5	I		
SIXTEEN OR MORE	16	I	5	I	75	I	261	I	460	I	463	I	10964	
	I	.0	I	.2	I	1.5	I	2.4	I	4.2	I	5.1	I	16.0
	I	11.1	I	8.1	I	9.5	I	10.6	I	14.1	I	12.7	I	
NOT STATED	17	I	2	I	12	I	9	I	11	I	11	I	161	
	I	I	1.2	I	1.2	I	5.6	I	6.8	I	6.8	I	.2	
	I	I	2.8	I	.3	I	.4	I	.3	I	.3	I		
COLUMN TOTAL		9	71	295	793	1625	2453	3257	3652	3692	3832	68455		
TOTAL		.0	.1	.4	1.2	2.4	3.6	4.8	5.3	5.4	5.6	100.0		
(CONTINUED)														

PAGE 4 OF 4

CROSS TABULATION OF AGE OF MOTHER																	PAGE 4 OF 4	
PCVISIT		NUMBER OF PRENATAL VISITS		BY AGE													ROW TOTAL	
CONTROLLING FOR RACE		VALUE..		WHITE													TOTAL	

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE

CROSS TABULATION OF AGE OF MOTHER
BY AGE

VALUE.. 2 NONWHITE

PAGE 1 OF 4

PCVISIT	COUNT ROW PCT COL PCT	AGE											ROW TOTAL
		I											
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I		
NONE	0	I	I	I	I	I	I	I	I	I	I	I	1208
	I	.2	.5	1.3	2.8	4.3	6.1	8.3	9.1	7.4	8.0	3.6	
	I	14.3	8.6	5.9	6.0	4.9	4.8	4.6	4.4	3.6	4.2		
ONE	1	I	I	I	I	I	I	I	I	I	I	I	339
	I	.3	.3	2.4	2.7	3.2	5.3	7.1	9.7	7.4	12.4	1.0	
	I	1.4	1.4	2.9	1.6	1.0	1.2	1.1	1.3	1.0	1.8		
TWO	2	I	I	I	I	I	I	I	I	I	I	I	528
	I	.4	.4	1.7	2.8	4.2	6.1	7.4	8.7	8.0	7.4	1.6	
	I	14.3	2.9	3.3	2.7	2.1	2.1	1.8	1.8	1.7	1.7		
THREE	3	I	I	I	I	I	I	I	I	I	I	I	673
	I	.1	.1	1.3	1.9	4.8	5.8	10.0	11.0	9.2	7.1	2.0	
	I	1.4	1.4	3.3	2.3	3.0	2.5	3.1	3.0	2.5	2.1		
FOUR	4	I	I	I	I	I	I	I	I	I	I	I	961
	I	.1	.1	1.1	2.0	4.7	7.6	8.0	7.9	7.7	7.6	2.9	
	I	7.1	1.4	4.0	3.4	4.3	4.7	3.6	3.1	3.0	3.1		
FIVE	5	I	I	I	I	I	I	I	I	I	I	I	1213
	I	.1	.4	1.4	1.8	4.5	5.9	9.8	10.0	11.2	6.9	3.6	
	I	7.1	7.1	6.2	3.9	5.1	4.6	5.5	4.9	5.5	3.6		
SIX	6	I	I	I	I	I	I	I	I	I	I	I	1505
	I	.3	.3	1.0	2.9	4.7	5.8	10.0	9.2	9.5	7.1	4.5	
	I	7.1	7.1	5.5	7.6	6.7	5.7	7.0	5.6	5.7	4.6		
SEVEN	7	I	I	I	I	I	I	I	I	I	I	I	1329
	I	.1	.3	1.1	2.3	4.6	6.6	8.1	9.2	9.0	7.3	4.0	
	I	7.1	5.7	5.1	5.5	5.8	5.7	5.0	4.9	4.8	4.2		
EIGHT	8	I	I	I	I	I	I	I	I	I	I	I	1968
	I	.1	.4	1.0	2.1	3.5	5.6	8.0	8.4	9.0	7.6	5.9	
	I	14.3	10.0	7.3	7.4	6.5	7.1	7.3	6.6	7.1	6.4		
(CONTINUED)	COLUMN TOTAL	14	70	273	565	1057	1550	2156	2488	2490	2331	33636	
	TOTAL	.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9	100.0	

(CONTINUED)

PAGE 2 OF 4

CROSS TABULATION OF AGE OF MOTHER												PAGE 2 OF 4	
PCVISIT NUMBER OF PRENATAL VISITS CONTROLLING FOR.. RACE		VALUE.. 2 NONWHITE											
		AGE											
		25 - 29 30 - 34 35 - 39 40 - 44 45 AND OVER											
COUNT I	ROW PCT I	22I	23I	24I	25I	26I	27I	28I	29I	NOT STATED	TOTAL		
COL PCT I	I	I	I	I	I	I	I	I	I	I	I		
PCVISIT	I	I	I	I	I	I	I	I	I	I	I		
NONE	0	I 107 I 8.9 I 4.6	I 80 I 6.6 I 3.7	I 70 I 5.8 I 3.4	I 226 I 18.7 I 2.8	I 97 I 8.0 I 2.3	I 29 I 2.4 I 2.0	I 14 I 1.2 I 6.5	I 5 I .4 I 3.3	I 1208 I 3.6			
ONE	1	I 21 I 6.2 I .9	I 28 I 8.3 I 1.3	I 16 I 4.7 I .8	I 57 I 16.8 I .7	I 29 I 8.6 I .7	I 12 I 3.5 I .8	I 4 I 1.2 I 1.8	I 1 I .3 I .7	I 339 I 1.0			
TWO	2	I 41 I 7.8 I 1.8	I 37 I 7.0 I 1.7	I 27 I 5.1 I 1.3	I 107 I 20.3 I 1.3	I 47 I 8.9 I 1.1	I 16 I 3.0 I 1.1	I 3 I .6 I 1.4	I 2 I .4 I 1.3	I 528 I 1.6			
THREE	3	I 50 I 7.4 I 2.1	I 40 I 5.9 I 1.9	I 42 I 6.2 I 2.1	I 112 I 16.6 I 1.4	I 61 I 9.1 I 1.5	I 19 I 2.8 I 1.3	I 2 I .3 I .9	I 2 I .3 I 1.3	I 673 I 2.0			
FOUR	4	I 83 I 8.6 I 3.6	I 68 I 7.1 I 3.2	I 59 I 6.1 I 2.9	I 191 I 19.9 I 2.3	I 67 I 7.0 I 1.6	I 34 I 3.5 I 2.4	I 5 I .5 I 2.3	I 1 I .1 I 12.5	I 961 I 2.9			
FIVE	5	I 81 I 6.7 I 3.5	I 68 I 5.6 I 3.2	I 64 I 5.3 I 3.1	I 238 I 19.6 I 2.9	I 100 I 8.2 I 2.4	I 24 I 2.0 I 1.7	I 5 I .4 I 2.3	I 2 I .2 I 1.3	I 1213 I 3.6			
SIX	6	I 100 I 6.6 I 4.3	I 95 I 6.3 I 4.5	I 83 I 5.5 I 4.1	I 268 I 17.8 I 3.3	I 134 I 8.9 I 3.2	I 48 I 3.2 I 3.4	I 10 I .7 I 4.6	I 1 I .1 I 12.5	I 1505 I 4.5			
SEVEN	7	I 85 I 6.4 I 3.7	I 65 I 4.9 I 3.0	I 70 I 5.3 I 3.4	I 265 I 19.9 I 3.3	I 137 I 10.3 I 3.3	I 51 I 3.8 I 3.6	I 4 I .3 I 1.8	I 7 I .5 I 4.7	I 1329 I 4.0			
EIGHT	8	I 134 I 6.8 I 5.8	I 112 I 5.7 I 5.2	I 114 I 5.8 I 5.6	I 426 I 21.6 I 5.2	I 195 I 9.9 I 4.6	I 70 I 3.6 I 4.9	I 6 I .3 I 2.8	I 12 I .6 I 8.0	I 1968 I 5.9			
(CONTINUED)	COLUMN TOTAL	2327	2134	2047	8132	4199	1428	217	8	150	33636		
	TOTAL	6.9	6.3	6.1	24.2	12.5	4.2	.6	.0	.4	100.0		

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS CONTROLLING FOR..		CROSS TABULATION OF AGE OF MOTHER BY AGE										PAGE 3 OF 4	
RACE		VALUE.. 2 NONWHITE											
PCVISIT	COUNT I ROW PCT I COL PCT I	AGE										ROW TOTAL	211
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I		
NINE	9 I	1 I	4 I	20 I	45 I	68 I	106 I	124 I	142 I	121 I	126 I	1737	I
	I	.1 I	.2 I	1.2 I	2.6 I	3.9 I	6.1 I	7.1 I	8.2 I	7.0 I	7.3 I	5.2	I
	I	7.1 I	5.7 I	7.3 I	8.0 I	6.4 I	6.8 I	5.8 I	5.7 I	4.9 I	5.4 I		I
TEN	10 I	2 I	9 I	38 I	72 I	137 I	186 I	257 I	304 I	304 I	244 I	3686	I
	I	.1 I	.2 I	1.0 I	2.0 I	3.7 I	5.0 I	7.0 I	8.2 I	8.2 I	6.6 I	11.0	I
	I	14.3 I	12.9 I	13.9 I	12.7 I	13.0 I	12.0 I	11.9 I	12.2 I	12.2 I	10.5 I		I
ELEVEN	11 I	1 I	5 I	12 I	41 I	61 I	95 I	109 I	131 I	140 I	129 I	1820	I
	I	.3 I	.3 I	.7 I	2.3 I	3.4 I	5.2 I	6.0 I	7.2 I	7.7 I	7.1 I	5.4	I
	I	7.1 I	7.1 I	4.4 I	7.3 I	5.8 I	6.1 I	5.1 I	5.3 I	5.6 I	5.5 I		I
TWELVE	12 I	1 I	7 I	35 I	65 I	137 I	203 I	285 I	353 I	323 I	336 I	5142	I
	I	.1 I	.1 I	.7 I	1.3 I	2.7 I	3.9 I	5.5 I	6.9 I	6.3 I	6.5 I	15.3	I
	I	10.0 I	12.8 I	12.8 I	11.5 I	13.0 I	13.1 I	13.2 I	14.2 I	13.0 I	14.4 I		I
THIRTEEN	13 I	1 I	1 I	10 I	28 I	51 I	88 I	109 I	123 I	147 I	146 I	2123	I
	I	.1 I	.1 I	.5 I	1.3 I	2.4 I	4.1 I	5.1 I	5.8 I	6.9 I	6.9 I	6.3	I
	I	3.7 I	3.7 I	3.7 I	5.0 I	4.8 I	5.7 I	5.1 I	4.9 I	5.9 I	6.3 I		I
FOURTEEN	14 I	2 I	2 I	11 I	19 I	42 I	63 I	92 I	123 I	149 I	163 I	2199	I
	I	.1 I	.1 I	.5 I	.9 I	1.9 I	2.9 I	4.2 I	5.6 I	6.8 I	7.4 I	6.5	I
	I	14.3 I	2.9 I	4.0 I	3.4 I	4.0 I	4.1 I	4.3 I	4.9 I	6.0 I	7.0 I		I
FIFTEEN	15 I	1 I	7 I	16 I	33 I	77 I	136 I	177 I	226 I	237 I	240 I	3759	I
	I	.2 I	.2 I	.4 I	.9 I	2.0 I	3.6 I	4.7 I	6.0 I	6.3 I	6.4 I	11.2	I
	I	10.0 I	10.0 I	5.9 I	5.8 I	7.3 I	8.8 I	8.2 I	9.1 I	9.5 I	10.3 I		I
SIXTEEN OR MORE	16 I	1 I	4 I	11 I	30 I	64 I	76 I	150 I	194 I	191 I	201 I	3314	I
	I	.1 I	.1 I	.3 I	.9 I	1.9 I	2.3 I	4.5 I	5.9 I	5.8 I	6.1 I	9.9	I
	I	5.7 I	5.7 I	4.0 I	5.3 I	6.1 I	4.9 I	7.0 I	7.8 I	7.7 I	8.6 I		I
NOT STATED	17 I	1 I	1 I	1 I	4 I	3 I	3 I	11 I	6 I	11 I	10 I	132	I
	I	.1 I	.1 I	.8 I	3.0 I	2.3 I	2.3 I	8.3 I	4.5 I	8.3 I	7.6 I	.4	I
	I	.1 I	.1 I	.4 I	.7 I	.3 I	.2 I	.5 I	.2 I	.4 I	.4 I		I
COLUMN TOTAL	14	70	273	565	1057	1550	2156	2488	2490	2331	6.9	33636	100.0
(CONTINUED)	.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9			

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE

CROSS TABULATION OF AGE OF MOTHER

BY AGE

VALUE.. 2 NONWHITE

PAGE 4 OF 4

		AGE														NOT STATED	45 AND OVER	ROW TOTAL
PCVISIT	COUNT ROW PCT COL PCT	221	231	241	251	261	35 - 39	40 - 44	281	291	301							
NINE	9	128	112	108	351	208	58	5	1	1	9							1737
		7.4	6.4	6.2	20.2	12.0	3.3	.3	.1	.1	.5							5.2
		5.5	5.2	5.3	4.3	5.0	4.1	2.3	12.5	6.0	1							
TEN	10	284	232	219	788	422	134	23	1	1	31							3686
		7.7	6.3	5.9	21.4	11.4	3.6	.6	1	.8	1							11.0
		12.2	10.9	10.7	9.7	10.1	9.4	10.6	1	20.7	1							
ELEVEN	11	128	112	129	433	206	65	15	1	1	9							1820
		7.0	6.2	7.1	23.8	11.3	3.6	.8	1	.5	1							5.4
		5.5	5.2	6.3	5.3	4.9	4.6	6.9	1	6.0	1							
TWELVE	12	342	347	291	1415	711	234	29	1	1	28							5142
		6.7	6.7	5.7	27.5	13.8	4.6	.6	1	.0	.5							15.3
		14.7	16.3	14.2	17.4	16.9	16.4	13.4	12.5	18.7	1							
THIRTEEN	13	146	139	149	568	297	100	15	1	1	6							2123
		6.9	6.5	7.0	26.8	14.0	4.7	.7	1	.0	.3							6.3
		6.3	6.5	7.3	7.0	7.1	7.0	6.9	12.5	4.0	1							
FOURTEEN	14	143	140	138	629	341	120	17	1	1	5							2199
		6.5	6.4	6.3	28.6	15.5	5.5	.8	1	.2	1							6.5
		6.1	6.6	6.7	7.7	8.1	8.4	7.8	1	3.3	1							
FIFTEEN	15	243	236	243	1072	585	194	28	1	2	7							3759
		6.5	6.3	6.5	28.5	15.6	5.2	.7	1	.1	.2							11.2
		10.4	11.1	11.9	13.2	13.9	13.6	12.9	25.0	4.7	1							
SIXTEEN OR MORE	16	201	216	215	954	549	212	31	1	1	14							3314
		6.1	6.5	6.5	28.8	16.6	6.4	.9	1	.0	.4							9.9
		8.6	10.1	10.5	11.7	13.1	14.8	14.3	12.5	9.3	1							
NOT STATED	17	10	7	10	32	13	8	1	1	1	2							132
		7.6	5.3	7.6	24.2	9.8	6.1	.8	1	1.5	1							.4
		.4	.3	.5	.4	.3	.6	.5	1	1.3	1							
COLUMN TOTAL		2327	2134	2047	8132	4199	1428	217	8	150								33636
		6.9	6.3	6.1	24.2	12.5	4.2	.6	.0	.4								100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 12

PCVISIT NUMBER OF PRENATAL VISITS C R O S S T A B U L A T I O N O F M A R I T A L S T A T U S O F M O T H E R
CONTROLLING FOR... BY STATUS MARITAL STATUS OF MOTHER
RACES VALUE = TOTAL PAGE 1 OF 2

PCVISIT	STATUS			COUNT			ROW PCT	TOTAL
	I	MARRIED	NOT MARRIED	1I	2I	3I		
NONE	0	I 538	I 1295	I	I	I	I	1833
		I 29.4	I 70.6	I	I	I	I	1.8
		I .7	I 4.6	I	I	I	I	
ONE	1	I 146	I 339	I	I	I	I	485
		I 30.1	I 69.9	I	I	I	I	.5
		I .2	I 1.2	I	I	I	I	
TWO	2	I 277	I 516	I	I	I	I	793
		I 34.9	I 65.1	I	I	I	I	.8
		I .4	I 1.8	I	I	I	I	
THREE	3	I 376	I 655	I	I	I	I	1031
		I 36.5	I 63.5	I	I	I	I	1.0
		I .5	I 2.3	I	I	I	I	
FOUR	4	I 582	I 894	I	I	I	I	1477
		I 39.4	I 60.5	I	I	I	I	1.4
		I .8	I 3.2	I	I	I	I	
FIVE	5	I 855	I 1140	I	I	I	I	1995
		I 42.9	I 57.1	I	I	I	I	2.0
		I 1.2	I 4.0	I	I	I	I	
SIX	6	I 1151	I 1455	I	I	I	I	2606
		I 44.2	I 55.8	I	I	I	I	2.6
		I 1.6	I 5.1	I	I	I	I	
SEVEN	7	I 1368	I 1246	I	I	I	I	2614
		I 52.3	I 47.7	I	I	I	I	2.6
		I 1.9	I 4.4	I	I	I	I	
EIGHT	8	I 2381	I 1819	I	I	I	I	4200
		I 56.7	I 43.3	I	I	I	I	4.1
		I 3.2	I 6.4	I	I	I	I	
COLUMN		73789	28299			3	102091	
(CONTINUED) TOTAL		72.3	27.7			.0	100.0	

TABLE 12

PCVISIT NUMBER OF PRENATAL VISITS C R O S S T A B U L A T I O N O F M A R I T A L S T A T U S O F M O T H E R
CONTROLLING FOR... BY STATUS MARITAL STATUS OF MOTHER
RACES VALUE = TOTAL

PCVISIT	STATUS				ROW TOTAL
	COUNT ROW PCT COL PCT	MARRIED I	NOT MARRIED I	NOT STATED I	
NINE	9	2476	1562	1	4038
		61.3	38.7		4.0
		3.4	5.5		
TEN	10	6196	3263	1	9459
		65.5	34.5		9.3
		8.4	11.5		
ELEVEN	11	4002	1585	1	5588
		71.6	28.4	.0	5.5
		5.4	5.6	33.3	
TWELVE	12	15090	3974	1	19065
		79.2	20.8	.0	18.7
		20.5	14.0	33.3	
THIRTEEN	13	6815	1666	1	8481
		80.4	19.6		8.3
		9.2	5.9		
FOURTEEN	14	7781	1652	1	9433
		82.5	17.5		9.2
		10.5	5.8		
FIFTEEN	15	11782	2640	1	14422
		81.7	18.3		14.1
		16.0	9.3		
SIXTEEN OR MORE	16	11803	2475	1	14278
		82.7	17.3		14.0
		16.0	8.7		
NOT STATED	17	170	123	1	293
		58.0	42.0		.3
		.2	.4		
COLUMN TOTAL	73789	28299	3	102091	
	72.3	27.7	.0	100.0	

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 12

CROSS TABULATION OF PRENATAL VISITS BY STATUS OF MOTHER

VALUE.. 1 WHITE

PAGE 1 OF 2

STATUS							ROW TOTAL	
COUNT		IMARRIED		NOT MARRIED		NOT STATED		
ROW PCT	COL PCT	I	11	21	31			
PCVISIT								
NONE	0	I	308	I	317	I	625	
		I	49.3	I	50.7	I	.9	
		I	.5	I	3.7	I		
ONE	1	I	78	I	68	I	146	
		I	53.4	I	46.6	I	.2	
		I	.1	I	.8	I		
TWO	2	I	156	I	109	I	265	
		I	58.9	I	41.1	I	.4	
		I	.3	I	1.3	I		
THREE	3	I	216	I	142	I	358	
		I	60.3	I	39.7	I	.5	
		I	.4	I	1.7	I		
FOUR	4	I	331	I	184	I	516	
		I	64.1	I	35.7	I	.8	
		I	.6	I	2.2	I	33.3	
FIVE	5	I	524	I	258	I	782	
		I	67.0	I	33.0	I	1.1	
		I	.9	I	3.0	I		
SIX	6	I	742	I	359	I	1101	
		I	67.4	I	32.6	I	1.6	
		I	1.2	I	4.2	I		
SEVEN	7	I	948	I	337	I	1285	
		I	73.8	I	26.2	I	1.9	
		I	1.6	I	3.9	I		
EIGHT	8	I	1734	I	498	I	2232	
		I	77.7	I	22.3	I	3.3	
		I	2.9	I	5.8	I		
(CONTINUED)		COLUMN TOTAL	59896	87.5	8556	12.5	3	68455
								100.0

TABLE 12

PCVISIT NUMBER OF PRENATAL VISITS OF MARITAL STATUS OF MOTHER
CONTROLLING FOR... BY STATUS VALUE.. 1 WHITE
RACE

PCVISIT	COUNT		STATUS		NOT		NOT		ROW
	ROW PCT	COL PCT	IMARRIED	MARRIED	MARRIED	STATED	STATED	TOTAL	
NINE	9	I	1852	I	449	I	I	2301	
		I	80.5	I	19.5	I	I	3.4	
		I	3.1	I	5.2	I	I		
TEN	10	I	4781	I	992	I	I	5773	
		I	82.8	I	17.2	I	I	8.4	
		I	8.0	I	11.6	I	I		
ELEVEN	11	I	3248	I	519	I	I	3768	
		I	86.2	I	13.8	I	.0	5.5	
		I	5.4	I	6.1	I	33.3	I	
TWELVE	12	I	12607	I	1315	I	I	13923	
		I	90.5	I	9.4	I	.0	20.3	
		I	21.0	I	15.4	I	33.3	I	
THIRTEEN	13	I	5786	I	572	I	I	6358	
		I	91.0	I	9.0	I	I	9.3	
		I	9.7	I	6.7	I	I		
FOURTEEN	14	I	6631	I	603	I	I	7234	
		I	91.7	I	8.3	I	I	10.6	
		I	11.1	I	7.0	I	I		
FIFTEEN	15	I	9807	I	856	I	I	10663	
		I	92.0	I	8.0	I	I	15.6	
		I	16.4	I	10.0	I	I		
SIXTEEN OR MORE	16	I	10029	I	935	I	I	10964	
		I	91.5	I	8.5	I	I	16.0	
		I	16.7	I	10.9	I	I		
NOT STATED	17	I	118	I	43	I	I	161	
		I	73.3	I	26.7	I	I	.2	
		I	.2	I	.5	I	I		
COLUMN TOTAL	59896	8556	3	68455					
TOTAL	87.5	12.5	.0	100.0					

TABLE 12

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..

CROSS TABULATION OF STATUS OF MOTHER
BY STATUS MARITAL STATUS OF MOTHER

VALUE.. 2 NONWHITE

PAGE 1 OF 2

PCVISIT	COUNT		STATUS		ROW COL PCT	TOTAL
	ROW PCT	COL PCT	IMARRIED	NOT MARRIED		
NONE	0	I	230	I	978	I 1208
		I	19.0	I	81.0	I 3.6
		I	1.7	I	5.0	I
ONE	1	I	68	I	271	I 339
		I	20.1	I	79.9	I 1.0
		I	.5	I	1.4	I
TWO	2	I	121	I	407	I 528
		I	22.9	I	77.1	I 1.6
		I	.9	I	2.1	I
THREE	3	I	160	I	513	I 673
		I	23.8	I	76.2	I 2.0
		I	1.2	I	2.6	I
FOUR	4	I	251	I	710	I 961
		I	26.1	I	73.9	I 2.9
		I	1.8	I	3.6	I
FIVE	5	I	331	I	882	I 1213
		I	27.3	I	72.7	I 3.6
		I	2.4	I	4.5	I
SIX	6	I	409	I	1096	I 1505
		I	27.2	I	72.8	I 4.5
		I	2.9	I	5.6	I
SEVEN	7	I	420	I	909	I 1329
		I	31.6	I	68.4	I 4.0
		I	3.0	I	4.6	I
EIGHT	8	I	647	I	1321	I 1968
		I	32.9	I	67.1	I 5.9
		I	4.7	I	6.7	I
COLUMN		13893	19743	33636		
(CONTINUED) TOTAL		41.3	58.7	100.0		

TABLE 12

----- C R O S S T A B U L A T I O N O F -----
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE
----- PAGE 2 OF 2

PCVISIT	COUNT		STATUS		ROW	
	ROW PCT	COL PCT	IMARRIED	NOT MARRIED	TOTAL	TOTAL
NINE	9	I	624	I 1113	I	1737
		I	35.9	I 64.1	I	5.2
		I	4.5	I 5.6	I	
TEN	10	I	1415	I 2271	I	3686
		I	38.4	I 61.6	I	11.0
		I	10.2	I 11.5	I	
ELEVEN	11	I	754	I 1066	I	1820
		I	41.4	I 58.6	I	5.4
		I	5.4	I 5.4	I	
TWELVE	12	I	2483	I 2659	I	5142
		I	48.3	I 51.7	I	15.3
		I	17.9	I 13.5	I	
THIRTEEN	13	I	1029	I 1094	I	2123
		I	48.5	I 51.5	I	6.3
		I	7.4	I 5.5	I	
FOURTEEN	14	I	1150	I 1049	I	2199
		I	52.3	I 47.7	I	6.5
		I	8.3	I 5.3	I	
FIFTEEN	15	I	1975	I 1784	I	3759
		I	52.5	I 47.5	I	11.2
		I	14.2	I 9.0	I	
SIXTEEN OR MORE	16	I	1774	I 1540	I	3314
		I	53.5	I 46.5	I	9.9
		I	12.8	I 7.8	I	
NOT STATED	17	I	52	I 80	I	132
		I	39.4	I 60.6	I	.4
		I	.4	I .4	I	
COLUMN TOTAL			13893	19743		33636
			41.3	58.7		100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..

CROSS TABULATION OF
BY BO BIRTH ORDER

VALUE = TOTAL

PCVISIT	COUNT ROW PCT COL PCT	BO										9TH OVER	NOT STATED	ROW TOTAL
		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I			
NONE	0	444	502	359	254	127	80	25	15	21	6			1833
	I	24.2	27.4	19.6	13.9	6.9	4.4	1.4	.8	1.1	.3			1.8
	I	1.2	1.6	2.0	3.1	3.7	5.7	4.2	5.5	8.3	3.6			
ONE	1	128	116	100	65	31	14	16	7	6	2			485
	I	26.4	23.9	20.6	13.4	6.4	2.9	3.3	1.4	1.2	.4			.5
	I	.3	.4	.6	.8	.9	1.0	2.7	2.6	2.4	1.2			
TWO	2	211	188	170	113	52	25	14	5	11	4			793
	I	26.6	23.7	21.4	14.2	6.6	3.2	1.8	.6	1.4	.5			.8
	I	.6	.6	.9	1.4	1.5	1.8	2.4	1.8	4.3	2.4			
THREE	3	293	273	223	102	65	35	9	15	14	2			1031
	I	28.4	26.5	21.6	9.9	6.3	3.4	.9	1.5	1.4	.2			1.0
	I	.8	.8	1.2	1.2	1.9	2.5	1.5	5.5	5.5	1.2			
FOUR	4	393	411	306	194	86	34	23	13	15	2			1477
	I	26.6	27.8	20.7	13.1	5.8	2.3	1.6	.9	1.0	.1			1.4
	I	1.0	1.3	1.7	2.3	2.5	2.4	3.9	4.8	5.9	1.2			
FIVE	5	590	580	382	244	118	51	14	9	4	3			1995
	I	29.6	29.1	19.1	12.2	5.9	2.6	.7	.5	.2	.2			2.0
	I	1.6	1.8	2.1	3.0	3.5	3.7	2.4	3.3	1.6	1.8			
SIX	6	864	710	495	295	131	62	17	15	12	5			2606
	I	33.2	27.2	19.0	11.3	5.0	2.4	.7	.6	.5	.2			2.6
	I	2.3	2.2	2.7	3.6	3.8	4.4	2.9	5.5	4.7	3.0			
SEVEN	7	923	798	455	241	99	39	31	7	17	4			2614
	I	35.3	30.5	17.4	9.2	3.8	1.5	1.2	.3	.7	.2			2.6
	I	2.5	2.5	2.5	2.9	2.9	2.8	5.2	2.6	6.7	2.4			
EIGHT	8	1429	1311	761	396	167	69	37	13	12	5			4200
	I	34.0	31.2	18.1	9.4	4.0	1.6	.9	.3	.3	.1			4.1
	I	3.8	4.1	4.2	4.8	4.9	4.9	6.2	4.8	4.7	3.0			
COLUMN TOTAL		37440	32285	18015	8263	3403	1397	593	273	253	169			102091
TOTAL		36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2			100.0

(CONTINUED)

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS OF BIRTH ORDER
CONTROLLING FOR... BY BO TOTAL
RACES VALUE =

PCVISIT	COUNT ROW PCT COL PCT	CROSS TABULATION OF BIRTH ORDER										9TH AND OVER	NOT STATED	ROW TOTAL
		1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	8I	9I			
NINE	9	1488	1275	695	324	148	58	27	71	9	8	6	1	4038
	I	36.8	31.6	17.2	8.0	3.7	1.4	.7	.7	.2	.2	.1	1	4.0
	I	4.0	3.9	3.9	3.9	4.3	4.2	4.6	3.3	3.3	3.2	3.6	1	
TEN	10	3463	2936	1743	747	316	129	64	71	28	19	14	1	9459
	I	36.6	31.0	18.4	7.9	3.3	1.4	.7	.7	.3	.2	.1	1	9.3
	I	9.2	9.1	9.7	9.0	9.3	9.2	10.8	10.3	7.5	7.5	8.3	1	
ELEVEN	11	2121	1824	953	412	173	61	17	71	8	10	9	1	5588
	I	38.0	32.6	17.1	7.4	3.1	1.1	.3	.3	.1	.2	.2	1	5.5
	I	5.7	5.6	5.3	5.0	5.1	4.4	2.9	2.9	2.9	4.0	5.3	1	
TWELVE	12	7234	6275	3262	1382	544	187	90	90	40	21	30	1	19065
	I	37.9	32.9	17.1	7.2	2.9	1.0	.5	.5	.2	.1	.2	1	18.7
	I	19.3	19.4	18.1	16.7	16.0	13.4	15.2	14.7	8.3	8.3	17.8	1	
THIRTEEN	13	3339	2770	1422	579	214	88	36	36	12	14	7	1	8481
	I	39.4	32.7	16.8	6.8	2.5	1.0	.4	.4	.1	.2	.1	1	8.3
	I	8.9	8.6	7.9	7.0	6.3	6.3	6.1	6.1	4.4	5.5	4.1	1	
FOURTEEN	14	3588	3188	1612	661	230	88	36	36	10	8	12	1	9433
	I	38.0	33.8	17.1	7.0	2.4	.9	.4	.4	.1	.1	.1	1	9.2
	I	9.6	9.9	8.9	8.0	6.8	6.3	6.1	6.1	3.7	3.2	7.1	1	
FIFTEEN	15	5541	4678	2549	1006	387	148	53	53	20	24	16	1	14422
	I	38.4	32.4	17.7	7.0	2.7	1.0	.4	.4	.1	.2	.1	1	14.1
	I	14.8	14.5	14.1	12.2	11.4	10.6	8.9	8.9	7.3	9.5	9.5	1	
SIXTEEN OR MORE	16	5302	4378	2466	1221	502	223	80	80	47	34	25	1	14278
	I	37.1	30.7	17.3	8.6	3.5	1.6	.6	.6	.3	.2	.2	1	14.0
	I	14.2	13.6	13.7	14.8	14.8	16.0	13.5	17.2	13.4	13.4	14.8	1	
NOT STATED	17	89	72	62	27	13	6	4	4	1	3	17	1	293
	I	30.4	24.6	21.2	9.2	4.4	2.0	1.4	1.4	1	1.0	5.8	1	.3
	I	.2	.2	.3	.3	.4	.4	.7	.7	1	1.2	10.1	1	
COLUMN TOTAL		37440	32285	18015	8263	3403	1397	593	273	253	169	102091		
TOTAL		36.7	31.6	17.6	8.1	3.3	1.4	.6	.3	.2	.2	100.0		

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE

CROSS TABULATION OF
BY BO BIRTH ORDER

VALUE.. 1 WHITE

PAGE 1 OF 2

PCVISIT	COUNT I ROW PCT I COL PCT I	1I	2I	3I	4I	5I	6I	7I	8I	9I	10I	ROW TOTAL
NONE	0	192 I 30.7 I .7 I	186 I 29.8 I .8 I	110 I 17.6 I 1.0 I	72 I 11.5 I 1.5 I	28 I 4.5 I 1.5 I	16 I 2.6 I 2.3 I	8 I 1.3 I 2.7 I	2 I .3 I 1.8 I	8 I 1.3 I 7.5 I	3 I .5 I 2.7 I	625 .9
ONE	1	48 I 32.9 I .2 I	37 I 25.3 I .2 I	25 I 17.1 I .2 I	19 I 13.0 I .4 I	8 I 5.5 I .4 I	3 I 2.1 I .4 I	5 I 3.4 I 1.7 I	1 I .7 I .9 I	1 I .7 I .9 I	1 I .7 I .9 I	146 .2
TWO	2	91 I 34.3 I .3 I	62 I 23.4 I .3 I	55 I 20.8 I .5 I	27 I 10.2 I .6 I	18 I 6.8 I 1.0 I	5 I 1.9 I .7 I	4 I 1.5 I 1.4 I	1 I .4 I .9 I	2 I .8 I 1.9 I	1 I .3 I 1.9 I	265 .4
THREE	3	121 I 33.8 I .5 I	100 I 27.9 I .4 I	64 I 17.9 I .6 I	32 I 8.9 I .7 I	16 I 4.5 I .9 I	12 I 3.4 I 1.7 I	3 I .8 I 1.0 I	2 I .6 I 1.8 I	7 I 2.0 I 6.5 I	1 I .3 I .9 I	358 .5
FOUR	4	152 I 29.5 I .6 I	152 I 29.5 I .7 I	103 I 20.0 I .9 I	58 I 11.2 I 1.2 I	25 I 4.8 I 1.4 I	9 I 1.7 I 1.3 I	8 I 1.6 I 2.7 I	3 I .6 I 2.8 I	5 I 1.0 I 4.7 I	1 I .2 I .9 I	516 .8
FIVE	5	266 I 34.0 I 1.0 I	216 I 27.6 I 1.0 I	131 I 16.8 I 1.1 I	97 I 12.4 I 2.0 I	40 I 5.1 I 2.2 I	17 I 2.2 I 2.4 I	6 I .8 I 2.0 I	1 I .8 I 5.5 I	1 I .1 I 5.5 I	2 I .3 I 1.8 I	782 1.1
SIX	6	372 I 33.8 I 1.4 I	336 I 30.5 I 1.5 I	200 I 18.2 I 1.7 I	121 I 11.0 I 2.5 I	42 I 3.8 I 2.3 I	16 I 1.5 I 2.3 I	5 I .5 I 1.7 I	6 I .5 I 5.5 I	2 I .2 I 1.9 I	1 I .1 I .9 I	1101 1.6
SEVEN	7	470 I 36.6 I 1.8 I	405 I 31.5 I 1.8 I	235 I 18.3 I 2.0 I	104 I 8.1 I 2.1 I	39 I 3.0 I 2.1 I	13 I 1.0 I 1.8 I	11 I .9 I 3.7 I	1 I .5 I 5.6 I	6 I .5 I 5.6 I	2 I .2 I 1.8 I	1285 1.9
EIGHT	8	804 I 36.0 I 3.1 I	732 I 32.8 I 3.2 I	395 I 17.7 I 3.4 I	179 I 8.0 I 3.7 I	69 I 3.1 I 3.8 I	24 I 1.1 I 3.4 I	16 I .7 I 5.4 I	7 I .3 I 6.4 I	4 I .2 I 3.7 I	2 I .1 I 1.8 I	2232 3.3
COLUMN TOTAL		2635 38.5	2259 33.0	11529 16.8	4851 7.1	1837 2.7	704 1.0	294 .4	109 .2	107 .2	110 .2	68455 100.0

(CONTINUED)

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS
 CONTROLLING FOR...
 RACE

CROSS TABULATION OF
 BY BO BIRTH ORDER

VALUE... 1 WHITE

PAGE 2 OF 2

PCVISIT	COUNT ROW PCT COL PCT	BO										9TH AND OVER	NOT STATED	ROW TOTAL
		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I			
NINE	9	I 887	I 772	I 362	I 157	I 81	I 24	I 13	I 1	I 2	I 2	I 1	I 2	I 2301
	I	I 38.5	I 33.6	I 15.7	I 6.8	I 3.5	I 1.0	I .6	I .0	I .1	I .1	I .0	I .1	I 3.4
	I	I 3.4	I 3.4	I 3.1	I 3.2	I 4.4	I 3.4	I 4.4	I .9	I 1.9	I 1.8	I .9	I 1.8	I
TEN	10	I 2187	I 1843	I 1061	I 405	I 156	I 62	I 30	I 13	I 7	I 9	I 13	I 7	I 5773
	I	I 37.9	I 31.9	I 18.4	I 7.0	I 2.7	I 1.1	I .5	I .2	I .1	I .2	I .2	I .1	I 8.4
	I	I 8.3	I 8.2	I 9.2	I 8.3	I 8.5	I 8.8	I 10.2	I 11.9	I 6.5	I 8.2	I 6.5	I 8.2	I
ELEVEN	11	I 1439	I 1303	I 630	I 235	I 102	I 31	I 12	I 3	I 4	I 9	I 3	I 4	I 3768
	I	I 38.2	I 34.6	I 16.7	I 6.2	I 2.7	I .8	I .3	I .1	I .1	I .2	I .1	I .1	I 5.5
	I	I 5.5	I 5.8	I 5.5	I 4.8	I 5.6	I 4.4	I 4.1	I 2.8	I 3.7	I 8.2	I 2.8	I 3.7	I
TWELVE	12	I 5455	I 4726	I 2273	I 917	I 343	I 113	I 48	I 19	I 7	I 22	I 19	I 7	I 13923
	I	I 39.2	I 33.9	I 16.3	I 6.6	I 2.5	I .8	I .3	I .1	I .1	I .2	I .1	I .1	I 20.3
	I	I 20.7	I 20.9	I 19.7	I 18.9	I 18.7	I 16.1	I 16.3	I 17.4	I 6.5	I 20.0	I 6.5	I 6.5	I
THIRTEEN	13	I 2551	I 2110	I 1040	I 403	I 150	I 65	I 18	I 6	I 8	I 7	I 6	I 8	I 6358
	I	I 40.1	I 33.2	I 16.4	I 6.3	I 2.4	I 1.0	I .3	I .1	I .1	I .1	I .1	I .1	I 9.3
	I	I 9.7	I 9.4	I 9.0	I 8.3	I 8.2	I 9.2	I 6.1	I 5.5	I 7.5	I 6.4	I 5.5	I 7.5	I
FOURTEEN	14	I 2822	I 2510	I 1189	I 468	I 144	I 60	I 25	I 6	I 3	I 7	I 6	I 3	I 7234
	I	I 39.0	I 34.7	I 16.4	I 6.5	I 2.0	I .8	I .3	I .1	I .0	I .1	I .1	I .0	I 10.6
	I	I 10.7	I 11.1	I 10.3	I 9.6	I 7.8	I 8.5	I 8.5	I 5.5	I 2.8	I 6.4	I 5.5	I 2.8	I
FIFTEEN	15	I 4226	I 3571	I 1808	I 671	I 234	I 89	I 31	I 9	I 13	I 11	I 9	I 13	I 10663
	I	I 39.6	I 33.5	I 17.0	I 6.3	I 2.2	I .8	I .3	I .1	I .1	I .1	I .1	I .1	I 15.6
	I	I 16.0	I 15.8	I 15.7	I 13.8	I 12.7	I 12.6	I 10.5	I 8.3	I 12.1	I 10.0	I 8.3	I 12.1	I
SIXTEEN OR MORE	16	I 4215	I 3459	I 1818	I 877	I 335	I 142	I 50	I 25	I 25	I 18	I 25	I 25	I 10964
	I	I 38.4	I 31.5	I 16.6	I 8.0	I 3.1	I 1.3	I .5	I .2	I .2	I .2	I .2	I .2	I 16.0
	I	I 16.0	I 15.3	I 15.8	I 18.1	I 18.2	I 20.2	I 17.0	I 22.9	I 23.4	I 16.4	I 23.4	I 23.4	I
NOT STATED	17	I 57	I 39	I 30	I 9	I 7	I 3	I 1	I 1	I 2	I 13	I 1	I 2	I 161
	I	I 35.4	I 24.2	I 18.6	I 5.6	I 4.3	I 1.9	I .6	I .1	I 1.2	I 8.1	I .1	I 1.2	I .2
	I	I .2	I .2	I .3	I .2	I .4	I .4	I .3	I .1	I 1.9	I 11.8	I .1	I 1.9	I
COLUMN TOTAL		26355	22559	11529	4851	1837	704	294	109	107	110	109	107	68455
TOTAL		38.5	33.0	16.8	7.1	2.7	1.0	.4	.2	.2	.2	.2	.2	100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE

CROSS TABULATION OF BIRTH ORDER
BY BO

VALUE.. 2 NONWHITE

PAGE 1 OF 2

PCVISIT	COUNT ROW PCT COL PCT	BO										9TH AND OVER	NOT STATED	ROW TOTAL
		1I	2I	3I	4I	5I	6I	7I	8I	9I	10I			
NONE	0	252	316	249	182	99	64	17	13	13	3	1208		
	I	20.9	26.2	20.6	15.1	8.2	5.3	1.4	1.1	1.1	.2	3.6		
	I	2.3	3.2	3.8	5.3	6.3	9.2	5.7	7.9	8.9	5.1			
ONE	1	80	79	75	46	23	11	11	7	5	2	339		
	I	23.6	23.3	22.1	13.6	6.8	3.2	3.2	2.1	1.5	.6	1.0		
	I	.7	.8	1.2	1.3	1.5	1.6	3.7	4.3	3.4	3.4			
TWO	2	120	126	115	86	34	20	10	4	9	4	528		
	I	22.7	23.9	21.8	16.3	6.4	3.8	1.9	.8	1.7	.8	1.6		
	I	1.1	1.3	1.8	2.5	2.2	2.9	3.3	2.4	6.2	6.8			
THREE	3	172	173	159	70	49	23	6	13	7	1	673		
	I	25.6	25.7	23.6	10.4	7.3	3.4	.9	1.9	1.0	.1	2.0		
	I	1.6	1.8	2.5	2.1	3.1	3.3	2.0	7.9	4.8	1.7			
FOUR	4	241	259	203	136	61	25	15	10	10	1	961		
	I	25.1	27.0	21.1	14.2	6.3	2.6	1.6	1.0	1.0	.1	2.9		
	I	2.2	2.7	3.1	4.0	3.9	3.6	5.0	6.1	6.8	1.7			
FIVE	5	324	364	251	147	78	34	8	3	3	1	1213		
	I	26.7	30.0	20.7	12.1	6.4	2.8	.7	.2	.2	.1	3.6		
	I	2.9	3.7	3.9	4.3	5.0	4.9	2.7	1.8	2.1	1.7			
SIX	6	492	374	295	174	89	46	12	9	10	4	1505		
	I	32.7	24.9	19.6	11.6	5.9	3.1	.8	.6	.7	.3	4.5		
	I	4.4	3.8	4.5	5.1	5.7	6.6	4.0	5.5	6.8	6.8			
SEVEN	7	453	393	220	137	60	26	20	7	11	2	1329		
	I	34.1	29.6	16.6	10.3	4.5	2.0	1.5	.5	.8	.2	4.0		
	I	4.1	4.0	3.4	4.0	3.8	3.8	6.7	4.3	7.5	3.4			
EIGHT	8	625	579	366	217	98	45	21	6	8	3	1968		
	I	31.8	29.4	18.6	11.0	5.0	2.3	1.1	.3	.4	.2	5.9		
	I	5.6	6.0	5.6	6.4	6.3	6.5	7.0	3.7	5.5	5.1			
(CONTINUED) TOTAL		11085	9726	6486	3412	1566	693	299	164	146	59	33636		
		33.0	28.9	19.3	10.1	4.7	2.1	.9	.5	.4	.2	100.0		

PAGE 2 OF 2

NUMBER OF MISSING OBSERVATIONS = 0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSS TABULATION OF BIRTH WEIGHT IN GRAMS													TOTAL		PAGE 1 OF 2	
PCVISIT NUMBER OF PRENATAL VISITS													TOTAL		PAGE 1 OF 2	
BY WT													TOTAL		PAGE 1 OF 2	
VALUE =													TOTAL		PAGE 1 OF 2	
WT													TOTAL		PAGE 1 OF 2	
COUNT													TOTAL		PAGE 1 OF 2	
ROW PCT UNDER													TOTAL		PAGE 1 OF 2	
COL PCT I 500 GMS													TOTAL		PAGE 1 OF 2	
500 TO 1000 TO 1500 TO 2000 TO 2500 TO 3000 TO 3500 TO 4000 GMS NOT													TOTAL		PAGE 1 OF 2	
I 01 11 21 31 41 51 61 71 81 91													TOTAL		PAGE 1 OF 2	
I 1.6 I 3.9 I 5.8 I 6.7 I 7.6 I 7																

TABLE 14

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR... RACES
VALUE = TOTAL

PCVISIT	COUNT ROW PCT I UNDER COL PCT I 500 GMS	CROSS TABULATION OF												TOTAL	ROW TOTAL
		500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS NOT STATED	81	71	61	51		
NINE	9	1	15	34	78	235	854	1529	1010	279	1	3	4038		
		.0	.4	.8	1.9	5.8	21.1	37.9	25.0	6.9	1	.1	4.0		
		.5	2.4	3.9	4.8	4.7	5.0	4.1	3.5	2.6	1	3.1			
TEN	10	10	48	104	181	530	1844	3634	2368	734	1	6	9459		
		.1	.5	1.1	1.9	5.6	19.5	38.4	25.0	7.8	1	.1	9.3		
		4.7	7.6	12.0	11.2	10.7	10.8	9.8	8.2	7.0	1	6.2			
ELEVEN	11	4	7	13	51	231	1011	2181	1577	507	1	6	5588		
		.1	.1	.2	.9	4.1	18.1	39.0	28.2	9.1	1	.1	5.5		
		1.9	1.1	1.5	3.2	4.7	5.9	5.9	5.4	4.8	1	6.2			
TWELVE	12	4	38	70	158	735	2857	7129	5909	2149	1	16	19065		
		.0	.2	.4	.8	3.9	15.0	37.4	31.0	11.3	1	.1	18.7		
		1.9	6.1	8.1	9.8	14.8	16.7	19.2	20.4	20.4	1	16.5			
THIRTEEN	13	1	11	16	77	266	1260	3177	2685	983	1	6	8481		
		.1	.1	.2	.9	3.1	14.9	37.5	31.7	11.6	1	.1	8.3		
		1.8	1.8	1.8	4.8	5.4	7.4	8.6	9.3	9.3	1	6.2			
FOURTEEN	14	2	6	11	59	265	1254	3532	3118	1184	1	2	9433		
		.0	.1	.1	.6	2.8	13.3	37.4	33.1	12.6	1	.0	9.2		
		.9	1.0	1.3	3.7	5.3	7.3	9.5	10.8	11.2	1	2.1			
FIFTEEN	15	6	30	52	115	499	2013	5231	4626	1838	1	12	14422		
		.0	.2	.4	.8	3.5	14.0	36.3	32.1	12.7	1	.1	14.1		
		2.8	4.8	6.0	7.1	10.1	11.8	14.1	16.0	17.4	1	12.4			
SIXTEEN OR MORE	16	5	36	69	198	614	2102	4845	4424	1975	1	10	14278		
		.0	.3	.5	1.4	4.3	14.7	33.9	31.0	13.8	1	.1	14.0		
		2.3	5.7	7.9	12.3	12.4	12.3	13.1	15.3	18.7	1	10.3			
NOT STATED	17	4	9	10	10	27	51	89	55	23	1	15	293		
		1.4	3.1	3.4	3.4	9.2	17.4	30.4	18.8	7.8	1	5.1	.3		
		1.9	1.4	1.2	.6	.5	.3	.2	.2	.2	1	15.5			
COLUMN TOTAL	214	628	868	1613	4955	17096	37122	28958	10540	97	102091	.1	100.0		

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

PCVISIT	NUMBER OF PRENATAL VISITS	CROSS TABULATION OF BY WT BIRTH WEIGHT IN GRAMS
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

CROSS TABULATION OF

BIRTH WEIGHT IN GRAMS

VALUE..	1	WHITE
---------	---	-------

PAGE 1 OF 2

COUNT I	WT																ROW TOTAL					
	COL PCT I	500 GMS	1000 GMS	1500 GMS	2000 GMS	2500 GMS	3000 GMS	3500 GMS	4000 GMS	4500 GMS	5000 GMS	5500 GMS	6000 GMS	6500 GMS	7000 GMS							
0	I	4	I	18	I	27	I	31	I	60	I	136	I	193	I	112	I	37	I	7	I	625
NONE	I	.6	I	2.9	I	4.3	I	5.0	I	9.6	I	21.8	I	30.9	I	17.9	I	5.9	I	1.1	I	.9
	I	5.1	I	6.7	I	6.8	I	3.8	I	2.4	I	1.4	I	.8	I	.5	I	.4	I	10.4	I	
ONE	I	2	I	7	I	4	I	9	I	11	I	33	I	43	I	31	I	6	I	1	I	146
	I	1.4	I	4.8	I	2.7	I	6.2	I	7.5	I	22.6	I	29.5	I	21.2	I	4.1	I	1	I	.2
TWO	I	2.6	I	2.6	I	1.0	I	1.1	I	.4	I	.3	I	.2	I	.1	I	.1	I	1	I	265
	I	5	I	6	I	8	I	8	I	23	I	72	I	78	I	47	I	18	I	1	I	.4
THREE	I	1.9	I	2.3	I	3.0	I	3.0	I	8.7	I	27.2	I	29.4	I	17.7	I	6.8	I	1	I	358
	I	6.4	I	2.2	I	2.0	I	1.0	I	.9	I	.8	I	.3	I	.2	I	.2	I	1	I	.5
FOUR	I	4	I	16	I	5	I	14	I	27	I	78	I	123	I	73	I	18	I	1	I	516
	I	1.1	I	4.5	I	1.4	I	3.9	I	7.5	I	21.8	I	34.4	I	20.4	I	5.0	I	1	I	.8
FIVE	I	5.1	I	5.9	I	1.3	I	1.7	I	1.1	I	.8	I	.5	I	.3	I	.2	I	1	I	782
	I	11	I	29	I	9	I	18	I	38	I	88	I	167	I	119	I	37	I	1	I	1.1
SIX	I	2.1	I	5.6	I	1.7	I	3.5	I	7.4	I	17.1	I	32.4	I	23.1	I	7.2	I	1	I	1101
	I	14.1	I	10.8	I	2.3	I	2.2	I	1.5	I	.9	I	.7	I	.5	I	.4	I	1	I	1.6
SEVEN	I	14	I	38	I	27	I	30	I	62	I	159	I	247	I	161	I	44	I	1	I	1285
	I	1.8	I	4.9	I	3.5	I	3.8	I	7.9	I	20.3	I	31.6	I	20.6	I	5.6	I	1	I	1.9
EIGHT	I	17.9	I	14.1	I	6.8	I	3.7	I	2.4	I	1.7	I	1.0	I	.7	I	.5	I	1	I	1.6
	I	8	I	26	I	30	I	43	I	85	I	217	I	347	I	266	I	78	I	1	I	1101
(CONTINUED)	I	.7	I	2.4	I	2.7	I	3.9	I	7.7	I	19.7	I	31.5	I	24.2	I	7.1	I	.1	I	1.6
	I	10.3	I	9.7	I	7.5	I	5.3	I	3.4	I	2.3	I	1.4	I	1.2	I	.9	I	1	I	1.5
	I	5	I	14	I	27	I	39	I	97	I	247	I	436	I	318	I	101	I	1	I	1285
	I	.4	I	1.1	I	2.1	I	3.0	I	7.5	I	19.2	I	33.9	I	24.7	I	7.9	I	.1	I	1.9
	I	6.4	I	5.2	I	6.8	I	4.8	I	3.8	I	2.6	I	1.8	I	1.5	I	1.2	I	1	I	1.5
	I	4	I	16	I	41	I	68	I	155	I	455	I	748	I	551	I	193	I	1	I	2232
	I	.2	I	.7	I	1.8	I	3.0	I	6.9	I	20.4	I	33.5	I	24.7	I	8.6	I	.0	I	3.3
	I	5.1	I	5.9	I	10.3	I	8.4	I	6.1	I	4.8	I	3.1	I	2.5	I	2.2	I	1	I	1.5
COLUMN TOTAL		78		269		398		810		2535		9515		24210		21869		8704		67		68455
		.1		.4		.6		1.2		3.7		13.9		35.4		31.9		12.7		.1		100.0

OF - - - - -
BIRTH WEIGHT IN GRAMS

COUNT		WT										VALUE..										WHITE		PAGE	
ROW	PCT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS AND OVER	STATED	NOT STATED	ROW TOTAL													
COL	PCT	500 TO 999 GMS	1000 TO 1499 GMS	1500 TO 1999 GMS	2000 TO 2499 GMS	2500 TO 2999 GMS	3000 TO 3499 GMS	3500 TO 3999 GMS	4000 GMS AND OVER	STATED	NOT STATED	ROW TOTAL													
PCVISIT		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
NINE		9	1	7	1	18	1	39	1	135	1	422	1	864	1	625	1	188	1	2301					
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1					
		1	1	3	1	0	1	1	7	1	5	1	18	3	1	37	5	1	27	2	1				
		1	1	3	1	0	1	1	7	1	5	1	18	3	1	37	5	1	27	2	1				
		1	1	3	1	0	1	1	7	1	5	1	18	3	1	37	5	1	27	2	1				
TEN		10	1	6	1	27	1	68	1	275	1	965	1	2166	1	1592	1	566	1	5773					
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
ELEVEN		11	1	1	3	1	6	1	28	1	127	1	565	1	1444	1	1173	1	416	1	3768				
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0				
		1	1	3	1	0	1	1	7	1	3	1	15	0	1	38	3	1	11	0	1				
		1	1	3	1	0	1	1	7	1	3	1	15	0	1	38	3	1	11	0	1				
		1	1	3	1	0	1	1	7	1	3	1	15	0	1	38	3	1	11	0	1				
TWELVE		12	1	2	1	26	1	40	1	443	1	1772	1	5005	1	4713	1	1827	1	13	13923				
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0				
		1	2	6	1	9	7	1	10	1	17	5	1	20	7	1	21	6	1	19	4				
		1	2	6	1	9	7	1	10	1	17	5	1	20	7	1	21	6	1	19	4				
		1	2	6	1	9	7	1	10	1	17	5	1	20	7	1	21	6	1	19	4				
THIRTEEN		13	1	1	2	1	7	1	49	1	145	1	811	1	2346	1	2153	1	840	1	6358				
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
FOURTEEN		14	1	1	2	1	7	1	43	1	152	1	793	1	2647	1	2569	1	1019	1	7234				
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0				
		1	1	3	1	0	1	1	5	1	6	1	8	3	1	10	9	1	11	7	1				
		1	1	3	1	0	1	1	5	1	6	1	8	3	1	10	9	1	11	7	1				
		1	1	3	1	0	1	1	5	1	6	1	8	3	1	10	9	1	11	7	1				
FIFTEEN		15	1	5	1	8	1	29	1	282	1	1241	1	3712	1	3741	1	1577	1	9	10663				
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0				
		1	6	4	1	3	0	1	7	1	11	1	13	0	1	15	3	1	17	1	13				
		1	6	4	1	3	0	1	7	1	11	1	13	0	1	15	3	1	17	1	13				
		1	6	4	1	3	0	1	7	1	11	1	13	0	1	15	3	1	17	1	13				
SIXTEEN OR MORE		16	1	3	1	20	1	39	1	405	1	1432	1	3596	1	3595	1	1725	1	6	10964				
		1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0				
		1	3	8	1	7	4	1	9	1	16	1	15	0	1	14	9	1	16	4	1				
		1	3	8	1	7	4	1	9	1	16	1	15	0	1	14	9	1	16	4	1				
		1	3	8	1	7	4	1	9	1	16	1	15	0	1	14	9	1	16	4	1				
NOT STATED		17	1	2	1	4	1	6	1	13	1	29	1	48	1	30	1	14	1	12	1				
		1	1	2	1	2	5	1	3	1	8	1	18	0	1	29	8	1	8	7	1				
		1	2	6	1	1	5	1	1	1	5	1	3	1	2	1	1	1	2	1	1				
		1	2	6	1	1	5	1	1	1	5	1	3	1	2	1	1	1	2	1	1				
COLUMN TOTAL		78	269	398	810	2535	9515	24210	21869	8704	67	68455	100	0											
		1	0	4	1	2	13	35	31	12	1	100	0												

TABLE 14

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR... RACE

VALUE.. 2 NONWHITE

PAGE 2 OF 2

COUNT I		CROSS TABULATION OF BIRTH WEIGHT IN GRAMS											ROW TOTAL									
ROW PCT I UNDER		500 TO 1000 TO 1500 TO 2000 TO 2500 TO 3000 TO 3500 TO 4000 GMS NOT											TOTAL									
COL PCT I 500 GMS		999 GMS 1499 GMS 1999 GMS 2499 GMS 2999 GMS 3499 GMS 3999 GMS AND OVER STATED																				
I		01	11	21	31	41	51	61	71	81	91											
PCVISIT																						
NINE	9	I	I	8	I	16	I	39	I	100	I	432	I	665	I	385	I	91	I	1	I	1737
		I	I	.5	I	.9	I	2.2	I	5.8	I	24.9	I	38.3	I	22.2	I	5.2	I	.1	I	5.2
		I	I	2.2	I	3.4	I	4.9	I	4.1	I	5.7	I	5.2	I	5.4	I	5.0	I	3.3	I	
TEN	10	I	I	21	I	36	I	77	I	255	I	879	I	1468	I	776	I	168	I	2	I	3686
		I	I	.6	I	1.0	I	2.1	I	6.9	I	23.8	I	39.8	I	21.1	I	4.6	I	.1	I	11.0
		I	I	5.8	I	7.7	I	9.6	I	10.5	I	11.6	I	11.4	I	10.9	I	9.2	I	6.7	I	
ELEVEN	11	I	I	4	I	7	I	23	I	104	I	446	I	737	I	404	I	91	I	1	I	1820
		I	I	.2	I	.4	I	1.3	I	5.7	I	24.5	I	40.5	I	22.2	I	5.0	I	.1	I	5.4
		I	I	1.1	I	1.5	I	2.9	I	4.3	I	5.9	I	5.7	I	5.7	I	5.0	I	3.3	I	
TWELVE	12	I	I	12	I	30	I	76	I	292	I	1085	I	2124	I	1196	I	322	I	3	I	5142
		I	I	.2	I	.6	I	1.5	I	5.7	I	21.1	I	41.3	I	23.3	I	6.3	I	.1	I	15.3
		I	I	3.3	I	6.4	I	9.5	I	12.1	I	14.3	I	16.4	I	16.9	I	17.5	I	10.0	I	
THIRTEEN	13	I	I	9	I	9	I	28	I	121	I	449	I	831	I	532	I	143	I	1	I	2123
		I	I	.4	I	.4	I	1.3	I	5.7	I	21.1	I	39.1	I	25.1	I	6.7	I	.0	I	6.3
		I	I	2.5	I	1.9	I	3.5	I	5.0	I	5.9	I	6.4	I	7.5	I	7.8	I	3.3	I	
FOURTEEN	14	I	I	4	I	4	I	16	I	113	I	461	I	885	I	549	I	165	I	1	I	2199
		I	I	.2	I	.2	I	.7	I	5.1	I	21.0	I	40.2	I	25.0	I	7.5	I	.0	I	6.5
		I	I	1.1	I	.9	I	2.0	I	4.7	I	6.1	I	6.9	I	7.7	I	9.0	I	3.3	I	
FIFTEEN	15	I	I	22	I	23	I	56	I	217	I	772	I	1519	I	885	I	261	I	3	I	3759
		I	I	.6	I	.6	I	1.5	I	5.8	I	20.5	I	40.4	I	23.5	I	6.9	I	.1	I	11.2
		I	I	6.1	I	4.9	I	7.0	I	9.0	I	10.2	I	11.8	I	12.5	I	14.2	I	10.0	I	
SIXTEEN OR MORE	16	I	I	16	I	30	I	55	I	209	I	670	I	1249	I	829	I	250	I	4	I	3314
		I	I	.5	I	.9	I	1.7	I	6.3	I	20.2	I	37.7	I	25.0	I	7.5	I	.1	I	9.9
		I	I	4.5	I	6.4	I	6.8	I	8.6	I	8.8	I	9.7	I	11.7	I	13.6	I	13.3	I	
NOT STATED	17	I	I	5	I	4	I	7	I	14	I	22	I	41	I	25	I	9	I	3	I	132
		I	I	3.8	I	3.0	I	5.3	I	10.6	I	16.7	I	31.1	I	18.9	I	6.8	I	2.3	I	4
		I	I	1.4	I	.9	I	.9	I	.6	I	.3	I	.3	I	.4	I	.5	I	10.0	I	
COLUMN TOTAL		136	359	470	803	2420	7581	12912	7089	1836	30	33636	100.0									
		.4	1.1	1.4	2.4	7.2	22.5	38.4	21.1	5.5	.1											

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSS TABULATION OF										NUMBER OF PRENATAL VISITS										TOTAL		PAGE 1 OF 4					
MPCB MONTH PRENATAL CARE BEGAN										BY PCVISIT										TOTAL		PAGE 1 OF 4					
CONTROLLING FOR RACES										VALUE =										TOTAL		PAGE 1 OF 4					
COUNT		PCVISIT										COUNT		PCVISIT										TOTAL		PAGE 1 OF 4	
ROW PCT	COL PCT	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	ROW TOTAL	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	ROW TOTAL						
0	I 1833	I	I	I	I	I	I	I	I	I	1833	I	I	I	I	I	I	I	I	I	1833						
	I 100.0	I	I	I	I	I	I	I	I	I	100.0	I	I	I	I	I	I	I	I	I	100.0						
	I 100.0	I	I	I	I	I	I	I	I	I	100.0	I	I	I	I	I	I	I	I	I	100.0						
1	I	I 12	I 25	I 31	I 58	I 70	I 79	I 120	I 219	I 250	16712	I	I	I	I	I	I	I	I	I	16712						
	I .1	I .1	I .1	I .2	I .3	I .4	I .5	I .7	I 1.3	I 1.5	16.4	I	I	I	I	I	I	I	I	I	16.4						
	I 2.5	I 3.2	I 3.0	I 3.9	I 3.9	I 3.5	I 3.0	I 4.6	I 5.2	I 6.2	16712	I	I	I	I	I	I	I	I	I	16712						
2	I	I 34	I 47	I 68	I 136	I 228	I 286	I 388	I 765	I 964	40538	I	I	I	I	I	I	I	I	I	40538						
	I .1	I .1	I .1	I .2	I .3	I .6	I .7	I 1.0	I 1.9	I 2.4	39.7	I	I	I	I	I	I	I	I	I	39.7						
	I 7.0	I 5.9	I 6.6	I 9.2	I 9.2	I 11.4	I 11.0	I 14.8	I 18.2	I 23.9	40538	I	I	I	I	I	I	I	I	I	40538						
3	I	I 38	I 60	I 109	I 124	I 220	I 371	I 475	I 887	I 1090	19832	I	I	I	I	I	I	I	I	I	19832						
	I .2	I .3	I .3	I .5	I .6	I 1.1	I 1.9	I 2.4	I 4.5	I 5.5	19.4	I	I	I	I	I	I	I	I	I	19.4						
	I 7.8	I 7.6	I 10.6	I 8.4	I 8.4	I 11.0	I 14.2	I 18.2	I 21.1	I 27.0	19832	I	I	I	I	I	I	I	I	I	19832						
4	I	I 30	I 83	I 114	I 157	I 232	I 386	I 449	I 831	I 758	9302	I	I	I	I	I	I	I	I	I	9302						
	I .3	I .9	I 1.2	I 1.7	I 2.5	I 4.1	I 4.1	I 4.8	I 8.9	I 8.1	9.1	I	I	I	I	I	I	I	I	I	9.1						
	I 6.2	I 10.5	I 11.1	I 10.6	I 11.6	I 11.6	I 14.8	I 17.2	I 19.8	I 18.8	9302	I	I	I	I	I	I	I	I	I	9302						
5	I	I 56	I 68	I 120	I 187	I 339	I 510	I 457	I 697	I 461	5769	I	I	I	I	I	I	I	I	I	5769						
	I 1.0	I 1.2	I 2.1	I 3.2	I 5.9	I 9.5	I 8.8	I 7.9	I 12.1	I 8.0	5.7	I	I	I	I	I	I	I	I	I	5.7						
	I 11.5	I 8.6	I 11.6	I 12.7	I 17.0	I 19.6	I 19.6	I 17.5	I 16.6	I 11.4	5769	I	I	I	I	I	I	I	I	I	5769						
6	I	I 64	I 105	I 136	I 277	I 363	I 481	I 398	I 452	I 323	3821	I	I	I	I	I	I	I	I	I	3821						
	I 1.7	I 2.7	I 3.6	I 7.2	I 9.5	I 12.6	I 12.6	I 10.4	I 11.8	I 8.5	3.7	I	I	I	I	I	I	I	I	I	3.7						
	I 13.2	I 13.2	I 13.2	I 18.8	I 18.8	I 18.2	I 18.5	I 15.2	I 10.8	I 8.0	3821	I	I	I	I	I	I	I	I	I	3821						
7	I	I 61	I 119	I 198	I 281	I 320	I 336	I 250	I 272	I 150	2349	I	I	I	I	I	I	I	I	I	2349						
	I 2.6	I 5.1	I 8.4	I 12.0	I 13.6	I 14.3	I 14.3	I 10.6	I 11.6	I 6.4	2.3	I	I	I	I	I	I	I	I	I	2.3						
	I 12.6	I 15.0	I 19.2	I 19.0	I 16.0	I 12.9	I 12.9	I 9.6	I 6.5	I 3.7	2349	I	I	I	I	I	I	I	I	I	2349						
8	I	I 79	I 188	I 194	I 205	I 187	I 134	I 57	I 56	I 23	1229	I	I	I	I	I	I	I	I	I	1229						
	I 6.4	I 15.3	I 15.8	I 16.7	I 15.2	I 10.9	I 10.9	I 4.6	I 4.6	I 1.9	1.2	I	I	I	I	I	I	I	I	I	1.2						
	I 16.3	I 23.7	I 18.8	I 13.9	I 9.4	I 5.1	I 5.1	I 2.2	I 1.3	I .6	1.2	I	I	I	I	I	I	I	I	I	1.2						
COLUMN TOTAL	1833	485	793	1031	1477	1995	2606	2614	4200	4038	102091	1833	485	793	1031	1477	1995	2606	4200	4038	102091						
	1.8	.5	.8	1.0	1.4	2.0	2.6	2.6	4.1	4.0	100.0	1.8	.5	.8	1.0	1.4	2.0	2.6	4.1	4.0	100.0						

TABLE 15

MPCB		CROSS TABULATION OF BY PCVISIT NUMBER OF PRENATAL VISITS										TOTAL	
COUNT		PCVISIT										VALUE =	
ROW PCT	COL PCT	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	ROW TOTAL	COL TOTAL
0	I	1833										1833	
1	I	16712										16712	
2	I	40538										40538	
3	I	19832										19832	
4	I	9302										9302	
5	I	5769										5769	
6	I	3821										3821	
7	I	2349										2349	
8	I	1229										1229	
(CONTINUED)		9459	5588	19065	8481	9433	14422	14278	293	102091			
TOTAL		9.3	5.5	18.7	8.3	9.2	14.1	14.0	.3	100.0			

TABLE 15

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACES
----- VALUE = ----- TOTAL -----
----- PAGE 3 OF 4 -----

		PCVISIT										ROW TOTAL
		ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE		
MPCB	COUNT	01	11	21	31	41	51	61	71	81	91	
	ROW PCT INONE COL PCT I											
NINTH MONTH	9	I 101	I 87	I 54	I 43	I 27	I 14	I 7	I 10	I 9	I 382	
	I	I 26.4	I 22.8	I 14.1	I 11.3	I 7.1	I 3.7	I 1.8	I 2.8	I 2.4	I .4	
	I	I 20.8	I 11.0	I 5.2	I 2.9	I 1.4	I .5	I .3	I .2	I .2	I	
NOT	10	I 10	I 11	I 7	I 9	I 9	I 9	I 13	I 11	I 10	I 324	
	I	I 3.1	I 3.4	I 2.2	I 2.8	I 2.8	I 2.8	I 4.0	I 3.4	I 3.1	I .3	
	I	I 2.1	I 1.4	I .7	I .6	I .5	I .3	I .5	I .3	I .2	I	
COLUMN		1833	485	793	1031	1477	1995	2606	2614	4200	4038	102091
(CONTINUED) TOTAL		1.8	.5	.8	1.0	1.4	2.0	2.6	2.6	4.1	4.0	100.0

TABLE 15

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACES
----- VALUE = ----- TOTAL -----
----- PAGE 4 OF 4 -----

COUNT		PCVISIT										ROW TOTAL
ROW PCT	COL PCT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN	OR MORE	NOT STATED	171	
MPCB		101	111	121	131	141	151	161	171	181	191	
NINTH MONTH	9	6	3	2	5	1	2	5	1	6	1	382
	I	1.6	.8	.5	1.3	.3	.5	1.3	1	1.6	1	.4
	I	.1	.1	.0	.1	.0	.0	.0	1	2.0	1	
NOT	10	32	6	24	13	9	9	13	1	129	1	324
	I	9.9	1.9	7.4	4.0	2.8	2.8	4.0	1	39.8	1	.3
	I	.3	.1	.1	.2	.1	.1	.1	1	44.0	1	
COLUMN		9459	5588	19065	8481	9433	14422	14278	293	102091		
TOTAL		9.3	5.5	18.7	8.3	9.2	14.1	14.0	.3	100.0		

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

----- C R O S S T A B U L A T I O N O F P R E N A T A L V I S I T S -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE VALUE.. 1 WHITE
----- PAGE 1 OF 4 -----

COUNT		PCVISIT										ROW TOTAL
ROW PCT	COL PCT	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE		
		01	11	21	31	41	51	61	71	81	91	
MPCB	0	I 625	I	I	I	I	I	I	I	I	I	625
		I 100.0	I	I	I	I	I	I	I	I	I	.9
		I 100.0	I	I	I	I	I	I	I	I	I	
FIRST MONTH	1	I	4	6	8	27	32	39	70	134	168	12845
		I .0	I .0	I .1	I .2	I .3	I .3	I .5	I .5	I 1.0	I 1.3	18.8
		I 2.7	I 2.3	I 2.2	I 5.2	I 4.1	I 3.5	I 5.4	I 5.4	I 6.0	I 7.3	
SECOND MONTH	2	I	16	18	29	46	99	149	243	479	643	31055
		I .1	I .1	I .1	I .1	I .3	I .5	I .5	I .8	I 1.5	I 2.1	45.4
		I 11.0	I 6.8	I 8.1	I 8.9	I 12.7	I 13.5	I 18.9	I 21.5	I 27.9	I 27.9	
THIRD MONTH	3	I	12	19	39	41	93	169	244	510	638	12887
		I .1	I .1	I .3	I .3	I .7	I 1.3	I 1.9	I 4.0	I 4.0	I 5.0	18.8
		I 8.2	I 7.2	I 10.9	I 7.9	I 11.9	I 15.3	I 19.0	I 22.8	I 27.7	I 27.7	
FOURTH MONTH	4	I	6	20	43	54	94	155	201	397	390	4907
		I .1	I .4	I .9	I 1.1	I 1.9	I 3.2	I 4.1	I 8.1	I 7.9	I 7.2	
		I 4.1	I 7.5	I 12.0	I 10.5	I 12.0	I 14.1	I 15.6	I 17.8	I 16.9	I 16.9	
FIFTH MONTH	5	I	12	19	27	47	104	196	193	330	206	2620
		I .5	I .7	I 1.0	I 1.8	I 4.0	I 7.5	I 7.4	I 12.6	I 7.9	I 3.8	
		I 8.2	I 7.2	I 7.5	I 9.1	I 13.3	I 17.8	I 15.0	I 14.8	I 9.0	I 9.0	
SIXTH MONTH	6	I	17	38	51	92	117	175	183	208	162	1656
		I 1.0	I 2.3	I 3.1	I 5.6	I 7.1	I 10.6	I 11.1	I 12.6	I 9.8	I 2.4	
		I 11.6	I 14.3	I 14.2	I 17.8	I 15.0	I 15.9	I 14.2	I 9.3	I 7.0	I 7.0	
SEVENTH MONTH	7	I	17	37	69	88	145	146	114	135	68	1002
		I 1.7	I 3.7	I 6.9	I 8.8	I 14.5	I 14.6	I 11.4	I 13.5	I 6.8	I 1.5	
		I 11.6	I 14.0	I 19.3	I 17.1	I 18.5	I 13.3	I 8.9	I 6.0	I 3.0	I 3.0	
EIGHTH MONTH	8	I	20	64	67	95	88	66	24	29	14	521
		I 3.8	I 12.3	I 12.9	I 18.2	I 16.9	I 12.7	I 4.6	I 5.6	I 2.7	I .8	
		I 13.7	I 24.2	I 18.7	I 18.4	I 11.3	I 6.0	I 1.9	I 1.3	I .6	I .6	
COLUMN TOTAL		625	146	265	358	516	782	1101	1285	2232	2301	68455
		.9	.2	.4	.5	.8	1.1	1.6	1.9	3.3	3.4	100.0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN C R O S S T A B U L A T I O N O F
CONTROLLING FOR.. BY PCVISIT NUMBER OF PRENATAL VISITS

VALUE.. 1 WHITE

PAGE 2 OF 4

COUNT		PCVISIT																ROW TOTAL
ROW COL	PCT PCT	I	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED								
		101	111	121	131	141	151	161	171									
MPCB	0	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	625	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	.9	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
FIRST MONTH	1	I	592	I	461	I	2202	I	1240	I	1391	I	3168	I	3279	I	24	12845
		I	4.6	I	3.6	I	17.1	I	9.7	I	10.8	I	24.7	I	25.5	I	.2	18.8
		I	10.3	I	12.2	I	15.8	I	19.5	I	19.2	I	29.7	I	29.9	I	14.9	
SECOND MONTH	2	I	2022	I	1444	I	7806	I	3217	I	3753	I	5584	I	5468	I	39	31055
		I	6.5	I	4.6	I	25.1	I	10.4	I	12.1	I	18.0	I	17.6	I	.1	45.4
		I	35.0	I	38.3	I	56.1	I	50.6	I	51.9	I	52.4	I	49.9	I	24.2	
THIRD MONTH	3	I	1487	I	1079	I	2554	I	1260	I	1633	I	1452	I	1644	I	13	12887
		I	11.5	I	8.4	I	19.8	I	9.8	I	12.7	I	11.3	I	12.8	I	.1	18.8
		I	25.8	I	28.6	I	18.3	I	19.8	I	22.6	I	13.6	I	15.0	I	8.1	
FOURTH MONTH	4	I	819	I	441	I	817	I	462	I	320	I	305	I	375	I	8	4907
		I	16.7	I	9.0	I	16.6	I	9.4	I	6.5	I	6.2	I	7.6	I	.2	7.2
		I	14.2	I	11.7	I	5.9	I	7.3	I	4.4	I	2.9	I	3.4	I	5.0	
FIFTH MONTH	5	I	497	I	198	I	360	I	119	I	93	I	93	I	122	I	4	2620
		I	19.0	I	7.6	I	13.7	I	4.5	I	3.5	I	3.5	I	4.7	I	.2	3.8
		I	8.6	I	5.3	I	2.6	I	1.9	I	1.3	I	.9	I	1.1	I	2.5	
SIXTH MONTH	6	I	232	I	111	I	118	I	37	I	29	I	35	I	48	I	3	1656
		I	14.0	I	6.7	I	7.1	I	2.2	I	1.8	I	2.1	I	2.9	I	.2	2.4
		I	4.0	I	2.9	I	.8	I	.6	I	.4	I	.3	I	.4	I	1.9	
SEVENTH MONTH	7	I	80	I	23	I	38	I	11	I	7	I	13	I	9	I	2	1002
		I	8.0	I	2.3	I	3.8	I	1.1	I	.7	I	1.3	I	.9	I	.2	1.5
		I	1.4	I	.6	I	.3	I	.2	I	.1	I	.1	I	.1	I	1.2	
EIGHTH MONTH	8	I	18	I	8	I	11	I	2	I	3	I	5	I	7	I	1	521
		I	3.5	I	1.5	I	2.1	I	.4	I	.6	I	1.0	I	1.3	I	.1	.8
		I	.3	I	.2	I	.1	I	.0	I	.0	I	.0	I	.1	I	.1	
COLUMN		5773	3768	13923	6358	9.3	7234	10663	10964	161	68455							
(CONTINUED) TOTAL		8.4	5.5	20.3	9.3	10.6	15.6	16.0	.2	100.0								

TABLE 15

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE
----- PAGE 3 OF 4 -----

PCVISIT											
COUNT	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	ROW	
ROW PCT	01	11	21	31	41	51	61	71	81	TOTAL	
COL PCT	I	I	I	I	I	I	I	I	I	I	
MPCB	9	I 36	I 38	I 22	I 21	I 8	I 3	I 3	I 3	I 5	157
	I	I 22.9	I 24.2	I 14.0	I 13.4	I 5.1	I 1.9	I 1.9	I 1.9	I 3.2	.2
	I	I 24.7	I 14.3	I 6.1	I 4.1	I 1.0	I .3	I .2	I .1	I .2	I
NOT STATED	10	I 6	I 6	I 3	I 5	I 2	I 3	I 10	I 7	I 7	180
	I	I 3.3	I 3.3	I 1.7	I 2.8	I 1.1	I 1.7	I 5.6	I 3.9	I 3.9	.3
	I	I 4.1	I 2.3	I .8	I 1.0	I .3	I .3	I .8	I .3	I .3	I
COLUMN TOTAL	625	146	265	358	516	782	1101	1285	2232	2301	68455
(CONTINUED)	.9	.2	.4	.5	.8	1.1	1.6	1.9	3.3	3.4	100.0

(CONTINUED)

TABLE 15

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. VALUE.. 1 WHITE

PAGE 4 OF 4

		PCVISIT											ROW TOTAL	
COUNT														
ROW PCT														
COL PCT														
		101	111	121	131	141	151	161	171					
MPCB														
	9	5	1	1	3	1	2	3	3	1	3	1	157	
	I	3.2	I	.6	I	1.9	I	1.3	I	1.9	I	1.9	I	
	I	.1	I	.0	I	.0	I	.0	I	.0	I	1.9	I	
NOT														
	10	21	2	16	7	5	6	9	9	1	65	1	180	
	I	11.7	I	8.9	I	3.9	I	3.3	I	5.0	I	36.1	I	
	I	.4	I	.1	I	.1	I	.1	I	.1	I	40.4	I	
COLUMNS		5773	3768	13923	6358	7234	10663	10964	161			68455		
TOTAL		8.4	5.5	20.3	9.3	10.6	15.6	16.0	.2			100.0		

MPCB		CROSS TABULATION OF										PAGE 1 OF 4	
CONTROLLING FOR...		BY PCVISIT NUMBER OF PRENATAL VISITS											
RACE		VALUE.. 2 NONWHITE											
		PCVISIT											
COUNT I													
ROW PCT INONE													
COL PCT I													
		ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	ROW TOTAL		
		01	11	21	31	41	51	61	71	81	91		
MPCB	NONE	I 1208	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 1208		
		I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0		
		I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0	I 100.0		
FIRST MONTH		I 8	I 19	I 23	I 31	I 38	I 40	I 50	I 85	I 82	I 3867		
		I 2	I 5	I 6	I 8	I 10	I 10	I 13	I 22	I 21	I 11.5		
		I 2.4	I 3.5	I 3.4	I 3.2	I 3.1	I 2.7	I 3.8	I 4.3	I 4.7	I 11.5		
SECOND MONTH		I 18	I 29	I 39	I 90	I 129	I 137	I 145	I 286	I 321	I 9483		
		I 2	I 3	I 4	I 9	I 14	I 14	I 15	I 30	I 34	I 28.2		
		I 5.3	I 5.5	I 5.8	I 9.4	I 10.6	I 9.1	I 10.9	I 14.5	I 18.5	I 28.2		
THIRD MONTH		I 26	I 41	I 70	I 83	I 127	I 202	I 231	I 377	I 452	I 6945		
		I 4	I 6	I 10	I 12	I 18	I 29	I 33	I 54	I 65	I 20.6		
		I 7.7	I 7.8	I 10.4	I 8.6	I 10.5	I 13.4	I 17.4	I 19.2	I 26.0	I 20.6		
FOURTH MONTH		I 24	I 63	I 71	I 103	I 138	I 231	I 248	I 434	I 368	I 4395		
		I 5	I 14	I 16	I 23	I 31	I 53	I 56	I 99	I 84	I 13.1		
		I 7.1	I 11.9	I 10.5	I 10.7	I 11.4	I 15.3	I 18.7	I 22.1	I 21.2	I 13.1		
FIFTH MONTH		I 44	I 49	I 93	I 140	I 235	I 314	I 264	I 367	I 255	I 3149		
		I 1.4	I 1.6	I 3.0	I 4.4	I 7.5	I 10.0	I 8.4	I 11.7	I 8.1	I 9.4		
		I 13.0	I 9.3	I 13.8	I 14.6	I 19.4	I 20.9	I 19.9	I 18.6	I 14.7	I 9.4		
SIXTH MONTH		I 47	I 67	I 85	I 185	I 246	I 306	I 215	I 244	I 161	I 2165		
		I 2.2	I 3.1	I 3.9	I 8.5	I 11.4	I 14.1	I 9.9	I 11.3	I 7.4	I 6.4		
		I 13.9	I 12.7	I 12.6	I 19.3	I 20.3	I 20.3	I 16.2	I 12.4	I 9.3	I 6.4		
SEVENTH MONTH		I 44	I 82	I 129	I 193	I 175	I 190	I 136	I 137	I 82	I 1347		
		I 3.3	I 6.1	I 9.6	I 14.3	I 13.0	I 14.1	I 10.1	I 10.2	I 6.1	I 4.0		
		I 13.0	I 15.5	I 19.2	I 20.1	I 14.4	I 12.6	I 10.2	I 7.0	I 4.7	I 4.0		
EIGHTH MONTH		I 59	I 124	I 127	I 110	I 99	I 68	I 33	I 27	I 9	I 708		
		I 8.3	I 17.5	I 17.9	I 15.5	I 14.0	I 9.6	I 4.7	I 3.8	I 1.3	I 2.1		
		I 17.4	I 23.5	I 18.9	I 11.4	I 8.2	I 4.5	I 2.5	I 1.4	I .5	I 2.1		
COLUMNS		1208	339	528	673	961	1213	1505	1329	1968	1737	33636	
TOTAL		3.6	1.0	1.6	2.0	2.9	3.5	4.5	4.0	5.9	5.2	100.0	

TABLE 15

----- MONTH PRENATAL CARE BEGAN ----- C R O S S T A B U L A T I O N O F -----
CONTROLLING FOR.. BY PCVISIT NUMBER OF PRENATAL VISITS
RACE VALUE.. 2 NONWHITE

		PCVISIT												ROW TOTAL	
COUNT	ROW PCT	COL PCT	ITEM	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN	OR MORE	NOT STATED				
			I	101	111	121	131	141	151	161	171				
MPCB	0		I	I	I	I	I	I	I	I	I	I	1208		
NONE			I	I	I	I	I	I	I	I	I	I	3.6		
			I	I	I	I	I	I	I	I	I	I			
FIRST MONTH	1		I	272	147	639	296	350	1031	747	9	I	3867		
			I	7.0	3.8	16.5	7.7	9.1	26.7	19.3	.2	I	11.5		
			I	7.4	8.1	12.4	13.9	15.9	27.4	22.5	I	I	6.8		
SECOND MONTH	2		I	868	433	2048	948	923	1633	1419	17	I	9483		
			I	9.2	4.6	21.6	10.0	9.7	17.2	15.0	.2	I	28.2		
			I	23.5	23.8	39.8	44.7	42.0	43.4	42.8	I	I	12.9		
THIRD MONTH	3		I	927	457	1409	453	651	718	708	13	I	6945		
			I	13.3	6.6	20.3	6.5	9.4	10.3	10.2	.2	I	20.6		
			I	25.1	25.1	27.4	21.3	29.6	19.1	21.4	I	I	9.8		
FOURTH MONTH	4		I	741	380	622	289	184	236	256	7	I	4395		
			I	16.9	8.6	14.2	6.6	4.2	5.4	5.8	.2	I	13.1		
			I	20.1	20.9	12.1	13.6	8.4	6.3	7.7	I	I	5.3		
FIFTH MONTH	5		I	498	240	272	82	63	97	129	7	I	3149		
			I	15.8	7.6	8.6	2.6	2.0	3.1	4.1	.2	I	9.4		
			I	13.5	13.2	5.3	3.9	2.9	2.6	3.9	I	I	5.3		
SIXTH MONTH	6		I	265	115	104	35	19	31	33	7	I	2165		
			I	12.2	5.3	4.8	1.6	.9	1.4	1.5	.3	I	6.4		
			I	7.2	6.3	2.0	1.6	.9	.8	1.0	I	I	5.3		
SEVENTH MONTH	7		I	87	28	30	9	4	8	8	5	I	1347		
			I	6.5	2.1	2.2	.7	.3	.6	.6	.4	I	4.0		
			I	2.4	1.5	.6	.4	.2	.2	.2	I	I	3.8		
EIGHTH MONTH	8		I	16	14	9	3	1	2	8	1	I	708		
			I	2.3	2.0	1.3	.4	1	.3	1.1	I	I	2.1		
			I	.4	.8	.2	.1	.1	.1	.2	I	I			
COLUMN TOTAL			3686	1820	5142	2123	2199	3759	3314	132	.4		33636		
(CONTINUED)			11.0	5.4	15.3	6.3	6.5	11.2	9.9				100.0		

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR...
RACE VALUE.. 2 NONWHITE
----- PAGE 3 OF 4 -----

PCVISIT

COUNT ROW PCT INONE COL PCT I	PCVISIT										ROW TOTAL
	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	91	
MPCB	01	11	21	31	41	51	61	71	81	91	
NINTH MONTH	I	I	I	I	I	I	I	I	I	I	225
	I	I	I	I	I	I	I	I	I	I	225
	I	I	I	I	I	I	I	I	I	I	225
NOT	I	I	I	I	I	I	I	I	I	I	144
	I	I	I	I	I	I	I	I	I	I	144
	I	I	I	I	I	I	I	I	I	I	144
COLUMN	1208	339	528	673	961	1213	1505	1329	1968	1737	33636
(CONTINUED) TOTAL	3.6	1.0	1.6	2.0	2.9	3.6	4.5	4.0	5.9	5.2	100.0

TABLE 15

----- C R O S S T A B U L A T I O N O F -----
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. VALUE.. 2 NONWHITE
----- PAGE 4 OF 4

		PCVISIT										ROW TOTAL	
COUNT I													
ROW PCT	ITEN	101	111	121	131	141	151	161	171				
COL PCT	I	I	I	I	I	I	I	I	I	I	I	I	I
MPCB													
NINTH MONTH	9	I	1	2	1	2	1	1	1	2	1	3	I
		I	.4	.9	.4	.9	.4	.4	.4	.9	.4	1.3	I
		I	.0	.1	.0	.1	.0	.1	.1	.1	.1	2.3	I
+													
NOT	10	I	11	4	8	6	4	4	3	4	1	64	I
		I	7.6	2.8	5.6	4.2	2.8	2.8	2.1	2.8	1	44.4	I
		I	.3	.2	.2	.3	.2	.1	.1	.1	.1	48.5	I
+													
COLUMN		3686	1820	5142	2123	2199	3759	3314	132				
TOTAL		11.0	5.4	15.3	6.3	6.5	11.2	9.9	.4				

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 16

----- C R O S S T A B U L A T I O N O F -----
LBND PREVIOUS LIVE BORN NOW DEAD BY RACE -----
----- PAGE 1 OF 1

	RACE				ROW TOTAL
	COUNT ROW COL	PCT I PCT	WHITE I I	NONWHITE I I	
LBND			1I	2I	
NONE	0	I	67266	I	32777
					I100043
					I 98.0
ONE	1	I	1006	I	740
					I 1746
					I 1.7
TWO	2	I	95	I	67
					I 162
					I .2
THREE	3	I	18	I	9
					I 27
					I .0
FOUR	4	I	2	I	3
					I 5
					I .0
FIVE	5	I	1	I	2
					I 3
					I .0
NINE OR MORE	9	I	1	I	1
					I 1
					I .0
NOT STATED	10	I	66	I	38
					I 104
					I .1
COLUMN					102091
TOTAL					100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 17

CROSS TABULATION OF
BY RACE

PAGE 1 OF 2

OTH	COUNT ROW COL	RACE		ROW TOTAL
		WHITE	NONWHITE	
OTH		11	21	
NONE	0	52916	25219	78135
		67.7	32.3	76.5
		77.3	75.0	
ONE	1	11280	6035	17315
		65.1	34.9	17.0
		16.5	17.9	
TWO	2	3001	1702	4703
		63.8	36.2	4.6
		4.4	5.1	
THREE	3	794	453	1247
		63.7	36.3	1.2
		1.2	1.3	
FOUR	4	237	126	363
		65.3	34.7	.4
		.3	.4	
FIVE	5	87	36	123
		70.7	29.3	.1
		.1	.1	
SIX	6	30	20	50
		60.0	40.0	.0
		.0	.1	
SEVEN	7	14	4	18
		77.8	22.2	.0
		.0	.0	
EIGHT	8	8	4	12
		66.7	33.3	.0
		.0	.0	
NINE OR MORE	9	3	3	6
		50.0	50.0	.0
		.0	.0	
COLUMN TOTAL		68450	33633	102083
(CONTINUED)		67.1	32.9	100.0

TABLE 17

----- C R O S S T A B U L A T I O N O F -----
 O T H E R T E R M I N A T I O N S B Y R A C E -----
 ----- PAGE 2 OF 2 -----

	RACE				ROW TOTAL
	COUNT	I	WHITE	NONWHITE	
OTH	ROW PCT	10	80	31	111
	COL PCT	1	1	1	.1
NOT	ROW PCT	10	80	31	111
	COL PCT	1	1	1	.1
	COLUMN TOTAL	68450	33633	102083	100.0

NUMBER OF MISSING OBSERVATIONS = 8

TABLE 18

CROSS TABULATION OF										PAGE 1 OF 4	
APGAR5		APGAR SCORE FIVE MINUTES		BY AGE		AGE OF MOTHER		TOTAL			
CONTROLLING FOR..				VALUE =							
RACES											

TABLE 18

APGARS APGAR SCORE FIVE MINUTES C R O S S T A B U L A T I O N O F AGE OF MOTHER
CONTROLLING FOR... BY AGE TOTAL
RACES VALUE =

PAGE 2 OF 4

APGAR5	COUNT I ROW PCT I COL PCT I	AGE												NOT STATED	ROW TOTAL
		221	231	241	251	261	271	281	291	301	311	321	331		
ZERO	0	4	3	8	29	9	2	1	1	1	1	1	1	1	81
	1	4.9	3.7	9.9	35.8	11.1	2.5	1	1	1	1	1	1	1	.1
	2	.1	.0	.1	.1	.1	.0	1	1	1	1	1	1	1	
ONE	1	24	14	17	66	40	23	1	1	1	1	1	1	2	305
	2	7.9	4.6	5.6	21.6	13.1	7.5	1	1	1	1	1	1	.7	.3
	3	.4	.2	.3	.2	.2	.4	1	1	1	1	1	1	.3	
TWO	2	6	10	7	32	23	6	1	1	1	1	1	1	2	130
	3	4.6	7.7	5.4	24.6	17.7	4.6	1	1	1	1	1	1	1.5	.1
	4	.1	.2	.1	.1	.1	.1	1	1	1	1	1	1	.3	
THREE	3	8	9	8	24	21	6	1	1	1	1	1	1	1	122
	4	6.6	7.4	6.6	19.7	17.2	4.9	1	1	1	1	1	1	.1	.1
	5	.1	.1	.1	.1	.1	.1	1	1	1	1	1	1	1	
FOUR	4	16	10	10	32	27	8	1	1	1	1	1	1	1	160
	5	10.0	6.3	6.3	20.0	16.9	5.0	1	1	1	1	1	1	.2	.2
	6	.3	.2	.2	.1	.2	.1	1	1	1	1	1	1	1	
FIVE	5	21	17	17	79	55	19	1	1	1	1	1	1	2	305
	6	6.9	5.6	5.6	25.9	18.0	6.2	1	1	1	1	1	1	.7	.3
	7	.3	.3	.3	.3	.3	.3	1	1	1	1	1	1	.3	
SIX	6	40	42	32	161	111	30	1	1	1	1	1	1	6	623
	7	6.4	6.7	5.1	25.8	17.8	4.8	1	1	1	1	1	1	1.0	.6
	8	.6	.7	.5	.5	.6	.5	1	1	1	1	1	1	.8	
SEVEN	7	102	98	84	400	262	85	1	1	1	1	1	1	13	1593
	8	6.4	6.2	5.3	25.1	16.4	5.3	1	1	1	1	1	1	.8	1.6
	9	1.7	1.6	1.3	1.3	1.5	1.5	1	1	1	1	1	1	1.8	
EIGHT	8	451	461	453	2079	1239	459	1	1	1	1	1	1	61	7635
	9	5.9	6.0	5.9	27.2	16.2	6.0	1	1	1	1	1	1	.8	7.5
	10	7.3	7.6	7.3	7.0	7.0	8.1	1	1	1	1	1	1	8.6	
COLUMN TOTAL		6159	6028	6243	29870	17803	5673	742	21	711	102091				
(CONTINUED)		6.0	5.9	6.1	29.3	17.4	5.6	.7	.0	.7	100.0				

TABLE 18

----- C R O S S T A B U L A T I O N O F -----
APGAR5 APGAR SCORE FIVE MINUTES AGE OF MOTHER
CONTROLLING FOR.. BY AGE TOTAL
RACES VALUE = -----
----- PAGE 3 OF 4

		AGE											ROW TOTAL
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I		
APGAR5	COUNT I												
	ROW PCT I												
	COL PCT I												
	I												
NINE	9	14	52	234	560	1295	2180	3133	4014	4358	4271	73573	
	I	.0	.1	.3	.8	1.8	3.0	4.3	5.5	5.9	5.8	72.1	
	I 100.0	I 65.8	I 68.0	I 65.1	I 70.0	I 68.7	I 68.7	I 68.0	I 69.9	I 71.0	I 70.9	I	
	I												
TEN	10	I	13	50	145	292	580	873	993	1024	1035	16698	
	I	I	.1	.3	.9	1.7	3.5	5.2	5.9	6.1	6.2	16.4	
	I	I 16.5	I 14.5	I 16.9	I 15.8	I 18.3	I 18.3	I 18.9	I 17.3	I 16.7	I 17.2	I	
	I												
NOT	11	I	1	11	12	18	24	40	70	32	29	866	
	I	I	.1	1.3	1.4	2.1	2.8	4.6	8.1	3.7	3.3	.8	
	I	I 1.3	I 3.2	I 3.2	I 1.4	I 1.0	I .8	I .9	I 1.2	I .5	I .5	I	
	I												
COLUMN		14	79	344	860	1850	3175	4609	5745	6142	6023	102091	
(CONTINUED) TOTAL		.0	.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	100.0	

TABLE 18

CROSS TABULATION OF AGE OF MOTHER															PAGE 4 OF 4	
APGAR5		APGAR SCORE FIVE MINUTES		BY AGE											TOTAL	
CONTROLLING FOR...		RACES		VALUE =												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												
				AGE												
				COUNT												
				ROW PCT												
				COL PCT												

TABLE 18

APGAR5 APGAR SCORE FIVE MINUTES C R O S S T A B U L A T I O N O F AGE OF MOTHER
CONTROLLING FOR.. BY AGE
RACE VALUE.. 1 WHITE

PAGE 1 OF 4

APGAR5	COUNT ROW PCT COL PCT	AGE										ROW TOTAL
		131	141	151	161	171	181	191	201	211	221	
ZERO	0	I	I	I	I	I	I	I	I	I	I	48
		I	I	I	I	2.1	2.1	6.3	12.5	4.2	4.2	.1
		I	I	I	I	.1	.0	.1	.2	.1	.1	
ONE	1	I	I	I	3	6	10	9	5	5	11	124
		I	I	I	2.4	4.8	8.1	7.3	4.0	4.0	8.9	.2
		I	I	I	.4	.4	.4	.3	.1	.1	.3	
TWO	2	I	I	I	1	3	5	3	3	4	2	55
		I	I	I	1.8	5.5	9.1	5.5	5.5	7.3	3.6	.1
		I	I	I	.3	.2	.2	.1	.1	.1	.1	
THREE	3	I	I	I	1	3	3	3	3	4	4	46
		I	I	I	2.2	6.5	6.5	6.5	6.5	8.7	8.7	.1
		I	I	I	.1	.2	.1	.1	.1	.1	.1	
FOUR	4	I	I	I	2	1	3	6	4	6	8	76
		I	I	I	2.6	1.3	3.9	7.9	5.3	7.9	10.5	.1
		I	I	I	.3	.1	.1	.2	.1	.2	.2	
FIVE	5	I	I	I	3	7	8	11	3	8	10	164
		I	I	I	1.8	4.3	4.9	6.7	1.8	4.9	6.1	.2
		I	I	I	.4	.4	.3	.3	.1	.2	.3	
SIX	6	I	I	I	2	11	12	19	23	19	19	329
		I	I	I	.6	3.3	3.6	5.8	7.0	5.8	5.8	.5
		I	I	I	.3	.7	.5	.6	.6	.5	.5	
SEVEN	7	I	I	I	16	27	45	48	63	57	55	914
		I	I	I	1.8	3.0	4.9	5.3	6.9	6.2	6.0	1.3
		I	I	I	2.0	1.7	1.8	1.5	1.7	1.5	1.4	
EIGHT	8	I	I	I	62	113	215	235	290	290	280	4854
		I	I	I	1.3	2.3	4.4	4.8	6.0	6.0	5.8	7.1
		I	I	I	7.8	7.0	8.8	7.2	7.9	7.9	7.3	
COLUMN TOTAL		9	71	295	793	1625	2453	3257	3652	3692	3832	68455
		.0	.1	.4	1.2	2.4	3.6	4.8	5.3	5.4	5.6	100.0

(CONTINUED)

TABLE 18

APGAR5 APGAR SCORE FIVE MINUTES C R O S S T A B U L A T I O N O F AGE OF MOTHER
CONTROLLING FOR.. BY AGE 45 AND NOT
RACE VALUE.. 1 WHITE

APGAR5	COUNT ROW PCT COL PCT	AGE												ROW TOTAL
		23I	24I	25I	26I	27I	28I	29I	30I	31I	32I	33I	34I	
ZERO	0	2	7	19	4	1	1	1	1	1	1	1	1	48
	1	4.2	14.6	39.6	8.3	2.1	1	1	1	1	1	1	1	.1
	2	.1	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	
	3	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
ONE	1	7	9	30	20	8	1	1	1	1	1	1	1	124
	2	5.6	7.3	24.2	16.1	6.5	1	1	1	1	1	1	1	.2
	3	.2	.2	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1	
	4	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
TWO	2	4	4	13	11	1	1	1	1	1	1	1	1	55
	3	7.3	7.3	23.6	20.0	1.8	1	1	1	1	1	1	1	.1
	4	.1	.1	.1	.1	.0	.1	.1	.1	.1	.1	.1	.1	
	5	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
THREE	3	2	3	10	8	1	1	1	1	1	1	1	1	46
	4	4.3	6.5	21.7	17.4	2.2	1	2.2	1	1	1	1	1	.1
	5	.1	.1	.0	.1	.0	.1	.2	.1	.1	.1	.1	.1	
	6	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
FOUR	4	5	4	19	12	6	1	1	1	1	1	1	1	76
	5	6.6	5.3	25.0	15.8	7.9	1	1	1	1	1	1	1	.1
	6	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
	7	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
FIVE	5	7	11	48	39	5	1	1	1	1	1	1	1	164
	6	4.3	6.7	29.3	23.8	3.0	.6	.6	.1	.1	.1	.1	.1	.2
	7	.2	.3	.2	.3	.1	.2	.1	.1	.1	.1	.1	.1	
	8	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
SIX	6	23	17	89	64	18	7	1	1	1	1	1	1	329
	7	7.0	5.2	27.1	19.5	5.5	2.1	1	.3	.3	.1	.1	.1	.5
	8	.6	.4	.4	.5	.4	1.3	.1	.2	.1	.1	.1	.1	
	9	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
SEVEN	7	58	48	248	182	45	6	1	7	1	1	1	1	914
	8	6.3	5.3	27.1	19.9	4.9	.7	1	.8	.1	.1	.1	.1	1.3
	9	1.5	1.1	1.1	1.3	1.1	1.1	.1	1.2	.1	.1	.1	.1	
	10	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
EIGHT	8	283	280	1436	918	337	36	3	45	1	1	1	1	4854
	9	5.8	5.8	29.6	18.9	6.9	.7	.1	.9	.1	.1	.1	.1	7.1
	10	7.3	6.7	6.6	6.7	7.9	6.9	23.1	8.0	.1	.1	.1	.1	
	11	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	
COLUMN TOTAL		3894	4196	21738	13604	4245	525	13	561	.8	.0	.0	.0	68455
(CONTINUED)		5.7	6.1	31.8	19.9	6.2	.8	.0	.8	.0	.0	.0	.0	100.0

TABLE 18

----- C R O S S T A B U L A T I O N O F -----
APGAR5 APGAR SCORE FIVE MINUTES AGE OF MOTHER
CONTROLLING FOR.. BY AGE
RACE VALUE.. 1 WHITE
----- PAGE 3 OF 4 -----

		AGE											ROW TOTAL
		131	141	151	161	171	181	191	201	211	221		
COUNT	I												
ROW PCT	I												
COL PCT	I												
APGAR5													
NINE	9	I	I	I	I	I	I	I	I	I	I	I	
		7	46	185	540	1079	1625	2247	2542	2580	2688	49218	
		.0	.1	.4	1.1	2.2	3.3	4.6	5.2	5.2	5.5	71.9	
TEN	I	I	I	I	I	I	I	I	I	I	I	I	
		77.8	64.8	62.7	68.1	66.4	66.2	69.0	69.6	69.9	70.1		
	10	I	I	I	I	I	I	I	I	I	I	I	
		1	15	67	161	360	513	649	696	706	725	12187	
		.0	.1	.5	1.3	3.0	4.2	5.3	5.7	5.8	5.9	17.8	
NOT	I	I	I	I	I	I	I	I	I	I	I	I	
		11.1	21.1	22.7	20.3	22.2	20.9	19.9	19.1	19.1	18.9		
	11	I	I	I	I	I	I	I	I	I	I	I	
		3	3	2	2	14	13	24	14	11	28	440	
		.7	.7	.5	.5	3.2	3.0	5.5	3.2	2.5	6.4	.6	
STATED	I	I	I	I	I	I	I	I	I	I	I	I	
		4.2	4.2	.7	.3	.9	.5	.7	.4	.3	.7		
COLUMN		9	71	295	793	1625	2453	3257	3652	3692	3832	68455	
(CONTINUED) TOTAL		.0	.1	.4	1.2	2.4	3.6	4.8	5.3	5.4	5.6	100.0	

TABLE 18

----- C R O S S T A B U L A T I O N O F -----
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. VALUE.. 1 WHITE
RACE -----
----- PAGE 4 OF 4

		AGE											ROW TOTAL
COUNT	I	23I	24I	25I	26I	27I	28I	29I	45 AND OVER	NOT STATED	30I		
ROW PCT	I												
COL PCT	I												
APGAR5													
NINE	9	I 2776	I 3045	I 15944	I 9985	I 3096	I 377	I 6	I 450	I 49218			
	I	I 5.6	I 6.2	I 32.4	I 20.3	I 6.3	I .8	I .0	I .9	I 71.9			
	I	I 71.3	I 72.6	I 73.3	I 73.4	I 72.9	I 71.8	I 46.2	I 80.2	I			
TEN	10	I 713	I 742	I 3768	I 2278	I 688	I 79	I 3	I 23	I 12187			
	I	I 5.9	I 6.1	I 30.9	I 18.7	I 5.6	I .6	I .0	I .2	I 17.8			
	I	I 18.3	I 17.7	I 17.3	I 16.7	I 16.2	I 15.0	I 23.1	I 4.1	I			
NOT	11	I 14	I 26	I 114	I 83	I 39	I 18	I 1	I 34	I 440			
	I	I 3.2	I 5.9	I 25.9	I 18.9	I 8.9	I 4.1	I .2	I 7.7	I .6			
	I	I .4	I .6	I .5	I .6	I .9	I 3.4	I 7.7	I 6.1	I			
COLUMN	3894	4196	21738	13604	4245	525	13	561	68455				
TOTAL	5.7	6.1	31.8	19.9	6.2	.8	.0	.8	100.0				

TABLE 18

----- C R O S S T A B U L A T I O N O F M O T H E R
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. VALUE.. 2 NONWHITE

		AGE														ROW TOTAL	
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I						
APGAR5	COUNT I ROW PCT COL PCT																
ZERO	0	I	I	2	3	1	1	1	2	2	1	1	1	1	1	33	
	I	I	I	6.1	9.1	3.0	3.0	3.0	6.1	6.1	3.0	3.0	3.0	3.0	3.0	.1	
	I	I	I	.7	.5	.1	.1	.0	.1	.1	.1	.1	.1	.1	.0	I	
ONE	1	I	1	1	5	10	10	13	6	16	19	19	19	19	19	181	
	I	I	.6	I	2.8	5.5	5.5	7.2	3.3	8.8	10.5	10.5	10.5	10.5	10.5	.5	
	I	I	1.4	I	.9	.9	.6	.6	.2	.6	.8	.8	.8	.8	.8	I	
TWO	2	I	1	2	1	1	2	2	6	7	2	2	2	2	2	75	
	I	I	1.3	I	1.3	1.3	2.7	2.7	8.0	9.3	2.7	2.7	2.7	2.7	2.7	.2	
	I	I	1.4	I	.2	.1	.1	.1	.2	.3	.1	.1	.1	.1	.1	I	
THREE	3	I	I	I	1	3	4	5	3	7	3	3	3	3	3	76	
	I	I	I	I	1.3	3.9	5.3	6.6	3.9	9.2	3.9	3.9	3.9	3.9	3.9	.2	
	I	I	I	I	.2	.3	.3	.2	.1	.3	.1	.1	.1	.1	.1	I	
FOUR	4	I	I	1	3	5	7	6	3	5	5	5	5	5	5	84	
	I	I	1.2	I	3.6	6.0	8.3	7.1	3.6	6.0	6.0	6.0	6.0	6.0	6.0	.2	
	I	I	.4	I	.5	.5	.5	.3	.1	.2	.2	.2	.2	.2	.2	I	
FIVE	5	I	2	1	3	7	6	7	8	10	4	4	4	4	4	141	
	I	I	1.4	I	2.1	5.0	4.3	5.0	5.7	7.1	2.8	2.8	2.8	2.8	2.8	.4	
	I	I	2.9	I	.4	.7	.4	.3	.3	.4	.2	.2	.2	.2	.2	I	
SIX	6	I	1	4	9	11	10	14	20	17	17	17	17	17	17	294	
	I	I	.3	I	3.1	3.7	3.4	4.8	6.8	5.8	5.8	5.8	5.8	5.8	5.8	.9	
	I	I	1.4	I	1.6	1.0	.6	.6	.8	.7	.7	.7	.7	.7	.7	I	
SEVEN	7	I	2	5	18	24	34	48	53	47	46	46	46	46	46	679	
	I	I	.3	I	2.7	3.5	5.0	7.1	7.8	6.9	6.8	6.8	6.8	6.8	6.8	2.0	
	I	I	2.9	I	3.2	2.3	2.2	2.2	2.1	1.9	2.0	2.0	2.0	2.0	2.0	I	
EIGHT	8	I	5	27	59	93	145	165	230	217	196	196	196	196	196	2781	
	I	I	.2	I	2.1	3.3	5.2	5.9	8.3	7.8	7.0	7.0	7.0	7.0	7.0	8.3	
	I	I	7.1	I	10.4	8.8	9.4	7.7	9.2	8.7	8.4	8.4	8.4	8.4	8.4	I	
COLUMN TOTAL		14	70	273	565	1057	1550	2156	2488	2490	2331	2331	2331	2331	2331	33636	
(CONTINUED)		.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9	6.9	6.9	6.9	6.9	100.0	

PAGE 2 OF 4

CROSS TABULATION OF AGE OF MOTHER													PAGE 2 OF 4	
APGAR5		VALUE.. 2 NONWHITE												
CONTROLLING FOR..														
RACE														
COUNT		AGE												
ROW PCT	COL PCT	22I	23I	24I	25I	26I	27I	28I	29I	30I	NOT STATED	ROW TOTAL		
0	1	2	1	1	10	5	1	1	1	1	1	33		
1	1	6.1	3.0	3.0	30.3	15.2	3.0	1	1	1	1	.1		
2	1	.1	.0	.0	.1	.1	.1	1	1	1	1	1		
3	1	13	7	8	36	20	15	1	1	1	1	181		
4	1	7.2	3.9	4.4	19.9	11.0	8.3	.6	1	1	.6	.5		
5	1	.6	.3	.4	.4	.5	1.1	.5	1	1	.7	1		
6	1	4	6	3	19	12	5	1	1	1	2	75		
7	1	5.3	8.0	4.0	25.3	16.0	6.7	1	1	1	2.7	.2		
8	1	.2	.3	.1	.2	.3	.4	1	1	1	1.3	1		
9	1	4	7	5	14	13	5	1	1	1	2	76		
10	1	5.3	9.2	6.6	18.4	17.1	6.6	2.6	1	1	1	.2		
11	1	.2	.3	.2	.2	.3	.4	.9	1	1	1	1		
12	1	8	5	6	13	15	2	1	1	1	1	84		
13	1	9.5	6.0	7.1	15.5	17.9	2.4	1	1	1	1	.2		
14	1	.3	.2	.3	.2	.4	.1	1	1	1	1	1		
15	1	11	10	6	31	16	14	3	1	1	2	141		
16	1	7.8	7.1	4.3	22.0	11.3	9.9	2.1	1	1	1.4	.4		
17	1	.5	.5	.3	.4	.4	1.0	1.4	1	1	1.3	1		
18	1	21	19	15	72	47	12	1	1	1	5	294		
19	1	7.1	6.5	5.1	24.5	16.0	4.1	1	1	1	1.7	.9		
20	1	.9	.9	.7	.9	1.1	.8	1	1	1	3.3	1		
21	1	47	40	36	152	80	40	1	1	1	6	679		
22	1	6.9	5.9	5.3	22.4	11.8	5.9	.1	1	1	.9	2.0		
23	1	2.0	1.9	1.8	1.9	1.9	2.8	.5	1	1	4.0	1		
24	1	171	178	173	643	321	122	19	1	1	16	2781		
25	1	6.1	6.4	6.2	23.1	11.5	4.4	.7	1	.0	.6	8.3		
26	1	7.3	8.3	8.5	7.9	7.6	8.5	8.8	12.5	10.7	1	1		
27	1	2327	2134	2047	8132	4199	1428	217	8	150	33636	100.0		
28	1	6.9	6.3	6.1	24.2	12.5	4.2	.6	.0	.4	100.0	100.0		

TABLE 18

APGAR5 APGAR SCORE FIVE MINUTES C R O S S T A B U L A T I O N O F AGE OF MOTHER
CONTROLLING FOR.. BY AGE
RACE VALUE.. 2 NONWHITE

		AGE											ROW TOTAL								
		12I	13I	14I	15I	16I	17I	18I	19I	20I	21I										
COUNT	I																				
ROW PCT	I																				
COL PCT	I																				

APGAR5	9	I	45	I	188	I	375	I	755	I	1101	I	1508	I	1767	I	1816	I	1691	I	24355
NINE		I	.1	I	.2	I	1.5	I	3.1	I	4.5	I	6.2	I	7.3	I	7.5	I	6.9	I	72.4
	I	100.0	I	64.3	I	68.9	I	66.4	I	71.4	I	71.0	I	69.9	I	71.0	I	72.9	I	72.5	I

TEN	10	I	12	I	35	I	78	I	131	I	220	I	360	I	344	I	328	I	329	I	4511
	I	I	.3	I	.8	I	1.7	I	2.9	I	4.9	I	8.0	I	7.6	I	7.3	I	7.3	I	13.4
	I	I	17.1	I	12.8	I	13.8	I	12.4	I	14.2	I	16.7	I	13.8	I	13.2	I	14.1	I	

NOT	11	I	1	I	8	I	10	I	16	I	10	I	27	I	46	I	18	I	18	I	426
STATED		I	.2	I	1.9	I	2.3	I	3.8	I	2.3	I	6.3	I	10.8	I	4.2	I	4.2	I	1.3
	I	I	1.4	I	2.9	I	1.8	I	1.5	I	.6	I	1.3	I	1.8	I	.7	I	.8	I	

COLUMN	14	70	273	565	1057	1550	2156	2488	2490	2331	33636										
TOTAL	.0	.2	.8	1.7	3.1	4.6	6.4	7.4	7.4	6.9	100.0										
(CONTINUED)																					

TABLE 18

[illegible]

TABLE 19

----- C R O S S T A B U L A T I O N O F -----
APGAR5 APGAR SCORE FIVE MINUTES EDUCATION OF MOTHER
CONTROLLING FOR.. BY EDUC
RACES VALUE = TOTAL
----- PAGE 1 OF 2 -----

EDUC											
COUNT		I		H.S. 1-3		H.S. 4		COL. 1-3		COL. 4+	
ROW	PCT	INONE	OR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	NOT	STATED
COL	PCT	TELEM.	I	11	21	31	41	51	61		

APGAR5	0	I	4	I	14	I	37	I	17	I	7
		I	4.9	I	17.3	I	45.7	I	21.0	I	8.6
ZERO		I	.1	I	.1	I	.1	I	.1	I	.0
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I									
		I					</				

TABLE 19

CROSS TABULATION OF														PAGE 2 OF 2		
APGAR5		APGAR SCORE FIVE MINUTES				BY EDUC				EDUCATION OF MOTHER						
CONTROLLING FOR RACES						VALUE =				TOTAL						
		EDUC														
COUNT																
ROW	PCT	INONE OR	H.S. 1-3	H.S. 4	COL. 1-3	COL. 4+	NOT	STATED	ROW							
COL	PCT	TELEM.	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	TOTAL							
		1	2	3	4	5	6									
APGAR5																
NINE		9	I	2275	I	13735	I	30315	I	14326	I	12860	I	62	I	73573
			I	3.1	I	18.7	I	41.2	I	19.5	I	17.5	I	.1	I	72.1
			I	67.2	I	68.6	I	71.7	I	73.9	I	76.0	I	51.2	I	
TEN		10	I	678	I	3646	I	6991	I	2956	I	2411	I	16	I	16698
			I	4.1	I	21.8	I	41.9	I	17.7	I	14.4	I	.1	I	16.4
			I	20.0	I	18.2	I	16.5	I	15.3	I	14.2	I	13.2	I	
NOT		11	I	49	I	208	I	358	I	123	I	107	I	21	I	866
			I	5.7	I	24.0	I	41.3	I	14.2	I	12.4	I	2.4	I	.8
			I	1.4	I	1.0	I	.8	I	.6	I	.6	I	17.4	I	
COLUMN		3386	20018	42265	19376	16925	121	102091								
TOTAL		3.3	19.6	41.4	19.0	16.6	.1	100.0								

TABLE 19

CROSS TABULATION OF EDUCATION OF MOTHER

APGAR5 APGAR SCORE FIVE MINUTES
CONTROLLING FOR...
RACE

VALUE.. 1 WHITE

PAGE 1 OF 2

EDUC																
COUNT		I														
ROW	PCT	INONE	OR	H.S. 1-3 YEARS			H.S. 4 YEARS			COL. 1-3 YEARS			COL. 4+ YEARS			NOT
COL	PCT	IELEM.		11	21	31	41	51							STATED	
-----+-----																

TABLE 19

APGAR5 APGAR SCORE FIVE MINUTES C R O S S T A B U L A T I O N O F EDUCATION OF MOTHER
CONTROLLING FOR.. BY EDUC VALUE.. 1 WHITE
RACE

PAGE 2 OF 2

APGAR5	COUNT ROW PCT COL PCT	I NONE OR ELEM.	H.S. 1-3 YEARS			H.S. 4 YEARS			COL. 1-3 YEARS			COL. 4+ YEARS			NOT STATED	ROW TOTAL
			1I	2I	3I	4I	5I	6I	1I	2I	3I	4I	5I	6I		
NINE	9	I 1442	I 7605	I 18929	I 10288	I 10921	I 33	I 49218								
		I 2.9	I 15.5	I 38.5	I 20.9	I 22.2	I .1	I 71.9								
		I 65.8	I 67.1	I 71.3	I 73.8	I 75.9	I 54.1	I								
TEN	10	I 502	I 2418	I 4841	I 2298	I 2122	I 6	I 12187								
		I 4.1	I 19.8	I 39.7	I 18.9	I 17.4	I .0	I 17.8								
		I 22.9	I 21.3	I 18.2	I 16.5	I 14.8	I 9.8	I								
NOT	11	I 28	I 85	I 158	I 73	I 83	I 13	I 440								
		I 6.4	I 19.3	I 35.9	I 16.6	I 18.9	I 3.0	I .6								
		I 1.3	I .7	I .6	I .5	I .6	I 21.3	I								
COLUMN		2190	11339	26541	13941	14383	61	68455								
TOTAL		3.2	16.6	38.8	20.4	21.0	.1	100.0								

TABLE 19

[illegible]

TABLE 19

----- C R O S S T A B U L A T I O N O F -----
 A P G A R 5 A P G A R S C O R E F I V E M I N U T E S E D U C A T I O N E D U C A T I O N O F
 C O N T R O L L I N G F O R . . . B Y E D U C E D U C A T I O N O F M O T H E R
 R A C E V A L U E . . . 2 N O N W H I T E
 ----- P A G E 2 O F 2 -----

EDUC																	
APGAR5	COUNT I	ROW COL	PCT PCT	NONE IELEM.	H.S. 1-3		H.S. 4		COL. 1-3		COL. 4+		NOT STATED	ROW TOTAL			
					YEARS	1-3	YEARS	4	YEARS	1-3	YEARS	4+					
NINE	I	1	1	1	1	1	1	1	1	1	1	1	1	61			
	9	I	833	I	6130	I	11386	I	4038	I	1939	I	29	I	24355		
	I	3.4	I	25.2	I	46.8	I	16.6	I	8.0	I	.1	I	.1	I	72.4	
	I	69.6	I	70.6	I	72.4	I	74.3	I	76.3	I	48.3	I	48.3	I	48.3	
TEN	I	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	10	I	176	I	1228	I	2150	I	658	I	289	I	10	I	4511	I	4511
	I	3.9	I	27.2	I	47.7	I	14.6	I	6.4	I	.2	I	.2	I	13.4	
	I	14.7	I	14.1	I	13.7	I	12.1	I	11.4	I	16.7	I	16.7	I	16.7	
NOT	I	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	11	I	21	I	123	I	200	I	50	I	24	I	8	I	426	I	426
	STATED	I	4.9	I	28.9	I	46.9	I	11.7	I	5.6	I	1.9	I	1.3	I	1.3
	I	1.8	I	1.4	I	1.3	I	.9	I	.9	I	13.3	I	13.3	I	13.3	
COLUMN			1196		8679		15724		5435		2542		60		33636		33636
TOTAL			3.6		25.8		46.7		16.2		7.6		.2		100.0		100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSS TABULATION OF ---
BY AGE AGE OF MOTHER

CONTROLLING FORM													PAGE 1 OF 2	
COUNT		AGE											TOTAL	
ROW	COL	12I	13I	14I	15I	16I	17I	18I	19I	20I	21I	ROW	COL	
0	1	14	78	340	846	1834	3142	4547	5693	6087	5962	1101090	1	
		.0	.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	99.0		
		100.0	98.7	98.8	98.4	99.1	99.0	98.7	99.1	99.1	99.0	1		
1	1	1	1	1	1	1	1	2	3	1	1	19		
		1	1	1	1	1	1	10.5	15.8	5.3	5.3	.0		
		1	1	1	1	1	1	.0	.1	.0	.0	1		
2	1	1	1	1	1	1	2	5	5	3	7	86		
		1	1	1	1	1	2.3	5.8	5.8	3.5	8.1	.1		
		1	1	1	1	1	.1	.1	.1	.0	.1	1		
3	1	1	1	1	1	1	3	4	2	3	4	93		
		1	1	1.1	1.1	1.1	3.2	4.3	2.2	3.2	4.3	.1		
		1	1	.3	.1	.1	.1	.1	.0	.0	.1	1		
4	1	1	1	1	1	2	5	7	8	8	11	137		
		1	1	.7	.7	1.5	3.6	5.1	5.8	5.8	8.0	.1		
		1	1	.3	.1	.1	.2	.2	.1	.1	.2	1		
5	1	1	1	2	6	4	10	19	11	13	11	172		
		1	1	1.2	3.5	2.3	5.8	11.0	6.4	7.6	6.4	.2		
		1	1	.6	.7	.2	.3	.4	.2	.2	.2	1		
6	1	1	1	1	4	4	10	10	10	15	11	236		
		1	1	1	1.7	1.7	4.2	4.2	4.2	6.4	4.7	.2		
		1	1.3	1	.5	.2	.3	.2	.2	.2	.2	1		
7	1	1	1	1	1	1	1	1	1	1	1	42		
		1	1	1	2.4	1	1	2.4	2.4	2.4	2.4	.0		
		1	1	1	.1	1	1	.0	.0	.0	.0	1		
8	1	1	1	1	1	5	3	14	12	11	15	216		
		1	1	1	.5	2.3	1.4	6.5	5.6	5.1	6.9	.2		
		1	1	1	.1	.3	.1	.3	.2	.2	.2	1		
ALL	OTHER	14	79	344	860	1850	3175	4609	5745	6142	6023	102091		
	TOTAL	.0	.1	.3	.8	1.8	3.1	4.5	5.6	6.0	5.9	100.0		
(CONTINUED)														

TABLE 20

----- CONGENITAL MALFORMATION OF -----
MAL CONTROLLING FOR... BY AGE AGE OF MOTHER
RACES VALUE = TOTAL
----- PAGE 2 OF 2

COUNT ROW PCT COL PCT	I	AGE											NOT STATED	ROW TOTAL
		221	231	241	251	30 - 34	35 - 39	40 - 44	45 AND OVER	291	301			
MAL	I	6091	5967	6182	29625	17623	5599	734	20	706	1101090			
NONE	I	6.0	5.9	6.1	29.3	17.4	5.5	.7	.0	.7	99.0			
	I	98.9	99.0	99.0	99.2	99.0	98.7	98.9	95.2	99.3				
741.9	I	2	1	1	6	2	1	1	1	1	19			
	I	10.5	5.3	5.3	31.6	10.5	1	1	1	1	.0			
	I	.0	.0	.0	.0	.0	1	1	1	1				
745,746	I	5	7	1	21	20	7	1	1	1	86			
	I	5.8	8.1	1.2	24.4	23.3	8.1	1.2	1.2	1.2	.1			
	I	.1	.1	.0	.1	.1	.1	.1	4.8	.1				
749.0 - 749.2	I	6	3	8	27	18	11	1	1	1	93			
	I	6.5	3.2	8.6	29.0	19.4	11.8	1	1	1.1	.1			
	I	.1	.0	.1	.1	.1	.2	1	1	.1				
752	I	9	4	10	37	24	9	1	1	1	137			
	I	6.6	2.9	7.3	27.0	17.5	6.6	1	1	.7	.1			
	I	.1	.1	.2	.1	.1	.2	1	1	.1				
755.0 - 755.3	I	11	15	7	32	21	8	1	1	1	172			
	I	6.4	8.7	4.1	18.6	12.2	4.7	.6	1	.6	.2			
	I	.2	.2	.1	.1	.1	.1	.1	1	.1				
754.0,756,757	I	19	15	24	57	38	17	1	1	1	236			
	I	8.1	6.4	10.2	24.2	16.1	7.2	1	1	.4	.2			
	I	.3	.2	.4	.2	.2	.3	1	1	.1				
758	I	1	2	3	9	15	5	2	1	1	42			
	I	2.4	4.8	7.1	21.4	35.7	11.9	4.8	1	1	.0			
	I	.0	.0	.0	.0	.1	.1	.3	1	1				
ALL OTHER	I	15	14	7	56	42	17	4	1	1	216			
	I	6.9	6.5	3.2	25.9	19.4	7.9	1.9	1	1	.2			
	I	.2	.2	.1	.2	.2	.3	.5	1	1				
COLUMN TOTAL		6159	6028	6243	29870	17803	5673	742	21	711	102091			
		6.0	5.9	6.1	29.3	17.4	5.6	.7	.0	.7	100.0			

TABLE 20

MAL CONGENITAL MALFORMATION
CONTROLLING FOR...
RACE

CROSS TABULATION OF
BY AGE
AGE OF MOTHER

VALUE.. 1 WHITE

PAGE 1 OF 2

		AGE												ROW TOTAL							
COUNT I	ROW PCT I	131	141	151	161	171	181	191	201	211	221										
MAL																					
NONE	0	I	9	I	291	I	787	I	1612	I	2422	I	3223	I	3621	I	3656	I	3792	I	67836
		I	.0	I	.4	I	1.2	I	2.4	I	3.6	I	4.8	I	5.3	I	5.4	I	5.6	I	99.1
		I	100.0	I	98.6	I	99.2	I	99.2	I	98.7	I	99.0	I	99.2	I	99.0	I	99.0	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
741.9	1	I	I	I	I	I	I	I	I	I	2	I	2	I	1	I	1	I	2	I	14
		I	I	I	I	I	I	I	I	I	14.3	I	14.3	I	7.1	I	7.1	I	14.3	I	.0
745,746		I	I	I	I	I	I	I	I	I	.1	I	.1	I	.0	I	.0	I	.1	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	2	I	I	I	I	I	I	I	1	I	4	I	4	I	2	I	6	I	2	I	62
		I	I	I	I	I	I	I	I	1.6	I	6.5	I	6.5	I	3.2	I	9.7	I	3.2	I
749.0 - 749.2		I	I	I	I	I	I	I	.1	I	.2	I	.1	I	.1	I	.2	I	.1	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	3	I	I	I	1	I	1	I	2	I	3	I	2	I	2	I	3	I	4	I	76
		I	I	I	1.3	I	1.3	I	2.6	I	3.9	I	2.6	I	2.6	I	3.9	I	5.3	I	.1
752		I	I	I	.3	I	.1	I	.1	I	.1	I	.1	I	.1	I	.1	I	.1	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	4	I	I	I	1	I	1	I	3	I	5	I	8	I	5	I	8	I	7	I	100
		I	I	I	1.0	I	1.0	I	3.0	I	5.0	I	8.0	I	5.0	I	8.0	I	7.0	I	.1
755.0 - 755.3		I	I	I	.3	I	.1	I	.2	I	.2	I	.2	I	.1	I	.2	I	.2	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	5	I	I	I	1	I	1	I	2	I	5	I	2	I	2	I	6	I	2	I	50
		I	I	I	2.0	I	1	I	4.0	I	10.0	I	4.0	I	4.0	I	12.0	I	4.0	I	.1
754.0,756,757		I	I	I	.3	I	1	I	.1	I	.2	I	.1	I	.1	I	.2	I	.1	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	6	I	I	I	1	I	1	I	3	I	5	I	6	I	9	I	6	I	10	I	141
		I	I	I	.7	I	1	I	2.1	I	3.5	I	4.3	I	6.4	I	4.3	I	7.1	I	.2
758		I	I	I	.3	I	1	I	.2	I	.2	I	.2	I	.2	I	.2	I	.3	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	7	I	I	I	1	I	1	I	1	I	1	I	1	I	1	I	1	I	1	I	35
		I	I	I	I	I	I	I	I	I	2.9	I	2.9	I	2.9	I	1	I	2.9	I	.1
ALL OTHER		I	I	I	I	I	I	I	I	I	I	I	.0	I	.0	I	I	I	.0	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	8	I	I	I	1	I	4	I	2	I	7	I	9	I	9	I	6	I	12	I	141
		I	I	I	2.8	I	2.8	I	1.4	I	5.0	I	6.4	I	6.4	I	4.3	I	8.5	I	.2
(CONTINUED) TOTAL		I	I	I	.5	I	.5	I	.1	I	.3	I	.3	I	.2	I	.2	I	.3	I	
		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
COLUMN	9	71	295	793	1625	2453	3257	3652	3692	3832	68455										
OTHER	.0	.1	.4	1.2	2.4	3.6	4.8	5.3	5.4	5.6	100.0										

TABLE 20

----- C R O S S T A B U L A T I O N O F -----
MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. VALUE.. 1 WHITE
----- PAGE 2 OF 2

MAL	COUNT ROW PCT I COL PCT I	AGE												NOT STATED	ROW TOTAL
		23I	24I	25I	26I	27I	28I	29I	30I	31I	32I	33I	34I		
NONE	0	3859	4156	21575	13482	4190	520	13	557	67836					
		5.7	6.1	31.8	19.9	6.2	.8	.0	.8	99.1					
		99.1	99.0	99.3	99.1	98.7	99.0	100.0	99.3						
741.9	1	I	I	4	2	I	I	I	I	14					
		I	I	28.6	14.3	I	I	I	I	.0					
		I	I	.0	.0	I	I	I	I						
745,746	2	6	1	16	12	6	1	1	1	62					
		9.7	1.6	25.8	19.4	9.7	1.6	1	1.6	.1					
		.2	.0	.1	.1	.1	.2	I	.2						
749.0 - 749.2	3	3	8	23	15	8	I	I	1	76					
		3.9	10.5	30.3	19.7	10.5	I	I	1.3	.1					
		.1	.2	.1	.1	.2	I	I	.2						
752	4	3	8	27	18	5	I	I	1	100					
		3.0	8.0	27.0	18.0	5.0	I	I	1.0	.1					
		.1	.2	.1	.1	.1	I	I	.2						
755.0 - 755.3	5	3	4	8	9	5	I	I	I	50					
		6.0	8.0	16.0	18.0	10.0	I	I	I	.1					
		.1	.1	.0	.1	.1	I	I	I						
754.0,756,757	6	12	12	37	26	13	I	I	1	141					
		8.5	8.5	26.2	18.4	9.2	I	I	.7	.2					
		.3	.3	.2	.2	.3	I	I	.2						
758	7	2	3	7	14	5	I	I	I	35					
		5.7	8.6	20.0	40.0	14.3	I	I	I	.1					
		.1	.1	.0	.1	.1	I	I	I						
ALL	8	6	4	41	26	13	I	I	1	141					
		4.3	2.8	29.1	18.4	9.2	I	I	I	.2					
		.2	.1	.2	.2	.3	I	I	I						
COLUMN TOTAL	3894	4196	4196	21738	13604	4245	525	13	561	68455					
	5.7	6.1	6.1	31.8	19.9	6.2	.8	.0	.8	100.0					

TABLE 20

----- MAL CONGENITAL MALFORMATION OF AGE OF MOTHER -----
CONTROLLING FOR.. BY AGE VALUE.. 2 NONWHITE PAGE 1 OF 2

MAL	COUNT ROW PCT COL PCT	AGE										ROW TOTAL
		121	131	141	151	161	171	181	191	201	211	
NONE	0	14 .0	69 .2	269 .8	555 1.7	1047 3.1	1530 4.6	2125 6.4	2470 7.4	2466 7.4	2306 6.9	33254 98.9
741.9	1	100.0	98.6	98.5	98.2	99.1	98.7	98.6	99.3	99.0	98.9	
745,746	2											
749.0 - 749.2	3											
752	4											
755.0 - 755.3	5											
754.0,756,757	6											
758	7											
ALL OTHER	8											
COLUMN TOTAL	14	70	273	1057	565	1550	2156	2488	2490	2331	33636	100.0
(CONTINUED)	0	.2	.8	3.1	1.7	4.6	6.4	7.4	7.4	6.9		

TABLE 20

----- C R O S S T A B U L A T I O N O F -----
MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. VALUE.. 2 NONWHITE
RACE
----- PAGE 2 OF 2 -----

MAL	COUNT ROW PCT COL PCT	AGE												NOT STATED	ROW TOTAL
		221	231	241	251	261	271	281	291	301	311	321	331		
NONE	0	2299	2108	2026	8050	4141	1409	214	7	149	33254				
		6.9	6.3	6.1	24.2	12.5	4.2	.6	.0	.4	98.9				
		98.8	98.8	99.0	99.0	98.6	98.7	98.6	87.5	99.3					
741.9	1	1	1	1	2	1	1	1	1	1	5				
		20.0	20.0	20.0	40.0	1	1	1	1	1	.0				
		.0	.0	.0	.0	1	1	1	1	1					
745.746	2	3	1	1	5	8	1	1	1	1	24				
		12.5	4.2	1	20.8	33.3	4.2	1	1	1	.1				
		.1	.0	1	.1	.2	.1	1	1	1	12.5				
749.0 - 749.2	3	2	1	1	4	3	3	1	1	1	17				
		11.8	1	1	23.5	17.6	17.6	1	1	1	.1				
		.1	1	1	.0	.1	.2	1	1	1					
752	4	2	1	2	10	6	4	1	1	1	37				
		5.4	2.7	5.4	27.0	16.2	10.8	1	1	1	.1				
		.1	.0	.1	.1	.1	.3	1	1	1					
755.0 - 755.3	5	9	12	3	24	12	3	1	1	1	122				
		7.4	9.8	2.5	19.7	9.8	2.5	1	1	1	.4				
		.4	.6	.1	.3	.3	.2	1	1	1	.7				
754.0, 756, 757	6	9	3	12	20	12	4	1	1	1	95				
		9.5	3.2	12.6	21.1	12.6	4.2	1	1	1	.3				
		.4	.1	.6	.2	.3	.3	1	1	1					
758	7	1	1	1	2	1	1	1	1	1	7				
		1	1	1	28.6	14.3	1	14.3	1	1	.0				
		1	1	1	.0	.0	1	.5	1	1					
ALL OTHER	8	3	8	3	15	16	4	2	1	1	75				
		4.0	10.7	4.0	20.0	21.3	5.3	2.7	1	1	.2				
		.1	.4	.1	.2	.4	.3	.9	1	1					
COLUMN TOTAL	2327	2134	2047	8132	4199	1428	1428	217	8	150	33636				
TOTAL	6.9	6.3	6.1	24.2	12.5	4.2	4.2	.6	.0	.4	100.0				

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 21

----- CONGENITAL MALFORMATION ----- C R O S S T A B U L A T I O N O F -----
CONTROLLING FOR.. BY EDUC EDUCATION OF MOTHER
RACES VALUE = TOTAL
----- PAGE 1 OF 1

MAL	COUNT I	EDUC I	ROW PCT	NONE OR IELEM.	H.S. 1-3			H.S. 4			COL. 1-3			COL. 4+			NOT STATED	ROW TOTAL
					11	21	31	41	51	61	11	21	31	41	51	61		
NONE	0	I	3348	I	19811	I	41819	I	19201	I	16792	I	119	I	1101090			
		I	3.3	I	19.6	I	41.4	I	19.0	I	16.6	I	.1	I	99.0			
		I	98.9	I	99.0	I	98.9	I	99.1	I	99.2	I	98.3	I				
741.9	1	I	1	I	5	I	10	I	2	I	1	I					19	
		I	5.3	I	26.3	I	52.6	I	10.5	I	5.3	I					.0	
		I	.0	I	.0	I	.0	I	.0	I	.0	I						
745.746	2	I	3	I	14	I	32	I	19	I	18	I					86	
		I	3.5	I	16.3	I	37.2	I	22.1	I	20.9	I					.1	
		I	.1	I	.1	I	.1	I	.1	I	.1	I						
749.0 - 749.2	3	I	7	I	14	I	32	I	24	I	15	I					93	
		I	7.5	I	15.1	I	34.4	I	25.8	I	16.1	I					.1	
		I	.2	I	.1	I	.1	I	.1	I	.1	I						
752	4	I	6	I	35	I	55	I	22	I	19	I					137	
		I	4.4	I	25.5	I	40.1	I	16.1	I	13.9	I					.1	
		I	.2	I	.2	I	.1	I	.1	I	.1	I						
755.0 - 755.3	5	I	8	I	40	I	92	I	20	I	12	I					172	
		I	4.7	I	23.3	I	53.5	I	11.6	I	7.0	I					.2	
		I	.2	I	.2	I	.2	I	.1	I	.1	I						
754.0, 756, 757	6	I	5	I	50	I	114	I	41	I	26	I					236	
		I	2.1	I	21.2	I	48.3	I	17.4	I	11.0	I					.2	
		I	.1	I	.2	I	.3	I	.2	I	.2	I						
758	7	I	1	I	4	I	19	I	6	I	12	I					42	
		I	2.4	I	9.5	I	45.2	I	14.3	I	28.6	I					.0	
		I	.0	I	.0	I	.0	I	.0	I	.1	I						
ALL	8	I	7	I	45	I	92	I	41	I	30	I					216	
		I	3.2	I	20.8	I	42.6	I	19.0	I	13.9	I					.2	
		I	.2	I	.2	I	.2	I	.2	I	.2	I						
COLUMN	3386		20018		42265		19376		16925		121		102091					
TOTAL	3.3		19.6		41.4		19.0		16.6		.1		100.0					

NUMBER OF MISSING OBSERVATIONS = 0

PAGE 1 OF 1

CROSS TABULATION OF EDUCATION OF MOTHER									
MAL CONGENITAL MALFORMATION CONTROLLING FOR..				BY EDUC				WHITE	
MAL				VALUE..				1	
EDUC				EDUC				EDUC	
ROW	PCT	INONE OR	H.S. 1-3	H.S. 4	COL. 1-3	COL. 4+	NOT	ROW	TOTAL
COL	PCT	IELEM.	YEARS	YEARS	YEARS	YEARS	STATED		
1	1	1	2	3	4	5	6		
0	2167	11232	26277	13824	14276	60	67836		
1	3.2	16.6	38.7	20.4	21.0	.1	99.1		
1	98.9	99.1	99.0	99.2	99.3	98.4			
1	1	3	8	2	1	1	14		
1	7.1	21.4	57.1	14.3	1	1	.0		
1	.0	.0	.0	.0	.0	.0			
2	2	11	22	15	12	1	62		
1	3.2	17.7	35.5	24.2	19.4	1	.1		
1	.1	.1	.1	.1	.1	1			
3	7	12	25	17	14	1	76		
1	9.2	15.8	32.9	22.4	18.4	1.3	.1		
1	.3	.1	.1	.1	.1	1.6			
4	5	21	42	17	15	1	100		
1	5.0	21.0	42.0	17.0	15.0	1	.1		
1	.2	.2	.2	.1	.1	1			
5	1	10	28	6	5	1	50		
1	2.0	20.0	56.0	12.0	10.0	1	.1		
1	.0	.1	.1	.0	.0	1			
6	3	22	65	27	24	1	141		
1	2.1	15.6	46.1	19.1	17.0	1	.2		
1	.1	.2	.2	.2	.2	1			
7	1	3	17	5	10	1	35		
1	1	8.6	48.6	14.3	28.6	1	.1		
1	.0	.0	.1	.0	.1	1			
8	4	25	57	28	27	1	141		
1	2.8	17.7	40.4	19.9	19.1	1	.2		
1	.2	.2	.2	.2	.2	1			
COLUMN	2190	11339	26541	13941	14383	61	68455		
TOTAL	3.2	16.6	38.8	20.4	21.0	.1	100.0		

TABLE 21

CONGENITAL MALFORMATION BY EDUCATION OF MOTHER

CONTROLLING FOR..

VALUE.. 2 NONWHITE

PAGE 1 OF 1

MAL	COUNT ROW PCT COL PCT	EDUC NONE OR I TELEM.	H.S. 1-3 YEARS				H.S. 4 YEARS				COL. 1-3 YEARS				COL. 4+ YEARS				NOT STATED	ROW TOTAL
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
NONE	0	I	1181	I	8579	I	15542	I	5377	I	2516	I	59	I	33254					
	I	I	3.6	I	25.8	I	46.7	I	16.2	I	7.6	I	.2	I	98.9					
	I	I	98.7	I	98.8	I	98.8	I	98.9	I	99.0	I	98.3	I						
741.9	1	I	I	2	I	2	I	I	I	I	1	I	I	I	5					
	I	I	I	40.0	I	40.0	I	I	I	I	20.0	I	I	I	.0					
	I	I	I	.0	I	.0	I	I	I	I	.0	I	I	I						
745,746	2	I	1	I	3	I	10	I	4	I	6	I	I	I	24					
	I	I	4.2	I	12.5	I	41.7	I	16.7	I	25.0	I	I	I	.1					
	I	I	.1	I	.0	I	.1	I	.1	I	.2	I	I	I						
749.0 - 749.2	3	I	I	2	I	7	I	7	I	7	1	I	I	I	17					
	I	I	I	11.8	I	41.2	I	41.2	I	41.2	I	5.9	I	I	.1					
	I	I	I	.0	I	.0	I	.0	I	.1	I	.0	I	I						
752	4	I	1	I	14	I	13	I	5	I	4	I	I	I	37					
	I	I	2.7	I	37.8	I	35.1	I	13.5	I	10.8	I	I	I	.1					
	I	I	.1	I	.2	I	.1	I	.1	I	.2	I	I	I						
755.0 - 755.3	5	I	7	I	30	I	64	I	14	I	7	I	I	I	122					
	I	I	5.7	I	24.6	I	52.5	I	11.5	I	5.7	I	I	I	.4					
	I	I	.6	I	.3	I	.4	I	.3	I	.3	I	I	I						
754.0, 756, 757	6	I	2	I	28	I	49	I	14	I	2	I	I	I	95					
	I	I	2.1	I	29.5	I	51.6	I	14.7	I	2.1	I	I	I	.3					
	I	I	.2	I	.3	I	.3	I	.3	I	.1	I	I	I						
758	7	I	1	I	1	I	2	I	1	I	2	I	I	I	7					
	I	I	14.3	I	14.3	I	28.6	I	14.3	I	28.6	I	I	I	.0					
	I	I	.1	I	.0	I	.0	I	.0	I	.1	I	I	I						
ALL	8	I	3	I	20	I	35	I	13	I	3	I	I	I	75					
	I	I	4.0	I	26.7	I	46.7	I	17.3	I	4.0	I	I	I	.2					
	I	I	.3	I	.2	I	.2	I	.2	I	.1	I	I	I						
COLUMN TOTAL	1196	8679	15724	5435	2542	60	33636													
TOTAL	3.6	25.8	46.7	16.2	7.6	.2	100.0													

NUMBER OF MISSING OBSERVATIONS = 0



3 3091 00795 5388

Department of Environment, Health, and Natural Resources
Division of Statistics and Information Services
P.O. Box 27687
Raleigh, N.C. 27611-7687
919/733-4728